









Номер	Операции в состояния x	Граф автомата
Барышев Ярослав Сергеевич	1: $c \wedge b$ 2: $c \leftrightarrow b$ 3: $a \vee c$ 4: $a \oplus c$	<pre> graph TD     0((0)) -- "x0x" --&gt; 1((1))     1 -- "x0x" --&gt; 0     1 -- "x1x" --&gt; 2((2))     2 -- "x0x" --&gt; 1     2 -- "1xx" --&gt; 3((3))     3 -- "x1x" --&gt; 2     3 -- "01x" --&gt; 0     0 -- "0xx" --&gt; 3     0 -- "11x" --&gt; 0     1 -- "x0x" --&gt; 3 </pre>
Бирюков Кузьма Константинович	1: $a \leftrightarrow b$ 2: $b \wedge a$ 3: $a \wedge b$ 4: $c \mid b$	<pre> graph TD     0((0)) -- "11x" --&gt; 1((1))     1 -- "x1x" --&gt; 0     1 -- "x0x" --&gt; 2((2))     2 -- "10x" --&gt; 1     2 -- "x1x" --&gt; 3((3))     3 -- "0xx" --&gt; 2     3 -- "01x" --&gt; 0     0 -- "x0x" --&gt; 3     1 -- "10x" --&gt; 1     3 -- "11x" --&gt; 3 </pre>



<p>Богатенко Алексей Александрович</p>	<p>1: <math>b \vee a</math> 2: <math>a \downarrow c</math> 3: <math>b \downarrow a</math> 4: <math>a \downarrow c</math></p>	 <pre> graph TD     0((0)) -- "x0x" --&gt; 0     0 -- "11x" --&gt; 1((1))     0 -- "01x" --&gt; 3((3))     1 -- "x1x" --&gt; 0     1 -- "xx1" --&gt; 2((2))     2 -- "x0x" --&gt; 1     2 -- "xx0" --&gt; 3     3 -- "xx1" --&gt; 0     3 -- "1x0" --&gt; 1     3 -- "0x0" --&gt; 2 </pre>
<p>Богачев Богдан Евгеньевич</p>	<p>1: <math>a \downarrow b</math> 2: <math>a \downarrow c</math> 3: <math>b \wedge a</math> 4: <math>a \oplus c</math></p>	 <pre> graph TD     0((0)) -- "xx0" --&gt; 1((1))     0 -- "xx0" --&gt; 2((2))     0 -- "x0x" --&gt; 3((3))     1 -- "xx1" --&gt; 0     1 -- "0x0" --&gt; 2     2 -- "xx1" --&gt; 1     2 -- "1x0" --&gt; 3     3 -- "xx1" --&gt; 0     3 -- "x10" --&gt; 2     3 -- "x11" --&gt; 3 </pre>



<p>Бондарчук Анатолий Сергеевич</p>	<p>1: <math>a \leftrightarrow c</math>  2: <math>b \rightarrow a</math>  3: <math>b \rightarrow a</math>  4: <math>a \vee c</math></p>	 <pre> graph TD     0((0)) -- "0x1" --&gt; 0     0 -- "1x1" --&gt; 2((2))     2 -- "x0x" --&gt; 0     2 -- "x1x" --&gt; 1((1))     1 -- "x0x" --&gt; 2     1 -- "x10" --&gt; 1     1 -- "x11" --&gt; 3((3))     3 -- "1xx" --&gt; 1     3 -- "xx0" --&gt; 0     0 -- "0xx" --&gt; 3 </pre>
<p>Голубинцев Данил Антонович</p>	<p>1: <math>b \wedge c</math>  2: <math>a \wedge c</math>  3: <math>b \mid a</math>  4: <math>a \leftrightarrow c</math></p>	 <pre> graph TD     0((0)) -- "xx0" --&gt; 1((1))     0 -- "xx1" --&gt; 2((2))     1 -- "1xx" --&gt; 0     1 -- "x10" --&gt; 1     1 -- "x00" --&gt; 2     2 -- "0xx" --&gt; 1     2 -- "0xx" --&gt; 3((3))     3 -- "xx1" --&gt; 1     3 -- "1xx" --&gt; 2     0 -- "1xx" --&gt; 3 </pre>

<p>Демченко Игнат Валерьевич</p>	<p>1: <math>c \mid a</math>  2: <math>a \oplus c</math>  3: <math>a \oplus c</math>  4: <math>a \oplus b</math></p>	 <pre> graph TD     0((0)) -- "01x" --&gt; 0     0 -- "x0x" --&gt; 2((2))     2 -- "1x0" --&gt; 0     2 -- "0xx" --&gt; 3((3))     3 -- "x0x" --&gt; 2     3 -- "xx1" --&gt; 3     3 -- "0x0" --&gt; 1((1))     1 -- "1xx" --&gt; 3     1 -- "x1x" --&gt; 0 </pre>
<p>Дорошенко Анастасия Олеговна</p>	<p>1: <math>c \rightarrow a</math>  2: <math>c \oplus b</math>  3: <math>b \vee c</math>  4: <math>c \oplus a</math></p>	 <pre> graph TD     0((0)) -- "xx1" --&gt; 0     0 -- "x00" --&gt; 1((1))     1 -- "0xx" --&gt; 1     1 -- "1x1" --&gt; 0     1 -- "1xx" --&gt; 3((3))     3 -- "0x1" --&gt; 1     3 -- "0xx" --&gt; 2((2))     2 -- "xx0" --&gt; 3     2 -- "x10" --&gt; 0 </pre>



<p>Замулин Клим Антонович</p>	<p>1: <math>b \oplus a</math> 2: <math>c \wedge b</math> 3: <math>a \rightarrow c</math> 4: <math>a \downarrow b</math></p>	 <pre> graph TD     0((0)) -- 1xx --&gt; 1((1))     1 -- xx0 --&gt; 0     1 -- x0x --&gt; 2((2))     2 -- 0xx --&gt; 1     2 -- x1x --&gt; 3((3))     3 -- x11 --&gt; 2     0 -- xx1 --&gt; 3     3 -- x01 --&gt; 0     3 -- xx0 --&gt; 3 </pre>
<p>Злыднев Евгений Борисович</p>	<p>1: <math>a \wedge b</math> 2: <math>c \wedge a</math> 3: <math>a \rightarrow b</math> 4: <math>b \oplus c</math></p>	 <pre> graph TD     0((0)) -- 1xx --&gt; 2((2))     2 -- x0x --&gt; 0     0 -- 0xx --&gt; 3((3))     3 -- 0x1 --&gt; 0     3 -- 1xx --&gt; 1((1))     1 -- x01 --&gt; 3     2 -- x1x --&gt; 1     1 -- x00 --&gt; 2     0 -- 0x0 --&gt; 1     1 -- x1x --&gt; 1 </pre>



<p>Иванов Ярослав Федорович</p>	<p>1: <math>b \mid a</math>  2: <math>a \wedge c</math>  3: <math>a \rightarrow b</math>  4: <math>a \rightarrow c</math></p>	<pre> graph TD     0((0)) -- 0xx --&gt; 1((1))     1 -- 10x --&gt; 0     1 -- x1x --&gt; 2((2))     2 -- 11x --&gt; 1     2 -- x0x --&gt; 3((3))     3 -- 1xx --&gt; 2     3 -- x0x --&gt; 1     3 -- 1xx --&gt; 0     0 -- 1xx --&gt; 3 </pre>
<p>Кокарев Сергей Алексеевич</p>	<p>1: <math>c \downarrow b</math>  2: <math>b \rightarrow c</math>  3: <math>b \mid c</math>  4: <math>b \oplus c</math></p>	<pre> graph TD     0((0)) -- 0xx --&gt; 1((1))     1 -- 1xx --&gt; 0     1 -- xx1 --&gt; 2((2))     2 -- xx1 --&gt; 1     2 -- 1xx --&gt; 0     3((3)) -- xxx --&gt; 0     3 -- 1x0 --&gt; 1     1 -- xx0 --&gt; 3     1 -- xx1 --&gt; 2     1 -- 0x0 --&gt; 1 </pre>



<p>Колибаев Михаил Алексеевич</p>	<p>1: <math>a \downarrow b</math> 2: <math>c \mid a</math> 3: <math>a \oplus c</math> 4: <math>b \rightarrow a</math></p>	 <pre> graph TD     0((0)) -- "x01" --&gt; 0     0 -- "xx0" --&gt; 1((1))     1 -- "01x" --&gt; 0     1 -- "x0x" --&gt; 1     1 -- "11x" --&gt; 2((2))     2 -- "xx0" --&gt; 1     2 -- "xx1" --&gt; 3((3))     3 -- "1xx" --&gt; 2     0 -- "x11" --&gt; 3     3 -- "0xx" --&gt; 0 </pre>
<p>Латунова Дарья Руслановна</p>	<p>1: <math>a \vee c</math> 2: <math>a \oplus b</math> 3: <math>b \vee c</math> 4: <math>a \rightarrow b</math></p>	 <pre> graph TD     0((0)) -- "x0x" --&gt; 1((1))     1 -- "xx0" --&gt; 0     1 -- "xx1" --&gt; 2((2))     2 -- "0x0" --&gt; 1     2 -- "1x0" --&gt; 2     2 -- "xx1" --&gt; 3((3))     3 -- "1x1" --&gt; 2     0 -- "x1x" --&gt; 3     3 -- "0xx" --&gt; 0     3 -- "1x0" --&gt; 3 </pre>



<p>Магомедов Руслан Рамазанович</p>	<p>1: <math>c \oplus b</math> 2: <math>c \leftrightarrow a</math> 3: <math>c \downarrow a</math> 4: <math>a \rightarrow c</math></p>	 <p>A Karnaugh map with four nodes (0, 1, 2, 3) arranged in a square. The nodes are connected by directed edges with labels. The edges are: 0 to 2 (x0x), 0 to 1 (xx0), 0 to 3 (x1x), 2 to 1 (0x1), 2 to 3 (xx1), 1 to 3 (xx0), 3 to 1 (1x1), and 3 to 2 (x0x).</p>
<p>Маковеев Даниил Геннадьевич</p>	<p>1: <math>b \wedge a</math> 2: <math>c \oplus a</math> 3: <math>b \wedge a</math> 4: <math>a \leftrightarrow c</math></p>	 <p>A Karnaugh map with four nodes (0, 1, 2, 3) arranged in a square. The nodes are connected by directed edges with labels. The edges are: 0 to 2 (xx0), 0 to 1 (x00), 0 to 3 (xx1), 2 to 1 (x1x), 2 to 3 (01x), 1 to 3 (11x), 3 to 1 (x0x), 3 to 2 (1xx), and 3 to 0 (0xx).</p>




<p>Пахомов Павел Алексеевич</p>	<p>1: <math>a \rightarrow b</math>  2: <math>b \oplus c</math>  3: <math>a \wedge b</math>  4: <math>a \downarrow c</math></p>	 <p>A Karnaugh map with four nodes (0, 1, 2, 3) arranged in a square. The nodes are connected by directed edges labeled with 3-bit binary strings. The edges are: 0 to 2 (1xx), 0 to 3 (0xx), 0 to 1 (x00), 2 to 1 (x10), 2 to 3 (xx1), 3 to 1 (xxx), 1 to 2 (x11), 1 to 3 (xx0), and 3 to 0 (x01).</p>
<p>Попов Данил Михайлович</p>	<p>1: <math>b \leftrightarrow c</math>  2: <math>b \downarrow c</math>  3: <math>c \vee a</math>  4: <math>c \vee a</math></p>	 <p>A Karnaugh map with four nodes (0, 1, 2, 3) arranged in a square. The nodes are connected by directed edges labeled with 3-bit binary strings. The edges are: 0 to 2 (0xx), 0 to 1 (xx0), 0 to 3 (1x1), 2 to 1 (xx1), 2 to 3 (xx0), 3 to 1 (x0x), 3 to 0 (1x0), 1 to 0 (x1x), and 1 to 2 (xx1).</p>

<p>Сергиенко Георгий Андреевич</p>	<p>1: <math>a \mid c</math>  2: <math>a \vee b</math>  3: <math>b \vee a</math>  4: <math>b \oplus a</math></p>	 <pre> graph TD     0((0)) -- "1x0" --&gt; 2((2))     2 -- "10x" --&gt; 0     0 -- "1xx" --&gt; 1((1))     1 -- "1x1" --&gt; 0     1 -- "0xx" --&gt; 2     2 -- "x0x" --&gt; 1     1 -- "x1x" --&gt; 3((3))     3 -- "0xx" --&gt; 1     0 -- "1xx" --&gt; 3     3 -- "1xx" --&gt; 0     0 -- "0xx" --&gt; 0     2 -- "11x" --&gt; 2 </pre>
<p>Смирнов Антон Дмитриевич</p>	<p>1: <math>c \rightarrow a</math>  2: <math>b \oplus a</math>  3: <math>a \rightarrow c</math>  4: <math>c \vee a</math></p>	 <pre> graph TD     0((0)) -- "xx1" --&gt; 1((1))     1 -- "x0x" --&gt; 0     0 -- "1x0" --&gt; 2((2))     2 -- "xx1" --&gt; 0     1 -- "x1x" --&gt; 2     2 -- "xx0" --&gt; 1     1 -- "x11" --&gt; 3((3))     3 -- "xx0" --&gt; 1     0 -- "1x0" --&gt; 3     3 -- "xx1" --&gt; 0     2 -- "x11" --&gt; 3     3 -- "xx0" --&gt; 2     0 -- "0x0" --&gt; 0     2 -- "x01" --&gt; 2 </pre>

<p>Сынков Максим Валерьевич</p>	<p>1: <math>a \wedge c</math> 2: <math>a \wedge b</math> 3: <math>b \mid a</math> 4: <math>b \mid a</math></p>	 <pre> graph TD     0((0)) -- x00 --&gt; 2((2))     0 -- 1xx --&gt; 3((3))     0 -- xx0 --&gt; 1((1))     2 -- 0xx --&gt; 1     2 -- 1xx --&gt; 3     3 -- 0xx --&gt; 1     3 -- x1x --&gt; 0     0 -- x01 --&gt; 0 </pre>
<p>Терехова Влада Евгеньевна</p>	<p>1: <math>a \oplus b</math> 2: <math>c \oplus a</math> 3: <math>c \leftrightarrow a</math> 4: <math>c \mid b</math></p>	 <pre> graph TD     0((0)) -- x01 --&gt; 1((1))     0 -- 1xx --&gt; 2((2))     0 -- x00 --&gt; 3((3))     1 -- 0xx --&gt; 2     1 -- 1xx --&gt; 0     2 -- 0xx --&gt; 1     2 -- 1xx --&gt; 3     3 -- 0x0 --&gt; 2     3 -- x00 --&gt; 0     0 -- x1x --&gt; 0     2 -- xx1 --&gt; 2 </pre>

<p>Тумаков Фёдор Владимирович</p>	<p>1: <math>b \wedge c</math>  2: <math>b \rightarrow a</math>  3: <math>b \vee a</math>  4: <math>a \mid c</math></p>	
<p>Феррейро Фернандес Марисоль Эрнестовна</p>	<p>1: <math>b \oplus a</math>  2: <math>c \downarrow b</math>  3: <math>a \oplus b</math>  4: <math>c \wedge a</math></p>	

<p>Хомяков Семён Андреевич</p>	<p>1: <math>a \rightarrow c</math>  2: <math>b \leftrightarrow a</math>  3: <math>c \vee b</math>  4: <math>c \rightarrow a</math></p>	
<p>Шевкопляс Максим Владимирович</p>	<p>1: <math>b \downarrow a</math>  2: <math>b \mid c</math>  3: <math>c \oplus b</math>  4: <math>a \oplus c</math></p>	

<p>Шестаков Максим Игоревич</p>	<p>1: <math>b \vee c</math> 2: <math>b \downarrow c</math> 3: <math>b \oplus a</math> 4: <math>a \downarrow b</math></p>	
<p>Запас 1</p>	<p>1: <math>a \wedge b</math> 2: <math>b \rightarrow c</math> 3: <math>a \wedge c</math> 4: <math>a \downarrow b</math></p>	