



BIRE MEL

Team Training and Testing Guide

A facilitator-led walkthrough for configuration, quarterly monitoring, review, DQA, evidence, learning, ITT reporting, GIS, instruments, imports, and rollout controls.

SESSION LENGTH	2 hours 30 minutes
AUDIENCE	Admin, MEL, REDO, BDS EDO, oversight, and programme management
DOCUMENT DATE	20 August 2026
TRAINING MODE	Live demonstration followed by hands-on user acceptance testing

Facilitator promise

Follow the steps in order. Demonstrate once, ask a participant to repeat the action, verify the expected result, and record any defect before moving on.

Contents

Contents	2
1. How to use this guide	4
Training outcomes	4
The demonstration rhythm	4
Result definitions	4
2. Session agenda and preparation	5
Prepare before the team arrives	5
Write these details before starting	5
3. Roles, workflow, and navigation	6
The trusted-data workflow	6
Route map - show these links	6
4. Demo 1 - MEL configuration	7
4.1 Reporting calendar	7
4.2 Indicator catalogue and programme settings	7
Phase 1 quick tests	7
5. Demo 2 - Quarterly enterprise monitoring	8
5.1 Start or resume a report	8
5.2 Complete the form correctly	8
5.3 Save, validate, and submit	8
6. Monitoring hands-on test sheet	9
7. Demo 3 - REDO and MEL review	10
7.1 REDO review	10
7.2 Correction and resubmission	10
7.3 MEL approval	10
Review workflow status guide	10
8. DQA, evidence, and learning	11
8.1 DQA checks to explain	11
8.2 Evidence repository	11
8.3 Learning actions	11
Review and learning tests	11
9. Programme results and ITT reporting	12

9.1 Programme-level MEL entries	12
9.2 Recalculate the ITT	12
9.3 Traffic lights	12
9.4 Financial reconciliation exercise	12
10. Reporting, export, and GIS tests	13
Protected GIS demonstration	13
Enterprise-level MEL view	13
11. Instruments, imports, and rollout operations	14
11.1 Configurable instruments	14
11.2 Imports and quarantine	14
11.3 Operations and rollout	14
12. Phase 5 hands-on tests	15
13. Complete end-to-end team challenge	16
Facilitator observation checklist	16
14. Troubleshooting during the session	17
How to report a useful defect	17
15. Defect log and acceptance	18
Defect severity	18
Defect register	18
Session acceptance summary	18
16. Final sign-off and take-away checklist	19
Team take-away	19
Signatures	19
Evidence pack to retain	19

1. How to use this guide

This is a live-session script and a testing record. Read the Say prompt aloud, perform the Show steps, then ask the team to complete the Test. Mark the result and capture the named evidence.

Training outcomes

- Explain how MEL data moves from a reporting period to an approved ITT result.
- Complete, save, submit, return, correct, review, approve, and reopen a quarterly report.
- Run DQA, review evidence, manage learning actions, and trace official results to source records.
- Use reporting filters, exports, GIS, programme results, configurable instruments, imports, and rollout controls.
- Test permissions, validation, calculations, evidence handling, workflow controls, and auditability.

The demonstration rhythm

Stage	Facilitator action
1. Explain	State the purpose and the role responsible.
2. Demonstrate	Complete the action slowly and narrate each choice.
3. Repeat	Ask a participant using the correct role to repeat it.
4. Verify	Compare the result with the expected status, value, or message.
5. Record	Capture Pass, Fail, or N/A plus a screenshot or export.

Stop immediately

Escalate if you see data loss, unauthorized access, exposed evidence or secrets, duplicate official records, or incorrect official totals. Do not continue testing around a critical defect.

Result definitions

Result	Meaning
Pass	The expected result occurs, the data is correct, and evidence is captured.
Fail	The outcome is wrong, insecure, blocked unexpectedly, misleading, or difficult to use.
N/A	The test is outside the agreed scope. Record why it was not applicable.

2. Session agenda and preparation

Time	Activity
00:00-00:10	Welcome, objectives, data protection, workflow overview
00:10-00:25	Roles, navigation, reporting calendar, indicators, settings
00:25-01:00	Quarterly monitoring: draft, validation, evidence, submission
01:00-01:30	REDO and MEL review: DQA, evidence, return, approval
01:30-01:50	Learning actions, programme results, ITT reporting, lineage
01:50-02:05	Data quality, exports, GIS, enterprise views
02:05-02:20	Instruments, imports, operations, rollout gates
02:20-02:30	End-to-end challenge, defects, questions, sign-off

Prepare before the team arrives

- [] Use staging or an isolated test environment - never confidential production data.
- [] Confirm the system URL and stable internet connection.
- [] Create or verify five accounts: admin, BDS EDO, REDO, MEL, and unauthorized user.
- [] Prepare three synthetic enterprises across two counties, sectors, and tracks.
- [] Confirm one open period, one closed period, and one period with approved results.
- [] Prepare a valid PDF/image, unsupported file, and oversized file for evidence tests.
- [] Enable Collection, Reporting, and Imports only in the training environment.
- [] Open a shared defect register and evidence folder before testing begins.

Write these details before starting

Item	Training value
System URL	_____
Facilitator	_____
Test lead	_____
Environment	_____
Open period	_____
Synthetic enterprise	_____

3. Roles, workflow, and navigation

Say

MEL is controlled by role and workflow state. Hiding a button is not security; the server also checks every action.

Role	Primary use	Control to explain
Admin	Full operational visibility; configuration and support; can reassign reviewers.	Do not use for routine collection unless testing support behavior.
MEL	Manage configuration, final review/approval, reporting, instruments, imports, operations.	Cannot approve a report they collected.
BDS EDO	Collect and correct quarterly enterprise reports.	EDO-originated reports go to REDO first.
REDO	Collect where assigned; review EDO reports; advance to MEL or return.	A REDO-collected report skips REDO review and goes to MEL.
Oversight	Read operational MEL views and monitor progress.	Management visibility does not automatically grant final approval.
Unauthorized	No MEL access.	Use this account to prove access controls.

The trusted-data workflow

Draft -> Submitted -> REDO review -> MEL review -> Approved and locked

A report can be returned at REDO or MEL review. The collector corrects and resubmits it. Reopening or voiding an approved report removes it from official results until it is approved again.

Route map - show these links

Route	Purpose
<code>/admin/mel</code>	Configuration, reporting calendar, indicators, settings, audit
<code>/admin/mel/monitoring</code>	Quarterly enterprise monitoring workspace
<code>/admin/mel/review</code>	REDO and MEL review queue
<code>/admin/mel/evidence</code>	Evidence repository and review status
<code>/admin/mel/learning</code>	Learning and adaptation actions
<code>/admin/mel/programme-results</code>	Programme-level MEL entries
<code>/admin/mel/reporting</code>	ITT dashboard, trends, filters, exports, lineage
<code>/admin/mel/reporting/data-quality</code>	Missing, stale, invalid, or unreconciled data
<code>/admin/mel/gis</code>	Protected enterprise geography
<code>/admin/mel/instruments</code>	Baseline, monitoring, midline, endline instruments
<code>/admin/mel/imports</code>	Integration connections, mappings, quarantine
<code>/admin/mel/imports/baselines</code>	Enterprise financial baseline import
<code>/admin/mel/operations</code>	Feature flags, rollout gates, operational events

4. Demo 1 - MEL configuration

Say

Configuration is the foundation. Periods decide when data can be collected; indicators and targets decide how approved data becomes an official result.

4.1 Reporting calendar

SHOW 1 Sign in as admin or MEL and open Management -> MEL Configuration.

SHOW 2 Explain each period card: label, code, programme year, reporting quarter, collection window, and status.

SHOW 3 Confirm the operational sequence: Jun-Aug, Sept-Nov, Dec-Feb, and Mar-May. There is no Q5.

SHOW 4 Open a planned test period, change it to open, refresh, and confirm the new status persists.

TEST Attempt overlapping dates or a duplicate year/sequence. The platform must reject the change with a clear message.

Current calendar

Y1 MQ1: Jun-Aug 2026. Y1 MQ2: Sept-Nov 2026. Y2 Q1: Dec 2026-Feb 2027; Q2: Mar-May; Q3: Jun-Aug; Q4: Sept-Nov. Collection runs from the 1st to the 10th of the next month.

4.2 Indicator catalogue and programme settings

SHOW 1 Scroll to ITT indicator catalogue. Open one count indicator, one percentage indicator, and one currency indicator.

SHOW 2 Point out code, result level, unit, frequency, aggregation, baseline, targets, disaggregation, version, and any 'needs decision' note.

SHOW 3 Explain programme rules: timezone, red threshold, green threshold, financially resilient definition, and refugee disaggregation.

SHOW 4 Save one harmless test change, then show the recent audit activity entry.

Phase 1 quick tests

ID	Action	Expected result	Result
C01	Open configuration with admin and MEL accounts.	Both can manage; view-only roles cannot change settings.	[] P [] F
C02	Create a valid test period.	It saves, refreshes correctly, and records an audit event.	[] P [] F
C03	Try overlapping/invalid period dates.	Save is blocked with an actionable error.	[] P [] F
C04	Inspect an indicator target and baseline.	Values and units match the approved ITT reference.	[] P [] F
C05	Close a test period and start collection.	New normal collection is blocked; allowed catch-up remains explicit.	[] P [] F

5. Demo 2 - Quarterly enterprise monitoring

Say

Collectors save drafts while working. Submission is a deliberate hand-off to review. Evidence belongs to the specific question it proves.

5.1 Start or resume a report

SHOW 1 Sign in as BDS EDO. Open Quarterly Monitoring.

SHOW 2 Search/filter for the synthetic enterprise. Select the open reporting period and start monitoring.

SHOW 3 Confirm enterprise identity, track, county, sector, collector, period, and catch-up status before entering data.

TEST Try to start the same enterprise/period twice. The existing submission must reopen instead of creating a duplicate.

5.2 Complete the form correctly

Area	What to demonstrate
Profile and visit	Verify read-only profile fields, visit date/mode, respondent, and collector context.
Capacity	Record business plans, systems, coaching outcomes, and enterprise capacity results.
Financial performance	Enter quarterly revenue and costs; confirm profit/loss and monthly equivalents are calculated.
Jobs	Enter direct and indirect totals plus male/female, youth, PLWD, and refugee where enabled.
Market and innovation	Test yes/no conditional questions for products, technology, research, and new markets.
Financial linkages	Select each finance type and enter a separate non-negative amount; describe Other.
Green growth	Confirm waste fields only appear for eligible waste-management enterprises.
Partnerships and policy	Record names/counts and attach proof where the answer is Yes.
Feedback	Capture challenges, support needed, negative effects, and accountability feedback.
Evidence summary	Review direct and reused evidence; remove stale files before submission.

5.3 Save, validate, and submit

SHOW 1 Enter only the first few fields and select Save draft. Navigate away, reopen, and verify every value returns.

SHOW 2 Trigger skip logic: select Yes, complete the follow-up, then switch to No. Confirm hidden answers no longer affect validation or reporting.

SHOW 3 Upload valid evidence to the exact question. Try an unsupported and oversized file and read the rejection message.

SHOW 4 Select Submit with missing required data. Read the validation summary and jump to each problem.

SHOW 5 Correct all errors and submit. Confirm status changes from draft to the correct review stage and editing is locked.

Calculation check

Quarterly profit/loss = revenue - costs. Monthly equivalent = each quarterly measure divided by 3. Male + female must equal the applicable jobs total; youth, PLWD, and refugee are overlapping subsets and cannot exceed the total.

6. Monitoring hands-on test sheet

ID	Tester action	Expected result	Result
M01	Start an open-period report.	Correct enterprise and period; no duplicate.	☐ P ☐ F
M02	Save a partial draft and reopen it.	All entered values return unchanged.	☐ P ☐ F
M03	Test Yes/No conditional questions.	Children/evidence appear only when applicable; stale evidence blocks submit.	☐ P ☐ F
M04	Enter revenue 900,000 and costs 600,000.	Quarterly profit is 300,000; monthly equivalents are 300,000, 200,000, and 100,000.	☐ P ☐ F
M05	Enter direct jobs total 10, male 6, female 3.	Validation blocks the mismatch.	☐ P ☐ F
M06	Correct female to 4; set youth 12.	Youth subset is blocked because it exceeds total.	☐ P ☐ F
M07	Select Loan and Matching Grant with amounts.	Each amount is required and total equals their sum.	☐ P ☐ F
M08	Select Other finance without description.	Submission is blocked until Other is described.	☐ P ☐ F
M09	Upload valid, unsupported, and oversized evidence.	Valid file saves; invalid types/sizes are rejected safely.	☐ P ☐ F
M10	Submit with one required visible field empty.	Summary names the missing field and submission remains editable.	☐ P ☐ F
M11	Submit a complete valid report.	Status advances once; form locks for review.	☐ P ☐ F
M12	Use a closed period with catch-up allowed.	Report keeps original period and real submission timestamp; catch-up is visible.	☐ P ☐ F

Evidence to retain

Queue screenshot, draft restoration, validation summary, conditional-field screenshots, evidence rejection, final submitted status, and one catch-up status.

7. Demo 3 - REDO and MEL review

7.1 REDO review

SHOW 1 Sign out and sign in as REDO. Open MEL Review Queue and filter by enterprise, period, origin, status, or age.

SHOW 2 Open the submitted report. Review profile, financial entries and totals, jobs, conditional answers, direct/reused evidence, history, and prior-period comparisons.

SHOW 3 Select Run DQA. Explain: errors must be corrected; warnings require a documented accepted exception.

SHOW 4 Verify one evidence item and reject another with a reason. Show the independent evidence status.

SHOW 5 Select correction areas, enter a meaningful reason, and Return for correction.

TEST Try returning with no reason and try reviewing your own submission. Both actions must be blocked clearly.

7.2 Correction and resubmission

SHOW 1 Return to the BDS EDO account. Open the returned report and read the affected sections and reason.

SHOW 2 Correct only the named issues, replace/reuse evidence appropriately, and resubmit.

SHOW 3 As REDO, rerun DQA and advance the corrected report to MEL review.

7.3 MEL approval

SHOW 1 Sign in as MEL. Open the report at MEL review.

SHOW 2 Confirm DQA findings, evidence decisions, lineage, notes, and review history.

SHOW 3 Approve the report. Confirm status is approved and locked.

TEST Attempt to approve using the collector account. The platform must enforce separation of duties.

Review workflow status guide

Status	Meaning
draft	Collector can edit; not in official results.
submitted / resubmitted	Waiting for the correct review stage.
redo_review	REDO is reviewing an EDO-originated report.
returned_by_redo	Collector corrects the REDO findings.
mel_review	Waiting for final MEL review.
returned_by_mel	Collector corrects MEL findings.
approved	Locked and eligible for trusted reporting.
reopened / voided	Removed from official results until valid approval returns.

8. DQA, evidence, and learning

8.1 DQA checks to explain

- Completeness: all required and applicable answers are present.
- Consistency: related totals and disaggregations agree.
- Plausibility: values are credible compared with baselines or prior quarters.
- Timeliness: submission timing and catch-up status are correct.
- Evidence: required proof is attached, accessible, and matches the question.

DQA rule

An error must be corrected. A warning may be accepted only with a specific reason of at least the required length. Never accept an exception merely to unblock approval.

8.2 Evidence repository

SHOW 1 Open /admin/mel/evidence. Filter or inspect direct and reused proof.

SHOW 2 Explain file name/type, enterprise, question, period, source submission, review status, and verification history.

TEST Confirm an unauthorized user cannot access evidence links and a rejected item does not appear as verified proof.

8.3 Learning actions

SHOW 1 Open /admin/mel/learning. Create an action from a DQA finding, enterprise challenge, or review observation.

SHOW 2 Set owner, priority, due date, agreed action, and status. Update it and close it with evidence.

SHOW 3 Show the learning-action history and next-quarter priority panel in the approved enterprise report.

TEST Verify the owner, due date, status history, and closure evidence remain after refresh.

Review and learning tests

ID	Action	Expected result	Result
R01	Return a report without a reason.	Blocked; meaningful reason required.	[] P [] F
R02	Run DQA with an intentional jobs mismatch.	Error remains open and blocks valid approval.	[] P [] F
R03	Accept a DQA warning with a short reason.	Blocked until a meaningful explanation is entered.	[] P [] F
R04	Verify and reject separate evidence items.	Independent, auditable decisions persist.	[] P [] F
R05	Attempt self-review/self-approval.	Blocked with separation-of-duties message.	[] P [] F
R06	Complete REDO then MEL approval with separate users.	Full history is recorded; report locks.	[] P [] F
R07	Create, update, and close a learning action.	Owner, due date, history, and evidence persist.	[] P [] F

9. Programme results and ITT reporting

9.1 Programme-level MEL entries

Use Programme Results for indicators that do not come from an enterprise quarterly report, such as policy briefs, forums, partnerships, and policies/frameworks.

SHOW 1 Open /admin/mel/programme-results. Choose the indicator and reporting period.

SHOW 2 Enter a value (or numerator and denominator for a percentage), notes, and evidence URL where required. Save as draft.

SHOW 3 Show that draft data is excluded. Approve the entry and confirm it becomes eligible for calculation.

TEST Reopen or void the entry, recalculate, and confirm it leaves official totals immediately.

9.2 Recalculate the ITT

SHOW 1 Open /admin/mel/reporting. Select the period and optional track, county, sector, gender, youth, disability, or refugee filters.

SHOW 2 Review executive metrics, finance breakdown, feedback/accountability, financial performance by track, indicator explorer, and ITT tracking table.

SHOW 3 Select Recalculate. Explain that source records are not changed; the system stores deterministic results, version, source IDs, and timestamp.

SHOW 4 Open an indicator lineage/source-count link. Trace the result to approved sources and read exclusions or missing-data notes.

9.3 Traffic lights

Status	Default interpretation
Green	Achievement is at or above the configured green threshold (default 80%).
Amber	Achievement is between the red and green thresholds (default 50% to below 80%).
Red	Achievement is below the configured red threshold (default below 50%).
Not available	Actual, comparable target, or evaluation source is missing; do not interpret as zero.

9.4 Financial reconciliation exercise

For each track, manually calculate the median quarterly revenue, costs, and profit/loss, then divide each median by 3. Compare with the dashboard's monthly medians.

Track	Reference monthly revenue	Reference monthly costs	Reference monthly profit
Foundation	KES 200,000	KES 124,221	KES 50,000
Acceleration	KES 692,600	KES 490,500	KES 150,000

10. Reporting, export, and GIS tests

ID	Action	Expected result	Result
T01	Recalculate with only approved source records.	Actuals, targets, achievement, traffic lights, version, source count, and timestamp appear.	[] P [] F
T02	Compare dashboard monthly medians with a manual calculation.	Values match exactly under identical filters.	[] P [] F
T03	Open indicator lineage.	Every official value traces to approved source records; exclusions are explained.	[] P [] F
T04	Apply track, county, sector, and demographic filters.	Every dashboard block and export uses the same population.	[] P [] F
T05	Open Data Quality.	Missing, stale, invalid, and unreconciled data are distinct from zero.	[] P [] F
T06	Export identical filters to CSV and Excel.	Dashboard and files agree; metadata contains period, filters, timestamp, and trusted-data rule.	[] P [] F
T07	Reopen an approved source and recalculate.	Source leaves official totals; unrelated results do not change.	[] P [] F
T08	Select no track for a track-specific profitability indicator.	System shows guidance/not available instead of mixing baselines.	[] P [] F
T09	Inspect a pending evaluation-source indicator.	It reads not available/evaluation source pending, not zero.	[] P [] F

Protected GIS demonstration

SHOW 1 Open /admin/mel/gis. Explain verified, invalid, clustered, and rounded coordinates.

SHOW 2 Open a synthetic enterprise location and confirm precise coordinates are not exposed outside authorized views.

TEST Use an invalid/out-of-bound coordinate. It must enter validation rather than appear as a trusted map point.

Enterprise-level MEL view

SHOW Open /admin/mel/enterprises/[businessId]. Review approved periods, cumulative jobs, evidence, financial baselines, and learning actions in one context.

Trusted-data rule

Dashboards and exports include only approved monitoring submissions and approved programme-level entries. Draft, returned, reopened, rejected, and voided records are excluded automatically.

11. Instruments, imports, and rollout operations

11.1 Configurable instruments

SHOW 1 Open `/admin/mel/instruments` and create `TEST_BASELINE` as a draft.

SHOW 2 Add a section and questions using text, number, currency, percentage, date, boolean, select, and file response types.

SHOW 3 Configure required/evidence flags, indicator mapping, and one conditional visibility rule.

SHOW 4 Select Validate and publish. Confirm the published version is immutable.

SHOW 5 Create the next version, then retire a published version with a recorded reason.

11.2 Imports and quarantine

SHOW 1 Open `/admin/mel/imports`. Create a connection to a published instrument. Copy the one-time secret without displaying it to the room.

SHOW 2 Create/version a mapping for enterprise, reporting period, external submission ID, and approved fields.

SHOW 3 Send a valid synthetic record; then duplicate it. Confirm idempotency prevents a second submission.

SHOW 4 Test unknown enterprise, invalid period, missing field, oversized payload, and wrong secret. Confirm quarantine/safe rejection.

SHOW 5 Promote a validated record. It should enter normal review and must never auto-approve.

11.3 Operations and rollout

SHOW 1 Open `/admin/mel/operations`. Explain internal test, pilot, programme rollout, stabilization, and complete stages.

SHOW 2 Toggle Collection, Imports, and Reporting individually; confirm each disabled feature is safely blocked.

SHOW 3 Attempt stage advancement before required gates pass. Read the blocking requirements.

SHOW 4 Add owner/evidence to a gate, mark it passed, and show the audit/operational event.

SHOW 5 Move a stage backward without a reason, then with a meaningful rollback reason.

12. Phase 5 hands-on tests

ID	Action	Expected result	Result
F01	Create TEST_BASELINE draft.	Version 1 is editable and code is unique.	[] P [] F
F02	Add varied questions and mappings.	Settings persist; incompatible definitions are rejected.	[] P [] F
F03	Publish with missing/circular dependency.	Publishing is blocked with clear validation.	[] P [] F
F04	Publish valid version and attempt edit.	Published definition is immutable.	[] P [] F
F05	Create next version and retire with reason.	Version history and reason persist.	[] P [] F
F06	Create connection and revisit page.	Secret appears once only and is never revealed again.	[] P [] F
F07	Send a valid payload twice.	Second payload is detected as duplicate; no second submission.	[] P [] F
F08	Send invalid enterprise/period/required values.	Record is quarantined or safely rejected.	[] P [] F
F09	Promote validated import.	Submitted record enters review; never auto-approved.	[] P [] F
F10	Disable each feature flag.	Corresponding feature is blocked and works again after re-enable.	[] P [] F
F11	Advance stage with incomplete gates.	Blocked and missing gates are identified.	[] P [] F
F12	Pass/waive a gate without evidence.	Blocked until external evidence is recorded.	[] P [] F
F13	Rollback stage without reason.	Blocked; succeeds with meaningful reason and audit record.	[] P [] F

Secret handling

Never place webhook secrets, enterprise answers, private evidence URLs, or raw payloads in screenshots, chat, email, or defect logs.

13. Complete end-to-end team challenge

Use this final exercise to prove the team understands the hand-offs. Assign one person to each role and do not let admin complete every step.

Step	Role	Action	Expected checkpoint
1	Admin/MEL	Confirm open period and enabled Collection/Reporting flags.	Period and flags visible.
2	BDS EDO	Start the synthetic enterprise report; enter valid finance/jobs and attach evidence.	Draft saves and values restore.
3	BDS EDO	Submit the complete report.	Status advances to REDO review.
4	REDO	Run DQA, reject one evidence item, and return with affected sections.	Collector receives a specific correction.
5	BDS EDO	Correct, replace evidence, and resubmit.	History retains first submission and return.
6	REDO	Rerun DQA and advance to MEL.	Status is MEL review.
7	MEL	Verify evidence and approve.	Report is approved and locked.
8	MEL	Recalculate reporting for the same period/filter.	Approved source enters the ITT result.
9	Manager	Open lineage and export CSV/Excel.	Source is traceable and totals agree.
10	MEL	Create/assign a learning action from a reported challenge.	Action appears with owner and due date.

Facilitator observation checklist

- ☐ Participants use the correct role rather than sharing one admin account.
- ☐ Collectors explain the difference between Save draft and Submit.
- ☐ Reviewers distinguish DQA errors from warnings.
- ☐ Reviewers do not approve their own reports.
- ☐ The team can explain why only approved data enters official results.
- ☐ A participant can trace a dashboard value to source records.
- ☐ Exports and dashboard totals match under identical filters.
- ☐ The team knows where to record a defect and whom to escalate to.

14. Troubleshooting during the session

Symptom	What to check first
MEL link is missing	Confirm the user's role. MEL view roles are admin, MEL, oversight, REDO, and BDS EDO.
Cannot start monitoring	Check Collection flag, period status, assignment/enterprise access, and whether a submission already exists.
Cannot submit	Read the validation summary; check required visible fields, job totals/subsets, finance amounts, stale evidence, and required proof.
Report not in REDO queue	Confirm collector role, submitted status, REDO assignment, period, and filters.
Cannot approve	Check expected review stage, role, self-approval rule, unresolved DQA errors, evidence status, and report status.
Approved value missing	Confirm Reporting flag, selected period/filter, approved status, indicator source/mapping, target, and recalculate.
Dashboard shows Not available	Do not treat as zero. Check target, approved source, track-specific baseline, or pending evaluation source.
Export differs from dashboard	Repeat with identical period and filters; compare metadata timestamp and trusted-data rule.
GIS point missing	Check verified KYC coordinates and the invalid/out-of-bound queue.
Import quarantined	Check enterprise ID, period, required fields, mapping version, instrument version, and idempotency key.
Stage will not advance	Complete required operational gates with owner and external evidence.

How to report a useful defect

- Use a short title that names the failed action and role.
- Record environment, route, role, enterprise/period test IDs, and exact time.
- List numbered reproduction steps and the expected versus actual result.
- Capture the visible message and correlation ID, if present.
- Attach a redacted screenshot or export; never attach secrets or private evidence.
- Assign severity and an owner; retest after correction.

15. Defect log and acceptance

Defect severity

Severity	Definition	Training decision
Critical	Data loss, unauthorized access, exposed secrets/evidence, or wrong official totals.	Stop immediately and escalate.
High	Core workflow cannot complete or control can be bypassed.	Do not approve rollout until closed/accepted.
Medium	Important function has a safe workaround.	Assign owner and retest date.
Low	Minor wording, layout, or usability issue.	Record for normal backlog.

Defect register

#	Title / route	Role	Expected vs actual	Severity	Owner
1					
2					
3					
4					
5					
6					
7					
8					

Session acceptance summary

Area	Pass	Fail	N/A	Evidence reference
Access and configuration	—	—	—	_____
Quarterly monitoring	—	—	—	_____
Review, DQA, evidence	—	—	—	_____
Learning actions	—	—	—	_____
Programme results and ITT	—	—	—	_____
Exports and GIS	—	—	—	_____
Instruments and imports	—	—	—	_____
Operations and rollout	—	—	—	_____

Decision rule

Approve operational use only when critical/high defects are closed or formally accepted, ITT reconciliation is signed, privacy/security checks pass, restore evidence exists, role training is complete, and rollout gates contain valid evidence.

16. Final sign-off and take-away checklist

Team take-away

- ☐ I know which MEL role I use and which actions I am allowed to perform.
- ☐ I can locate the correct enterprise and reporting period.
- ☐ I can save a draft, resolve validation, attach question-level evidence, and submit.
- ☐ I can return/correct/resubmit a report without losing history.
- ☐ I understand REDO review, MEL approval, and separation of duties.
- ☐ I can run DQA and distinguish errors from warnings.
- ☐ I can create and close a learning action.
- ☐ I can recalculate an ITT result and trace it to approved sources.
- ☐ I can apply filters and verify that dashboard and exports agree.
- ☐ I know how to report a defect without exposing sensitive data.

Signatures

Role	Name	Signature	Date
Facilitator			
Programme manager			
MEL lead			
REDO representative			
BDS EDO representative			

Evidence pack to retain

- Signed guide and attendance list.
- Configuration, monitoring, review, DQA, evidence, reporting, GIS, and operations screenshots.
- CSV/Excel exports and manual ITT reconciliation notes.
- Defect register with retest evidence.
- Restore-test and rollout-gate references where applicable.

Closing message

The platform is trustworthy only when the team follows the workflow: collect honestly, review independently, approve deliberately, and trace every official result to evidence.