```
'!'=0
'#'=0
'$'=1656
<sup>1*1</sup>=( )
-=569XZilms
0=-zsh
'?'=0
@=( )
ARGC=0
CDPATH="
COLUMNS=80
CPUTYPE=arm64
EGID=20
EUID=502
FIGNORE="
FPATH=/usr/local/share/zsh/site-functions:/usr/share/zsh/site-functions:/usr/share/zsh/5.9/functions
FUNCNEST=700
GID=20
```

HISTCHARS='!^#'

HISTCMD=74

HISTFILE=/Users/demouser/.zsh\_sessions/F919A6E6-3DC0-4E3C-9F63-5298E5637590.historynew

HISTSIZE=2000

HOME=/Users/demouser

HOST=QTD26P4556-MacBook-Pro.local

IFS=\$'\t\n\C-@'

KEYBOARD HACK="

**KEYTIMEOUT=40** 

LANG=en US.UTF-8

LINENO=9

LINES=24

LISTMAX=100

LOGNAME=demouser

MACHTYPE=x86 64

MAILCHECK=60

MAILPATH="

MANPATH="

MATCH=T

MBEGIN=1

MEND=1

MODULE\_PATH=/usr/lib/zsh/5.9

NULLCMD=cat

OLDPWD=/private/var/folders/pm/1z2qd7mj2s3\_nfmwc2pdcn0r0000gp

OPTARG="

OPTIND=1

OSTYPE=darwin22.0

PATH=/usr/local/bin:/System/Cryptexes/App/usr/bin:/usr/bin:/usr/sbin:/sbin:/var/run/com.apple.security.cryptexd/codex.system/bootstrap/usr/local/bin:/var/run/com.apple.security.cryptexd/codex.system/bootstrap/usr/bin:/var/run/

```
com.apple.security.cryptexd/codex.system/bootstrap/usr/appleinternal/bin
PPID=1655
PROMPT='%n@%m %1~ %# '
PROMPT2='%_>'
PROMPT3='?#'
PROMPT4='+%N:%i> '
PS1='%n@%m %1~ %# '
PS2='% > '
PS3='?# '
PS4='+%N:%i> '
PSVAR="
PWD=/private/var/folders/pm/1z2qd7mj2s3_nfmwc2pdcn0r0000gp/T
RANDOM=29449
READNULLCMD=more
SAVEHIST=1000
SECONDS=54
SHELL=/bin/zsh
SHELL SESSION DID HISTORY CHECK=1
SHELL SESSION DID INIT=1
SHELL SESSION DIR=/Users/demouser/.zsh sessions
SHELL SESSION FILE=/Users/demouser/.zsh sessions/F919A6E6-3DC0-4E3C-9F63-5298E5637590.session
SHELL_SESSION_HISTFILE=/Users/demouser/.zsh_sessions/F919A6E6-3DC0-4E3C-9F63-5298E5637590.history
SHELL SESSION HISTFILE NEW=/Users/demouser/.zsh sessions/
F919A6E6-3DC0-4E3C-9F63-5298E5637590.historynew
SHELL SESSION HISTFILE SHARED=/Users/demouser/.zsh history
SHELL SESSION HISTORY=1
SHELL SESSION TIMESTAMP FILE=/Users/demouser/.zsh sessions/ expiration check timestamp
SHLVL=1
SPROMPT='zsh: correct '\"%R\" to '\"%r'\" [nyae]? '
```

```
SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.LYxbYqOsSR/Listeners
TERM=xterm-256color
TERM PROGRAM=Apple Terminal
TERM_PROGRAM_VERSION=447
TERM SESSION_ID=F919A6E6-3DC0-4E3C-9F63-5298E5637590
TIMEFMT='%J %U user %S system %P cpu %*E total'
TMPDIR=/var/folders/pm/1z2qd7mj2s3_nfmwc2pdcn0r0000gp/T/
TMPPREFIX=/tmp/zsh
TRY BLOCK ERROR=-1
TRY_BLOCK_INTERRUPT=-1
TTY=/dev/ttvs000
TTYIDLE=0
UID=502
USER=demouser
USERNAME=demouser
VENDOR=apple
WATCH
WORDCHARS='*?_-.[]~=/&;!#$%^(){}<>'
XPC FLAGS=0x0
XPC SERVICE NAME=0
ZSH ARGZERO=-zsh
ZSH_EVAL_CONTEXT=toplevel
ZSH NAME=zsh
ZSH PATCHLEVEL=zsh-5.9-0-q73d3173
ZSH SUBSHELL=0
ZSH_VERSION=5.9
=set
__CFBundleIdentifier=com.apple.Terminal
aliases
```

```
argv=()
builtins
cdpath=()
commands
dirstack
dis aliases
dis_builtins
dis_functions
dis_functions_source
dis_galiases
dis_patchars
dis reswords
dis_saliases
fignore=( )
fpath=( /usr/local/share/zsh/site-functions /usr/share/zsh/site-functions /usr/share/zsh/5.9/functions )
funcfiletrace
funcsourcetrace
funcstack
functions
functions_source
functrace
galiases
histchars='!^#'
history
historywords
jobdirs
iobstates
jobtexts
key=( [Backspace]=$\C-H' [Delete]=$\C-[[3~' [Down]=$\C-[OB' [End]=$\C-[OF' [F1]=$\C-[OP' [F10]=$\C-
```

```
[[21~'[F11]=$\C-[[23~'[F12]=$\C-[[24~'[F13]=$\C-[[1;2P'[F14]=$\C-[[1;2Q'[F15]=$\C-[[1;2R'[F16]=$\C-
[[1;2S' [F17]=$\C-[[15;2~' [F18]=$\C-[[17;2~' [F19]=$\C-[[18;2~' [F2]=$\C-[OQ' [F20]=$\C-[[19;2~' [F3]=$\C-
[OR' [F4]=$\C-[OS' [F5]=$\C-[[15~' [F6]=$\C-[[17~' [F7]=$\C-[[18~' [F8]=$\C-[[19~' [F9]=$\C-[[20~' [Home]=$\C-
[OH' [Insert]=$\C-[[2~' [Left]=$\C-[OD' [PageDown]=$\C-[[6~' [PageUp]=$\C-[[5~' [Right]=$\C-[OC' [Up]=$\C-[OA')
keymaps
mailpath=()
manpath=()
module_path=( /usr/lib/zsh/5.9 )
modules
nameddirs
options
parameters
patchars
path=( /usr/local/bin /System/Cryptexes/App/usr/bin /usr/bin /bin /usr/sbin /sbin /var/run/com.apple.security.cryptexd/
codex.system/bootstrap/usr/local/bin /var/run/com.apple.security.cryptexd/codex.system/bootstrap/usr/bin /var/run/
com.apple.security.cryptexd/codex.system/bootstrap/usr/appleinternal/bin)
pipestatus=(0)
precmd functions=( update_terminal_cwd )
prompt='%n@%m %1~ %# '
psvar=()
reswords
saliases
signals=( EXIT HUP INT QUIT ILL TRAP ABRT EMT FPE KILL BUS SEGV SYS PIPE ALRM TERM URG STOP TSTP
CONT CHLD TTIN TTOU IO XCPU XFSZ VTALRM PROF WINCH INFO USR1 USR2 ZERR DEBUG )
status=0
termcap
terminfo
userdirs
usergroups
```

```
watch
widgets
zle_bracketed_paste=( $'\C-[[?2004h' $'\C-[[?2004l')]
zsh_eval_context=( toplevel )
zsh_scheduled_events
zshexit_functions=( shell_session_update )

T u-LAx04-vi
```

t