# Mathematical Methods for International Commerce

## Week 7/2: The Derivative of the Exponential and Natural Log Functions (4.8)

Iegor Vyshnevskyi, Ph.D.

Sogang University, Geppert School of International Studies

April 14, 2026

# Agenda

1. The Derivative of the Exponential and Natural Log Functions (4.8)
2. Individual Activity: Solve the Problems!
3. Midterm Exam Review

# 1. The Derivative of the Exponential and Natural Log Functions (4.8)

# Why It Matters: Economics & Finance Perspective

Exponential and logarithmic functions are foundational in economics and finance:

- They model **continuous growth and decay** – essential for understanding investment returns, population growth, inflation, and depreciation.
- The exponential function captures **compound interest**, while logarithms are key for solving equations involving **growth rates**.
- Derivatives of these functions help economists and analysts assess **rates of change** – such as marginal returns, discounting future values, or analyzing production over time.

Understanding how to **differentiate** exponential and logarithmic functions equips you with tools to interpret trends, optimize financial decisions, and make precise economic forecasts.

# Learning Objectives

## Section 4.8 – Derivatives of Exponential and Logarithmic Functions

- Differentiate the **exponential function**
- Differentiate the **natural logarithm function**
- Use **chain, product and quotient rules** with these functions
- Apply exponential models to **real-world economic problems**

# Basic Rules of Differentiation (Exponential & Logarithmic Functions)

### Exponential Function:

The exponential function grows **proportionally to its value**.

$$\frac{d}{dx}e^x = e^x$$

This is unique: the derivative of $e^x$ is itself!

### Natural Logarithm:

Logarithms are used to reverse exponential growth.

$$\frac{d}{dx}\ln(x) = \frac{1}{x}, \quad x > 0$$

# Basic Rules of Differentiation (Exponential & Logarithmic Functions) (cont'd)

## Chain Rule:

Use when differentiating **functions within functions**.

- $$\frac{d}{dx}e^{f(x)} = f'(x) \cdot e^{f(x)}$$
- $$\frac{d}{dx}\ln(f(x)) = \frac{f'(x)}{f(x)}$$

- In fact, to be precise, we first differentiate the outer function, keeping the inner function untouched, then multiply by the derivative of the inner function.
- Differentiate the outer function first (keeping inner unchanged), then multiply by derivative of the inner function.

These rules are essential in **economic models** involving growth, decay, and elasticity.

# Examples: Basic Differentiation

## 1. Differentiate:

$$f(x) = e^{3x}$$

**Solution:**

$$f'(x) = 3e^{3x}$$

- Use chain rule: derivative of exponent times original exponential

## 2. Differentiate:

$$g(x) = \ln(5x^2 + 1)$$

**Solution:**

$$g'(x) = \frac{10x}{5x^2 + 1}$$

- Chain rule: differentiate inside function $5x^2 + 1 \to 10x$

**Tip:** Exponentials often model compounded growth, and logs appear in utility, elasticity, and returns.

# Product & Quotient Rule in Action

## Example 1: Product Rule

$$y = x^2 e^x$$

Apply:

$$\frac{d}{dx}(uv) = u'v + uv'$$

- $u = x^2, v = e^x$
- Derivative:

$$\frac{dy}{dx} = 2xe^x + x^2 e^x = e^x(2x + x^2)$$

Use when both parts involve variables (common in cost/revenue products).

# Product & Quotient Rule in Action (cont'd)

## Example 2: Quotient Rule

$$y = \frac{\ln(x)}{x^2}$$

Apply:

$$\frac{d}{dx}\left(\frac{u}{v}\right) = \frac{u'v - uv'}{v^2}$$

- $u = \ln(x), v = x^2$
- Derivative:

$$\frac{dy}{dx} = \frac{1/x \cdot x^2 - \ln(x) \cdot 2x}{x^4} = \frac{x - 2x\ln(x)}{x^4} = \frac{1 - 2\ln(x)}{x^3}$$

Use when differentiating ratios like **marginal utility/cost per unit**.

# Application: Continuous Revenue Growth

Let the revenue function be:

$$R(t) = 5000e^{0.05t}$$

This means revenue grows at **5% of its current level** per time unit.

**Find the rate of change of revenue:**

$$R'(t) = 5000 \cdot 0.05e^{0.05t} = 250e^{0.05t}$$

# Application: Continuous Revenue Growth (cont'd)

Interpretation:

- The **proportional growth rate** is constant:

$$\frac{R'(t)}{R(t)} = \frac{250e^{0.05t}}{5000e^{0.05t}} = 0.05$$

.

- The **dollar increase is not constant** because

$$R'(t) = 250e^{0.05t}$$

rises over time.

- Common in modeling investment returns, inflation, or GDP.

# Application: Continuous Revenue Growth (cont'd)

Quick check:

- At $t = 0$, $R(0) = 5000$ and $R'(0) = 250$ (5% of 5000).
- At $t = 10$, $R(10) = 5000e^{0.5} \approx 8243.6$ and $R'(10) = 0.05\,R(10) \approx 412.2$.

So, the **percentage rate (5%) is constant**, but the **absolute increase** gets larger as revenue grows.

# Application: Growth Rate in Exponential Model

A common growth model:

$$Q(t) = Ae^{rt}$$

Where:

- $Q(t)$ is output (e.g., capital, population)
- $A$ is initial value
- $r$ is the growth rate
- $t$ is time
- $e$ is the base of natural logarithm

# Application: Growth Rate in Exponential Model (cont'd)

**Find:**

- $$\frac{dQ}{dt} = rAe^{rt} = rQ(t)$$

The term $\frac{1}{Q}\frac{dQ}{dt} = r$ represents the constant proportional (continuous) growth rate (semi-elasticity) of $Q$. This means that at every point in time, the instantaneous rate of change of $Q$ is a constant fraction of its current level.

Used in modeling:

- Population growth
- Compound interest
- Inflation and real returns

# Example: Growth Rate in Exponential Model

**Model:**

$$Q(t) = 1000 \cdot e^{0.03t}$$

- Capital stock in billions
- Initial value ( A = 1000 )
- Growth rate ( r = 0.03 ) (3% annually)

## Step 1: Instantaneous Growth Rate

Differentiate:

$$\frac{dQ}{dt} = 1000 \cdot 0.03 \cdot e^{0.03t} = 0.03Q(t)$$

At ( t = 5 ):

$$Q(5) = 1000 \cdot e^{0.15} \approx 1161.83$$

$$\left.\frac{dQ}{dt}\right|_{t=5} = 0.03 \cdot 1161.83 \approx \boxed{34.85}$$

**Interpretation**:

- At $t = 5$, capital is growing at a rate of **34.85 units per year**, or **3% of its size**, consistent with exponential growth.

## Step 2: Proportional Growth Rate

### Growth-Rate Formula:

$$E = \frac{\frac{dQ}{dt}}{Q} = \frac{0.03Q}{Q} = \boxed{0.03}$$

### Interpretation

- Proportional growth rate (semi-elasticity) is **constant**: $E = 0.03$
- Output grows at a **constant rate of 3% per unit of time**
- Common in models of:
  - Population growth
  - Compound interest
  - Inflation-adjusted returns

# Summary

- Exponential and log functions are common in **growth, interest, decay** models
- Chain rule is crucial when inside other functions
- Product and quotient rules still apply!

> Exponentials capture **compounding**; logs help **linearize** growth patterns.

# 2. Individual Activity: Solve the Problems!

# Practice Problems

1. Differentiate:
   - (a) $f(x) = e^{2x^2}$
   - (b) $g(x) = \ln(x^2 + 1)$
2. Use product rule:
   - (a) $y = xe^{3x}$
3. Use quotient rule:
   - (a) $y = \frac{e^x}{x^3}$
4. Application:
   - Revenue grows as $R(t) = 12000e^{0.04t}$. Find $R'(t)$ and interpret.

# 3. Midterm Exam Review

# Midterm Exam Review

## Coverage:

- Basic Algebra & Solving Equations (1.1–1.4)
- Supply and Demand, Transposition, National Income (1.5–1.7)
- Quadratic Functions, Revenue & Profit (2.1–2.2)
- Indices, Logs, Exponentials (2.3–2.4)
- Percentages, Compound Interest (3.1–3.2)
- Geometric Series & Investment Appraisal (3.3–3.4)
- Derivatives & Marginal Functions (4.1–4.3)
- Chain/Product/Quotient Rules, Elasticity (4.4–4.5)
- Optimization (4.6–4.7), Derivatives of Exp/Log (4.8)

**Also Review:** Lecture slides, Homework #1, Quiz #1

# What You Should Be Able to Do

- Simplify, factor, solve linear & quadratic equations
- Graph demand, supply, quadratic, exponential functions
- Interpret elasticity, marginal cost/revenue, and APL/MPL
- Apply formulas for compound interest, present value, annuities
- Differentiate power, exponential, log functions
- Use derivative tests to find and classify stationary points

# Algebra & Quadratics

- Factor and solve:
  - $x^2 - 5x + 6 = 0$
  - $2x^2 - 3x - 2 = 0$
- Graph: $y = x^2 - 4x + 3$
- Use quadratic formula

# Supply & Demand, Income Determination

- Sketch and solve:
  - $Q_d = 100 - 5P, Q_s = 20 + 3P$
- Find equilibrium
- National income:
  - $Y = C_0 + cY + I + G$, solve for Y

# Logs, Indices, Exponentials

- Simplify:
  - $2^3 \times 2^2$
  - $\ln(e^3)$
- Solve: $3^x = 81 \Rightarrow x = 4$
- Evaluate: $(1.05)^5$

# Finance Applications

- Calculate:
  - % increase/decrease
  - Compound value: $A = P(1+r)^n$
  - NPV: $\mathrm{NPV} = \sum \frac{C_t}{(1+r)^t} - C_0$
  - Loan instalment (annuity formula)

# Derivatives & Optimization

- Power rule: $\frac{d}{dx}x^n$
- Product & chain rule, other rules
- Find:
  - Marginal Revenue/Cost
  - When MR = MC
  - Maximize profit using first and second derivative test

# Elasticity

- Arc elasticity:

$$E_d = \frac{\Delta Q / \text{avg } Q}{\Delta P / \text{avg } P}$$

- Point elasticity:

$$E_d = \frac{dQ}{dP} \cdot \frac{P}{Q}$$

- Know how elasticity affects revenue

# Practice & Prep

Review your:

- Lecture slides and solved examples
- Homework #1
- Quiz #1

**Follow exam instructions!** No phones allowed. Only one A4 double-sided handwritten cheat sheet (formulas only) is permitted. The time limit will be strictly enforced.

Time to shine – you've got this!

# Next Classes

- (April 21) Mid term exam (in class):
  - Review all material from the beginning of the semester
  - Pay attention to the examples in the slides, HW #1, Quiz #1 and the exercises in the textbook
- (April 23) *No Class* (Midterm Exam Week)
- (April 28) Functions of Several Variables (5.1)

# Any QUESTIONS?

Thank you for your attention and participation!