Tree Traversals Part 1

By the end of this video you will be able to...


- Explain the need to visit data in different orderings
- Author a preorder traversals

Traversals

Traversals

Warning: These first examples are really graphs. We'll visit graphs in detail in the next course.


start




Imagine this is a hedge maze

start finish


start




start




start



start




start



Mazes benefit from "Depth First Traversals"

В **YOU**

How closely are you connected with D?




How closely are you connected with D?


Suppose you have a list of your friends and each of your friends have lists

В **YOU**

How closely are you connected with D?



How closely are you connected with D?




How closely are you connected with D?


This problem benefits from "Breadth First Traversals"

Traversals


Bottom line: Order we visit matters and we'll make choices based on our needs

Tree Traversals







Idea:




Idea:




Idea:



Idea:



Idea:




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

A




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:


A B



Idea: Visit yourself

Then visit all your left subtree
Then visit all your right subtree


Visited:



Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree


Visited:



Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree


Visited:



Idea: Visit yourself

Then visit all your left subtree Then visit all your right subtree

Visited:




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDE




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDE




Idea: Visit yourself

Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDE




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDEC




ldea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDECF




Idea: Visit yourself

Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDECF




Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDECFG




Idea:
Visit yourself
Then visit all your left subtree

Then visit all your right subtree

Visited:

ABDECFG



Idea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree

Visited:

ABDECFG

B


ldea:

Visit yourself
Then visit all your left subtree
Then visit all your right subtree


Visited:

ABDECFG


Recursion will help us do this!




Idea:



Idea:



Idea:



Idea:

```
public class BinaryTree<E> {
  TreeNode<E> root;
  //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) {
      node.visit();
      preOrder(node.getLeftChild());
      preOrder(node.getRightChild());
```

```
public class BinaryTree<E> {
  TreeNode<E> root;
  //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) { <---</pre>
      node.visit();
      preOrder(node.getLeftChild());
      preOrder(node.getRightChild());
```

```
public class BinaryTree<E> {
  TreeNode<E> root;
 //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) {
      node.visit();
      preOrder(node.getLeftChild());
      preOrder(node.getRightChild());
```

```
public class BinaryTree<E> {
  TreeNode<E> root;
  //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) {
      node.visit();
      preOrder(node.getLeftChild()); <---</pre>
      preOrder(node.getRightChild());
```

```
public class BinaryTree<E> {
  TreeNode<E> root;
  //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) {
      node.visit();
      preOrder(node.getLeftChild());
      preOrder(node.getRightChild()); <---</pre>
```

```
public class BinaryTree<E> {
  TreeNode<E> root;
  //...
  private void preOrder(TreeNode<E> node) {
    if(node!= null) {
      node.visit();
      preOrder(node.getLeftChild());
      preOrder(node.getRightChild());
  public void preOrder() {
    this.preOrder(root); <---</pre>
```