Algorithm performance

Counting operations

By the end of this video you will be able to...

 Count the number of operations executed when running a code snippet on given input

Search for the letter

a

in the word

"San Diego"

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

Linear search

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

Linear search

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

Linear search

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)</pre>
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)</pre>
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)</pre>
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)</pre>
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)</pre>
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
      D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
0 1 2 3 4 5 6 7 8
S a n D i e g o
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

```
i e g
       D
a
  n
```

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

Is the number of operations the same every time we run

hasLetter(String word, char letter)?

IVQ


```
public static boolean hasLetter (String word char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

IVQ

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

Search for the letter

in the word



"San Diego"

```
public static boolean hasLetter (String word, char letter)
{
   for (int i = 0; i < word.length(); i++)
   {
      if (word.charAt(i) == letter)
      {
        return true;
      }
   }
   return false;
}</pre>
```

For a single iteration:

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

For a single iteration:

```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
                                     3
  return false;
```

```
i e g
S
         D
  a
    n
```


```
public static boolean hasLetter (String word, char letter)
  for (int i = 0; i < word.length(); i++)
    if (word.charAt(i) == letter)
       return true;
  return false;
```

2 iterations when look for 'a'

How many iterations of loop?

Search for the letter

in the word




"San Diego"

```
public static boolean hasLetter (String word, char letter)
{
  for (int i = 0; i < word.length(); i++)
  {
    if (word.charAt(i) == letter)
    {
       return true;
    }
  }
  return false;
}</pre>
```

How many iterations of loop?

Search for the letter

in the word



9 iterations

"San Diego"

```
public static boolean hasLetter (String word, char letter)
{
  for (int i = 0; i < word.length(); i++)
  {
    if (word.charAt(i) == letter)
    {
       return true;
    }
  }
  return false;
}</pre>
```

How many iterations of loop?

Search for the letter

in the word



9 iterationsso29 operations

```
public static boolean hasLetter (String word, char letter)
{
  for (int i = 0; i < word.length(); i++)
  {
    if (word.charAt(i) == letter)
      {
        return true;
    }
  }
  return false;
}</pre>
```

Thought question

What counts as an operation?