a) P	9	PV9	PD9	(PV9) → PØ9
T	+	T	F	F
T	F	7	T	
F	T	7	T	<b>T</b>
F	F ,	F .	· F	7

6)	P	102	PO2	PAQ	$(P \oplus q) \rightarrow (P \land q)$
	7	-	F	T.	
	一十	F	T	<b>+</b>	F
	F	1	T	F	
0	F	F	F	F	
	* . • •	Į. Š		, ,	

e) P12		2	PVQ	1 <del>pa</del> 2 p 1 q	(pva) ⊕ (Pna)		
	T 7		T	F	F		
	FF		+ + F	F	Scannad by CamScannar		

Scanned by CamScanner

				~		
d) p] 2	PL 9	17	TP.	99	(p.	
TT		-	1			· ·
TF	<b>F</b>	+				
FT	F	F				
FF	T	T	f			
1 1	l. a 1	-0 1·	717	hpe-	772	(P69)3(-P4-7)
				<b>—</b>		F
TTT	7	F	F	,	o de la constitución de la const	1
TTF	T	F	7	F		a **
TFT	T	F	F	T		T
		F	7	F		+
7 7 7	1			1-		
FTT	F	T	F	ਚ"		
FTF	F	. T	T	7	1	T
FFT	T	7	- F	F		TO
FFF	T	T.	T	T		F
	N.,	1,			**************************************	

(1.	P	0	79	PD9	PD-19	(PER) -> (PED-9)
	7					
	and the same			and the state of t	F	<b>F</b>
	F			1	F	f
	7	1	7	+	T	T