CSE 103 DISCRETE MATHEMATICS

Chapter: 1, Section: 1

ASSIGNED TO: PROFESSOR DR MOHAMMAD KAYKOBAD

SUBMITTED BY: RIDWANUL HAQUE

STUDENT ID: 1705111

SECTION: B (2) LEVEL-1, TERM-2

BUET.

VERIFYING STUDENT'S ID: 1705048

Question:

```
33. Construct a truth table for each of these compound propositions. a) (p \lor q) \to (p \oplus q) b) (p \oplus q) \to (p \land q)
```

c)
$$(p \lor q) \oplus (p \land q)$$
 d) $(p \leftrightarrow q) \oplus (\neg p \leftrightarrow q)$

e)
$$(p \leftrightarrow q) \oplus (\neg p \leftrightarrow \neg r)$$

f)
$$(p \oplus q) \rightarrow (p \oplus \neg q)$$

Answer:

To construct the truth table for a compound proposition, we work from the inside out. In each case, we will

show the intermediate steps. In part (a), for example, we first construct the truth table for $p \ V$ q, then the

truth table for $p \to q$, and finally combine them to get the truth table for $(p \lor q) -+ (p \to q)$. For parts (a),

(b), and (c) we have the following table (column five for part (a), column seven for part (b), column eight

```
for part (c)).
```

```
p \neq pVq \neq pEB \neq (pV \neq q) + (p \neq EB \neq q) \neq (p \neq EB \neq q) + (p \land q) (pV \neq q) \neq EB \neq (p \land q) \neq (p
```

TTTFFTTF

TFTTTFFT

FTTTTFFT

FFFFTFTF

For part (d) we have the following table.

TTFTFT

TFFFTT

FTTFTT

FFTTFT

For part (e) we need eight rows in our truth table, because we have three variables.

$$p q r' P \bullet r p f$$
--7 $q \bullet P$,_. $\bullet r (p$,_. $q) EB ($\bullet p$,_. $\bullet r$)$

TTTFFTTF

TTFFTTFT

TFTFFFTT

TFFFTFF

FTTTFFFF

FTFTTFTT

FFTTFTFT

FFFTTTTF

```
For part (f) we have the following table. p \ q \bullet q \ p \ \mathsf{EB} \ q \ p \ \mathsf{EB} \bullet q \ (p \ \mathsf{EB} \ q) \ -+ \ (p \ \mathsf{EB} \bullet q) TTFFTT TFTFF FFTFTF
```