

اس طرح کے اکاؤنٹ کو جی میل آئی ڈی کہتے ہیں

آج کل تقریباً ہر موبائل میں آئی ڈی آن ہوتی ہے

آئی ڈی کا اس طرح کا پاس ورڈ 123***456 بھی ہوتا ہے

ہر کسی کو اپنی آئی ڈی کا نام اور اپنی آئی ڈی کا پاس ورڈ یاد رکھنا چاہیے


بہتر ہے نوٹ بک پر لکھا لیا کریں

جب بھی موبائل تبدیل کریں اس پرانے موبائل سے اپنی آئی ڈی ہٹا دیا کریں


اور اپنے نئے موبائل میں اپنی وہی پرانی آئی ڈی لگا لیا کریں

اپنا پاس ورڈ کسی کو بھی نہ بتائیں




آپ کسی بھی انٹرنیٹ والے کمپیوٹر پر اپنی آئی ڈی لاگ ان کر سکتے ہیں




یہ لاگ ان ہے



دائرے میں دکھائے گئے ڈاٹس پر کلک کریں اور پھر شیٹس کو سلیکٹ کریں




ایک خالی ڈاکومنٹ اوپن کریں



ایک خالی ڈاکومنٹ اوپن ہو گیا

Untitled spreadsheet ایک ڈاکومنٹ ہے

ڈاکومنٹ کا نام ہم اپنی مرضی سے تبدیل کر سکتے ہیں



!

سکول ڈاکو منٹ رکھ لیں

ڈاکومنٹ کے اندر شیٹ ہوتی ہے۔ شیٹ 1، شیٹ 2، شیٹ 3، شیٹ 4

شیٹ کا نام ہم اپنی مرضی سے رکھ سکتے ہیں

Table1, Table2, Table3

class one, class two, class three

+92 314 499 3010

رو 1 کے سامنے اے بی سی ڈی ای ایف کالم میں ہیڈنگ کے طور پر کچھ لکھ لیں

Schooldata ☆ 📁 ☁

File Edit View Insert Format Data Tools Extensions Help

100% | \$ % .0_ .00 123 | Defaul... ▾ | - 10 + |

G2 ▾ | fx

	A	B	C	D	E	F
1	Roll No	Name	English	Urdu	Math	Obtained Marks
2						
3						
4						
5						

Schooldata ☆ 📁 ☁

File Edit View Insert Format Data Tools Extensions Help

100% | \$ % .0_ .00 123 | ▾ | - 22 + | B I ↺ A

2 ▾ | fx =SUM(C2:E2)

	A	B	C	D	E	F
1	Roll No	Name	English	Urdu	Math	Obtained Marks
2		1 ali	40	50	60	=SUM(C2:E2)
3						
4						

Schooldata ☆ 📁 ☁

File Edit View Insert Format Data Tools Extensions Help

100% | \$ % .0_ .00 123 | Defaul... ▾ | - 10 + | B I ↺ A

E3 ▾ | fx

	A	B	C	D	E	F
1	Roll No	Name	English	Urdu	Math	Obtained Marks
2		1 ali	40	50	60	150
3						
4						
5						
6						

Schooldata - Google Sheets

docs.google.com/spreadsheets/d/1fmTwrAVTRsf_ICf5YEiTpalkAaPrRL8kwbDvAN5RaLc

WhatsApp Facebook Hostinger YouTube W3School yahoo Iftikhar Sahib | L

Schooldata

File Edit View Insert Format Data Tools Extensions Help

100% \$ % .0 .00 123 Defaul... - 10 + B I A

	A	B	C	D	E	F
1	Roll No	Name	English	Urdu	Math	Obtained Marks
2		1 ali	40	50	60	150
3						
4						

یہاں ہم نے اپنے گوگل اکاؤنٹ پر گوگل شیٹ کے اندر ڈاکومنٹ سکول ڈیٹا کے اندر ٹیبل 1 میں کچھ نام اور مضامین لکھ کر اپنے مضامین کے مارکس سیو کیے ہیں۔ یہ چیزیں گوگل پر سیو ہو چکی ہیں۔ اب اگر ہم کسی اور کے کمپیوٹر پر جا کر اپنا جی میل اکاؤنٹ لاگ ان کریں تو یہ ڈاکومنٹ ہمیں وہیں اس کمپیوٹر پر بھی مل جائے گا اور ہم اس میں اور سٹوڈنٹس کے مارکس دیکھ سکتے ہیں اور مزید تبدیلیاں بھی کر سکتے ہیں۔

اگر کوئی سکول کا پرنسپل چاہتا ہو کہ جلدی جلدی چند منٹس میں تمام سٹوڈنٹس کی معلومات پرنسپل کی گوگل شیٹ میں سیو ہو جائیں تو اس شیٹ کے ڈاکومنٹ کو ایک فارم کے ساتھ لنک کر دیں اور اس فارم کا لنک تمام سٹوڈنٹس کو واٹس ایپ یا جی میل کے ذریعے بھیج دیں۔ ہر سٹوڈنٹ اپنے موبائل یا کمپیوٹر پر اس لنک کو کھولے گا تو سٹوڈنٹ کو فارم نظر آئے گا۔

This is a test version of your form

FORM FOR SENDING DATA

LAST DATE IS 31 DEC 2027

Roll No

Name

Submit

Form automated with  n8n

جب سٹوڈنٹ اپنے موبائل یا کمپیوٹر پر اپنا فارم فل کر کے سب مٹ کرے گا
تو وہ معلومات پر نسل کی گوگل شیٹ پر آکر سیو ہو جائیں گی۔


+92 314 499 3010

اس طرح معلومات جلد اکٹھی ہو جائیں گی۔

اگر بروزر پر ایک ٹیب پر ایک ویب سائٹ کھولی ہو تو اس کو بند کیے بغیر

بروزر کے جمع کے نشان پر کلک کریں تو شیٹ کے ساتھ نئی ٹیب اوپن ہو جاتی ہے

شیٹ ایک ٹیب پر ایکٹو ہے۔ دوسری ٹیب پر کچھ سرچ کرنا ہو تو سرچ کر سکتے ہیں



n8n لکھ کر سرچ کریں

n8n (short for "nodemation")

it is LEGO of automation.



n8n is a tool that connects different apps, databases, and APIs to automate repetitive tasks

نوڈ مشن میں این اور این کے درمیان 8 سپیلنگ ہیں

n8n

n8n ki website open karain


+92 314 499 3010



اپنی ای میل کی آئی ڈی

Abcdef123456@gmail.com

لکھیں اور سب مٹ کریں



Start automating today


Company email

Submit


By continuing, you agree to our [terms and conditions](#).
[Privacy policy](#).

Looking to self-host?


بروزر کے جمع والے نشان پر کلک کریں تو ایک اور نئی ٹیب آجائے گی



+92 314 499 3010



ان بکس میں ای میل سے آیا ہوا کوڈ دیکھیں



اور وہ کوڈ ان ایٹ ان والے فارم میں لکھ دیں۔

Start automating today

Check your email

Click on the verification link sent to
abcdef123456@gmail.com

Alternatively, enter below the verification code sent to your email


Didn't receive the code? [Resend](#)

Submit

اس طرح باقی آنے والے سٹیپ مکمل کریں۔

n8n per account ban jay ga

جب اکاؤنٹ بن جائے تو سائن ان پر کلک کریں



یہاں اپنے اکاؤنٹ کا نام لکھ کر سائن ان کریں

Sign in to n8n cloud

n8n account name

malik771 .app.n8n.cloud

Sign in

New here? [Start a free trial](#)

Want to manage your cloud account and billing? [Sign in here](#)

Don't remember your account name? Check your welcome email from n8n

اس طرح این ایٹ این کی ویب سائٹ پر آپ کا اکاؤنٹ چل پڑے گا۔

+92 314 499 3010

اس طرح کی ملتی جلتی ورک سپیس نظر آئے گی

work space

The screenshot shows the n8n Workflows interface. The sidebar on the left contains navigation links: Overview, Personal, Chat (beta), Templates, Insights, Help, and Settings. The main area is titled 'Overview' and shows statistics for workflows: 0 Prod. executions, 0 Failed prod. executions, 0% Failure rate, Time saved (0s), and Run time (avg.) (0s). Below the statistics, there are tabs for Workflows, Credentials, Executions, Variables, and Data tables. A search bar and a sort dropdown are also visible.

اس ویب سائٹ پر آپ چند دن فری اپنے ورک فلو بنا سکتے ہیں


لیکن چند دن بعد این ایٹ این کی ویب سائٹ فری اکاؤنٹ بند کر دے گی۔

اگر کوئی شخص این ایٹ این کی ویب سائٹ کی بجائے


اپنے لوکل کمپیوٹر پر ہی این ایٹ این چلانا چاہتا ہو تو

اسے اپنے لوکل کمپیوٹر پر کچھ چیزیں انسٹال کرنی ہوں گی

سب سے پہلے نوڈ جے ایس سافٹ ویئر ڈون لوڈ کر کے اپنے کمپیوٹر پر انسٹال کریں




اپنے کمپیوٹر پر وی ایس کوڈ ڈون لوڈ کر کے انسٹال کریں




اپنے کمپیوٹر کی ڈی / ای یا کسی بھی ڈرائیو میں ایک فولڈر بنالیں


اس فولڈر کا نام


FolderFirst






وی ایس کوڈ کو اوپن کریں











ایچ ٹی ایم ایل فائیل کو لکھ کر اینٹر کریں۔ وی ایس کوڈ میں آپ کی فائل اوپن ہو جائے گی




تین ڈاٹس پر کلک کر کے نیوٹر مینل کھولیں

Ctrl + J

کنٹرول جے دبا کر بھی ٹرمینل کھول سکتے ہیں۔ شارٹ کی ہے



یہ ٹرمینل اوپن ہو گیا ہے



```
2 <html lang="en" >
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <title>Document</title>
7 </head>
8 <body>
9
```

Problems Output Debug Console Terminal Ports

PS D:\FolderFirst> Type copilot to use Copilot CLI.
Start typing to dismiss or don't show this again.

To run n8n locally you have 3 easy ways. Docker is best.

Method 1: Docker (Recommended)

If you have Docker installed:

BASH

```
docker run -it --rm --name n8n -p 5678:5678 -v n8n_data:/home/node/.n8n docker.n8n.io/n8nio/n8n
```



Then open: <http://localhost:5678>

To keep data after restart:

BASH

```
docker volume create n8n_data
```



Method 2: With npm (if you have Node.js 18+ installed)



BASH

```
npm install n8n -g  
n8n start
```



Then open: <http://localhost:5678>

Method 3: npx (no install)

BASH

```
npx n8n
```



On first open, it will ask you to create an owner account. Do that and you are in.

ٹرینل میں نوڈ -وی لکھ کر اینٹر کریں

```
... powershell + v [icon]  
● PS D:\FolderFirst> node -v  
v24.14.0 ✓  
❖ PS D:\FolderFirst> |
```

نوڈ -وی لکھ کر اینٹر کریں تو نوڈ کا ورژن موجودہ نیا ورژن لکھا ہوا نظر آجائے گا۔

اس کا مطلب ہے نوڈ کام کر رہا ہے

```
... powershell + v [icon] [icon] ... | [icon]  
● PS D:\FolderFirst> node -v  
v24.14.0  
● PS D:\FolderFirst> npm -v ✓  
11.9.0  
❖ PS D:\FolderFirst> |
```

این پی ایم -وی لکھ کر اینٹر کریں تو این پی ایم کا ورژن معلوم ہو جائے گا۔

اس کا مطلب این پی ایم بھی صحیح ہے


```
... powershell + v [ ] [ ] ... |
● PS D:\FolderFirst> node -v
v24.14.0
● PS D:\FolderFirst> npm -v
11.9.0
● PS D:\FolderFirst> n8n -v ✓
2.9.4
○ PS D:\FolderFirst> |
```

این ایٹ این -وی لکھ کر اینٹر کریں۔ این ایٹ این کا موجودہ نیا ورژن معلوم ہو جائے گا۔
اس کا مطلب این ایٹ این بھی صحیح انسٹال ہے۔

```
Problems Output Debug Console Terminal Ports
● PS D:\FolderFirst> node -v
v24.14.0
● PS D:\FolderFirst> npm -v
11.9.0
● PS D:\FolderFirst> n8n -v
2.9.4
○ PS D:\FolderFirst> n8n start |
```

این ایٹ این سٹارٹ لکھ کر اینٹر کریں۔

کچھ دیر تک کمپیوٹر کام کرتا رہے گا۔۔ انتظار کریں پھر او پریس کرنے کا کہے گا۔
پھر او پریس کر دیں



The screenshot shows the Visual Studio Code interface. On the left, the Explorer sidebar shows a file named 'index.html'. The main editor area displays the content of 'index.html', which is a basic HTML document with a DOCTYPE declaration, a lang attribute, a charset meta tag, a viewport meta tag, a title 'Document', and empty body and html tags. Below the editor, the Terminal panel is active, showing the output of the 'n8n' command. The output indicates that n8n is ready on port 5678, the Task Broker is ready on 127.0.0.1, and the Python task runner failed to start. It also shows the license SDK skipping renewal and the registered runner 'JS Task Runner' with version 2.9.4. The terminal concludes by stating the editor is accessible via 'http://localhost:5678' and prompts the user to press 'o' to open in the browser. A large red checkmark is drawn over the terminal output.

```
<?index.html>
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9
10 </body>
11 </html>
```

```
PS D:\FolderFirst> n8n
n8n ready on ::, port 5678
n8n Task Broker ready on 127.0.0.1, port 5679
Failed to start Python task runner in internal mode for debugging and is not recommended for production. See https://n8n.io/docs/getting-started/setting-up-external-mode
[license SDK] Skipping renewal on init: license is valid
Registered runner "JS Task Runner" (qkX-qBL0km8)
Version: 2.9.4
Building workflow dependency index...
Finished building workflow dependency index.

Editor is now accessible via:
http://localhost:5678

Press "o" to open in Browser.
```

او پریس کرنے کے بعد وی ایس کوڈ کو بند نہیں کرنا۔ مینی مائز کر سکتے ہیں

پہلی مرتبہ کچھ معلومات پر کر کے اکاؤنٹ بنالیں

آپ کے بروزر میں ورک فلو بنانے کے لیے سکرین نظر آنے لگے گی۔

The screenshot shows the n8n web interface at localhost:5678/home/workflows. The left sidebar contains navigation links: Overview, Personal, Chat (beta), Templates, Insights, Help, and Settings. The main content area is titled 'Overview' and displays a table with workflow statistics. A red circle highlights the 'Create workflow' button in the top right corner.

Prod. executions	Failed prod. executions	Failure rate	Time saved	Run time (avg.)
0	0	0%	---	0s

Workflows Credentials Executions Variables Data tables

Search Sort by last updated


Archived workflows are hidden in this view. Update filters

کری ایٹ ورک فلو پر کلک کریں

ورک فلو کا نام رکھیں۔ آپ اپنی مرضی کا نام رکھ سکتے ہیں

جب سائن ان ہو جائیں تو اس کریٹ ورک فلو پر کلک کریں

Create workflow per click karain



ورک فلو کا نام ہم اپنی مرضی سے تبدیل کر سکتے ہیں

Workflow1

Workflow2


Firstworkflow

Myfirstworkflow

Formworkflow

Workflow School

اس طرح کا کوئی بھی اپنی مرضی کا نام لکھ لیں




Add first step


ایڈ فرسٹ سٹیپ پر کلک کریں تو ایک پٹی سامنے شو ہو جائے گی

On form submission

کو سلیکٹ کریں





ابھی اس کو کلوز کر دیں



اس طرح کی سکرین نظر آئے گی

دائرہ 1 میں نوڈ ہے۔ دائرہ 2 میں ورک فلو کا نام ہے۔





آن فارم سب میشن وائے نوڈ پر ڈبل کلک کریں۔ یا اس کے اوپر بنے ہوئے
--- تین ڈاٹس پر کلک کر کے اوپن کریں۔ سیٹنگ والی ونڈو آجائے گی۔

پیرامیٹرز

فارم یو آر ایل

اتھنٹی کیشن میں none

فارم ٹائٹل میں آپ اپنی مرضی سے جو کچھ لکھنا چاہیں لکھ لیں۔

یہاں جو لکھیں گے وہی فارم کے ٹاپ پر لکھا ہوا نظر آئے گا۔

Parameters

Settings

Execute step

Form URLs

Test URL

Production URL

https://malik77.app.n8n.cloud/form-test/2fe0048e-708c-49f6-a03c-25181e2c4860

Authentication

None

Form Title

FORM FOR SENDING DATA

Form Description

LAST DATE IS 31 DEC 2027

Form Elements

Label

Roll No

Element Type

Number

Add Attributes

Label

Name

Element Type

Text Input

Add Attributes

Add Attributes

Add Form Element

Respond When

Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Options

No properties

Add option

I wish this node would...

+92 314 499 3010

Form Description ?

FILL THIS FORM BEFORE 31 DEC 2027

Form Elements

Currently no items exist

Add Form Element

Respond When

Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Click on Add Form Element to add elements

فارم کے اندر جتنے خانے بنانے ہوں اتنے ایلیمنٹ ایڈ کر لیں

Execution step

پر کلک کریں

On form submission

Execute step

Parameters

Settings

Label

Name

Element Type

Text Input

Add Attributes

Add Form Element

Respond When

Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Options

No properties

Add option


When will this node trigger my flow?

OUTPUT


No trigger output

Test this trigger

or set mock data



ٹیبل کے صورت میں آؤٹ پٹ



OUTPUT  

Schema Table JSON  

1 item

Roll No	Name	submittedAt	formMode
1	ali	2026-02-15T11:39:11.081+05:00	test

سکیما کی صورت میں آؤٹ پٹ

OUTPUT  

Schema Table JSON  

1 item

#	Roll No	1
T	Name	ali
T	submittedAt	2026-02-15T11:39:11.081+05:00
T	formMode	test

جیسٹن کی صورت میں آؤٹ پٹ

Docs

OUTPUT

Schema Table **JSON**

1 item

```
[
  {
    "Roll No": 1,
    "Name": "ali",
    "submittedAt": "2026-02-15T11:39:11.081+05:00",
    "formMode": "test"
  }
]
```

On form submission

Execute step

Pull in a test form submission

Execute step

Publish this workflow to have it also run automatically for new form submissions created via the Production URL. [More info](#)

When will this node trigger my flow?

Parameters Settings Execute step

Label

Name

Element Type

Text Input

Add Attributes

Add Form Element

Respond When

Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Options

No properties

Add option

I wish this node would...

OUTPUT


Schema Table JSON

1 item

Roll No	Name	submittedAt	formMode
1	ali	2026-02-15T11:39:11.081+05:00	test

Personal / WORKFLOW1 + Add tag

Editor Executions Evaluations



ایگزیکوٹ ورک فلو پر کلک کریں

ایک فارم آجائے گا

فارم فل کریں

This is a test version of your form

FORM FOR SENDING DATA

LAST DATE IS 31 DEC 2027

Roll No

Name

Submit

Form automated with  n8n

This is a test version of your form

FORM FOR SENDING DATA

LAST DATE IS 31 DEC 2027

Roll No

2

Name

babar

Submit

Form automated with  n8n

سب مٹ پر ملک کریں

+92 314 499 3010

This is a test version of your form

Form Submitted

Your response has been recorded

Form automated with  n8n



On form submission

 Execute workflow

ParametersSettingsExecute step

Form URLs

Test URLProduction URL

https://malik77.app.n8n.cloud/form-test/2fe0048e-708c-49f6-a03c-25181e2c4860

Authentication

None

Form Title

OUTPUT

1 item

Roll No	Name	submittedAt	formMode
2	babar	2026-02-15T11:48:59.912+05:00	test

اس نوڈ کو ساتھ اور نوڈ لگانے کے لیے اس جمع کے نشان پر کلک کریں

On form submission

1 item

Execute workflow

What happens next?

Search nodes...

AI

Build autonomous agents, summarize or search documents, etc.

Action in an app

Do something in an app or service like Google Sheets, Telegram or Notion

Data transformation

Manipulate, filter or convert data

Flow

Branch, merge or loop the flow, etc.

Core

Run code, make HTTP requests, set webhooks, etc.

Human review

Request approval via services like Slack and Telegram before making tool calls

یہاں جو سرچ کرنا ہو وہ لکھیں

Action in an app

google sheets




Google Sheets



On form submission

1 item.





The image shows a screenshot of the Google Sheets interface. On the left is a grid representing a spreadsheet. On the right, the 'Google Sheets' header is at the top. Below it is a search bar labeled 'Search Google Sheets Actions...'. Underneath the search bar, the text 'Actions (10)' is displayed. The actions are categorized into two sections: 'DOCUMENT ACTIONS' and 'SHEET WITHIN DOCUMENT ACTIONS'. The 'SHEET WITHIN DOCUMENT ACTIONS' section is highlighted with a red circle, and the first item in this section, 'Append or update row in sheet', is also highlighted with a red circle.

Google Sheets

Search Google Sheets Actions...


Actions (10)

DOCUMENT ACTIONS

- Create spreadsheet
- Delete spreadsheet

SHEET WITHIN DOCUMENT ACTIONS

- Append or update row in sheet
- Append row in sheet
- Clear sheet
- Create sheet
- Delete sheet
- Delete rows or columns from sheet
- Get row(s) in sheet



پہلے نوڈ پر ٹک کا نشان ہے۔ اس کا مطلب ہے یہ نوڈ صحیح کام کر رہا ہے
دوسرے نوڈ پر ڈبل کلک کریں۔ دوسرے نوڈ کے پیرامیٹرز کو سلیکٹ کریں

Append or update row in sheet

Docs | X

INPUT

Schema | Table | JSON

On form submission 1 item

Roll No 3

T Name chand

T submittedAt 2026-02-15T11:52:47.883+05:00

T formMode test

Variables and context

Parameters | Settings

Execute step

Credential to connect with
Google Sheets account

Resource
Sheet Within Document

Operation
Append or Update Row

Document
From list Choose...

Sheet
From list Choose...

I wish this node would...

OUTPUT

No output data

Execute step

or set mock data

Parameters Settings Execute step

Credential to connect with

Google Sheets account

Google Sheets account
Google Sheets OAuth2 API

+ Create new credential

Append or Update Row

Document

From list Choose...

Sheet

From list Choose...

Create new credential

پر کلک کریں۔

To connect **Google Sheets** node in **n8n**, you need to set up **Google credentials (OAuth2)**.
Here's a clear step-by-step guide:

🔑 Step 1: Create Google Cloud Project


1. Go to **Google Cloud Console**
2. Click **New Project**
3. Give it a name (e.g., **n8n Sheets Integration**)
4. Click **Create**

گوگل کلوڈ پر جا کر ایک پروجیکٹ بنائیں۔ پروجیکٹ کا نام آپ اپنی مرضی سے رکھ سکتے ہیں

پروجیکٹ فرسٹ

ProjectFirst

کمپیوٹر پر اپنی جی میل آئی ڈی لاگ ان کرنے کے بعد




cloud.google.com

سرچ بار میں لکھ کر اینٹر کریں

+92 314 499 3010

اس طرح کی سکرین اوپن ہو جائے گی
کنسول پر کلک کریں




Build what's next

Create with AI. Deploy apps fast. Analyze and secure your data.

Get started for free


Contact sales

Ask anything about Google Cloud



Popular getting started resources

+92 314 499 3010



New Project – Google Cloud console

console.cloud.google.com/projectcreate?previousPage=%2Fwelcome

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you r

Google Cloud

Search (/) for resources, docs, products

New Project

 You have 12 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *
ProjectFirst innoorganisation

Project ID *
projectfirstid1234

Project ID can have lowercase letters, digits, or hyphens. It must start with a lowercase letter and end with a letter or number.

Parent resource *
 No organization [Browse](#)

Select the organization or folder where this resource will be created

[Create](#) [Cancel](#)

Inbox - umer7764226@gmail.co x PROJECTNamefirst - Google Clou x + Ask Gemini

console.cloud.google.com/welcome?project=projectfirstid1234

PROJECTNamefirst

Click on project name

Welcome

You're working in PROJECTNamefirst

Project number: 645024431570 Project ID: projectfirstid1234

[Dashboard](#) [Cloud Hub](#)

[+ Create Gemini API key](#) [+ Create an agent](#) [+ Create a VM](#) [+ Run a query in BigQuery](#)

[+ Deploy an application](#) [+ Create a storage bucket](#)

Join the Google Developer Program to learn new skills and dev tools at no cost.

Join today →

پھر یہ سکرین آجائے گی

Select a project

Search projects and folders

Q |

Recent

Starred

All

Name	Type	
✓  PROJECTnamefirst ?	Project	نیو پروجیکٹ پر کلک کیا ☆

Cancel



New Project



You have 10 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name *

ProjectFirst

پروجیکٹ کا نام رکھا



Project ID: projectfirst-508511. It cannot be changed later. [Edit](#)

Parent resource *



No organization

[Browse](#)

Select the organization or folder where this resource will be created

Create

Cancel

پروجیکٹ فرسٹ بن گیا

Notifications



Create Project: ProjectFirst

Just now

[Select Project](#)

[See all activities](#)

ہمارے اپنے بنائے ہوئے تمام پروجیکٹ ایسے نظر آئیں گے

Select a project

 New project

Search projects and folders

Recent

Starred

All 

Name	Type	ID	
▼  No organization	Organization	0	
 Default Gemini Project	Project	gem- 	☆
 PROJECTnamefirst	Project		☆
 ProjectFirst	Project		☆

جس پروجیکٹ کو اوپن کریں گے وہ نظر آئے گا اور ہم اسی میں کام کر رہے ہوں گے

Browser tabs: Inbox - umer7764226@gmail.co, ProjectFirst - Google Cloud con

Address bar: console.cloud.google.com/welcome?project=projectfirst-508511

Google Cloud  ProjectFirst Search (/) for resources, docs, products, and more

Welcome

You're working in ProjectFirst

Project number: 97 Project ID: proj-

[Dashboard](#) [Cloud Hub](#)

[+ Create Gemini API key](#) [+ Create an agent](#) [+ Create a VM](#) [+ Run a query in BigQuery](#)

[+ Deploy an application](#) [+ Create a storage bucket](#)

+92 314 499 3010

Step 2: Enable Google Sheets API

1. Inside your project, go to APIs & Services → Library
 2. Search for:
 - Google Sheets API
 - Google Drive API
 3. Click **Enable** on both
-

اپنے پروجیکٹ فرسٹ میں رہتے ہو سرچ بار میں گوگل ڈرائیو لکھ کر سرچ کریں
گوگل ڈرائیو کی اے پی آئی کو ان ایبل کریں۔ آن کریں
پھر اپنے ہی پروجیکٹ فرسٹ میں رہتے ہوئے۔ گوگل شیٹس سرچ کریں۔
گوگل شیٹس کو بھی ان ایبل کریں۔ آن کریں

Step 3: Create OAuth Credentials

1. Go to APIs & Services → Credentials
2. Click Create Credentials → OAuth Client ID
3. Configure OAuth Consent Screen:
 - Choose External
 - Fill basic info (App name, email)
4. After that:
 - Application type = Web Application
 - Add Redirect URI:

 Copy this from n8n:

`https://your-n8n-domain/rest/oauth2-credential/callback`



(If local: `http://localhost:5678/rest/oauth2-credential/callback`)

5. Click Create

Step 4: Copy Credentials

You will get:

- Client ID
- Client Secret

Step 5: Add Credentials in n8n

1. Open n8n
2. Go to Credentials
3. Create new → Google Sheets OAuth2 API
4. Paste:
 - Client ID
 - Client Secret
5. Click Connect / Authorize



✓ Step 6: Use in Google Sheets Node

Now:

- Add Google Sheets node
- Select your created credential
- Choose operation (Read / Write / Append)

⚠ Common Mistakes

- Redirect URI mismatch ✗
- APIs not enabled ✗
- Using wrong Google account ✗



 Google Sheets account 2
Google Sheets OAuth2 API Save

Connection
Sharing
Details

Need help filling out these fields? [Open docs](#)

Connect using *

☒ OAuth2 (recommended) ☐ Service Account

Allowed HTTP Request Domains
All

 Sign in with Google

ⓘ Enterprise plan users can pull in credentials from external vaults. [More info](#)

+92 314 499 3010

Parameters

Settings

Execute step

Credential to connect with

Google Sheets account

Resource

Sheet Within Document

Document

Sheet Within Document

From list

Choose...

Sheet

From list

Choose...

Parameters

Settings

Execute step

Credential to connect with

Google Sheets account

Resource

Sheet Within Document

Operation

Append or Update Row

Append or Update Row

Append a new row or update an existing one (upsert)

Append Row

Create a new row in a sheet

Clear

Delete all the contents or a part of a sheet

Create

Create a new sheet

Delete

Permanently delete a sheet

Delete Rows or Columns

I wish this node would...

Parameters

Settings

Execute step

Credential to connect with

Google Sheets account

Resource

Sheet Within Document

Operation

Append or Update Row

Document

From list

Choose...

Search...

Schooldata

Shamas School

Num to Word spreadsheet



Spreadsheet3

Untitled spreadsheet

Untitled spreadsheet

Untitled spreadsheet

اگر لسٹ سلیکٹ کریں گے تو یہاں آپ کو آپ کی گوگل شیٹس کے تمام سپریڈ شیٹس یا ڈا کو منٹس نظر آئیں گے۔



شیٹ میں اپنے ڈاکومنٹ کی مطلوبہ شیٹ سلیکٹ کر لیں

Schooldata - Google Sheets | AI Workflow Automation Platform | WORKFLOW1 - n8n

docs.google.com/spreadsheets/d/1fmTwrAVTRsf_ICf5YEiTpalkAAPrRL8kwbDvAN5RaLc/edit?gid=0#gid=

WhatsApp | Facebook | Hostinger | YouTube | W3School | yahoo | Iftikhar Sahib | Linke... | Analytic

Schooldata | File | Edit | View | Insert | Format | Data | Tools | Extensions | Help

100% | \$ | % | .0 | .00 | 123 | Defaul... | - | 10 | + | B | I | A |

	A	B	C	D	E	F	G
1	Roll No	Name	English	Urdu	Math	Obtained Marks	
2		1 ali	40	50	60	150	
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							

+ | Sheet1

Document

From list	▼	Schooldata	▼	🔗
-----------	---	------------	---	---

Sheet



Fixed

Expression

From list	▼	Choose...	^	⚠
-----------	---	-----------	---	---

Sheet1	🔗
--------	---

Sheet

From list

Sheet1



Mapping Column Mode

Map Each Column Manually

Column to match on

Select

The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

Values to Send



Roll No

Name

English

Urdu

Column to match on

Select



The column to use when matching rows in Google Sheets to the input items of this node.

Roll No

Name

English

Urdu

Math

Obtained Marks

Append or update row in sheet

INPUT



Schema

Table

JSON

Parameters

Settings

Execute step

OUTPUT



On form submission

1 item

#

Roll No

3

T

Name

chand

T

submittedAt

2026-02-15T11:52:47.883+05:00

T

formMode

test

> Variables and context

Column to match on

Roll No



The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

Values to Send



Roll No (using to match)

Name

English

Urdu

Math

Obtained Marks

Append or update row in sheet

INPUT

SchemaTableJSON

On form submission 1 item

Roll No 3

T Name chand

T submittedAt 2026-02-15T11:52:47.883+05:00

T formMode test

Variables and context

ParametersSettings

Execute step

Column to match on

Roll No

The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

Values to Send

Roll No (using to match)

fx {{ \$json['Roll No'] }}

3

Name

English

Urdu

Math

Obtained Marks

Append or update row in sheet

INPUT

SchemaTableJSON

On form submission 1 item

Roll No 3

T Name chand

T submittedAt 2026-02-15T11:52:47.883+05:00

T formMode test

Variables and context

ParametersSettings

Execute step

Column to match on

Roll No

The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

Values to Send

Roll No (using to match)

fx {{ \$json['Roll No'] }}

3

Name

fx {{ \$json.Name }}

chand

English

Urdu

Math

Append or update row in sheet

Docs

INPUT

SchemaTableJSON

ParametersSettings

Execute step

On form submission

1 item

Roll No 3

T Name chand

T submittedAt 2026-02-15T11:52:47.883+05:00

T formMode test

Variables and context

Credential to connect with

Google Sheets account

Resource

Sheet Within Document

Operation

Append or Update Row

Document

From list Schooldata

Sheet

From list Sheet1

Mapping Column Mode

Map Each Column Manually

Column to match on

Roll No

The column to use when matching rows in Google Sheets to the input items of this node. Usually an ID.

OUTPUT

No output data

Execute step

or set mock data

Append or update row in sheet

Docs

INPUT

SchemaTableJSON

ParametersSettings

Execute step

On form submission

1 item

Roll No 3

T Name chand

T submittedAt 2026-02-15T11:52:47.883+05:00

T formMode test

Variables and context

Credential to connect with

Google Sheets account

Resource

Sheet Within Document

Operation

Append or Update Row

Document

From list Schooldata

Sheet

From list Sheet1

Mapping Column Mode

Map Each Column Manually

OUTPUT

1 item

Roll No Name

3 chand

Schooldata - Google Sheets | AI Workflow Automation Platform | WORKFLOW1 - n8n

docs.google.com/spreadsheets/d/1fmTwrAVTRsf_ICf5YEiTpalkaAPrRL8kwbDvAN5RaLc/edit?gid=0#gid=0

WhatsApp | Facebook | Hostinger | YouTube | W3School | yahoo | Iftikhar Sahib | Linke... | Analytics | Hor

Schooldata | File | Edit | View | Insert | Format | Data | Tools | Extensions | Help

100% | \$ | % | .0 | .00 | 123 | Defaul... | - | 10 | + | B | I | A |


	A	B	C	D	E	F	G	H
1	Roll No	Name	English	Urdu	Math	Obtained Marks		
2		1 ali	40	50	60	150		
3		3 chand						
4								
5								

WORKFLOW1 + Add tag

Editor

Executions

Evaluations



Execute workflow

FORM FOR SENDING DATA - Google Chrome

malik77.app.n8n.cloud/form-test/2fe0048e-708c-49f6-a03c-25181e2c4860

This is a test version of your form

FORM FOR SENDING DATA

LAST DATE IS 31 DEC 2027

Roll No

Name

Submit

Form automated with  n8n

+92 314 499 3010

This is a test version of your form

FORM FOR SENDING DATA

LAST DATE IS 31 DEC 2027

Roll No

5

Name

dalawar

Submit

Form automated with  n8n

+92 314 499 3010

FORM FOR SENDING DATA - Google Chrome

malik77.app.n8n.cloud/form-test/2fe0048e-708c-49f6-a03c-25181e2c4860

This is a test version of your form

Form Submitted

Your response has been recorded

Form automated with  n8n

WORKFLOW1 - n8n

Schooldata - Google Sheets

docs.google.com/spreadsheets/d/1fmTwrAVTRsf_ICf5YEiTpalkaAPrRL8kwbDvAN5RaLc/ec

WhatsApp Facebook Hostinger YouTube W3School yahoo Iftikhar Sahib | Linke

Schooldata

File Edit View Insert Format Data Tools Extensions Help

100% 123 Defaul... 10 B I A

	A	B	C	D	E	F
1	Roll No	Name	English	Urdu	Math	Obtained Marks
2		1 ali	40	50	60	150
3		3 chand				
4		5 dalawar				
5						
6						
7						