

Ifza Rizwan

Sap id: 64281

Lab No: 2

Sub: Computer networks

Semester: 03

Department: Cyber Security

Submitted to: Maam saliha nasim

QUESTIONS:

1. How and why twisted pair cable is different from ordinary copper wire?

Twisted pair cable is different from ordinary copper wire because it consists of two insulated copper wires twisted together, an arrangement that significantly reduces electromagnetic interference (EMI) and crosstalk. Ordinary copper wire, such as a simple, uninsulated conductor, lacks this twisting, making it susceptible to external noise and interference. The twisting also enables balanced transmission, allowing for higher-quality data and voice signals with better signal-to-noise ratios and more reliable performance in networking and telecommunications applications.

2. What is difference between STP and UTP cables?

STP Cables	UTP Cables
Protection: STP cables provide enhanced protection against EMI by including a foil or braided mesh shield around each wire pair, and sometimes around the entire cable.	Protection: UTP cables consist of twisted pairs of wires with no additional shielding. The twisting itself helps reduce interference and crosstalk between wires.

Installation:

They require grounding for the shield to function correctly and prevent the shield from becoming an antenna that picks up signals, which adds complexity to installation.

Cost & Flexibility:

STP cables are more expensive, thicker, and less flexible than UTP cables, making them a more costly investment.

Use Cases:

They are ideal for environments with high electromagnetic interference, such as industrial settings, radio stations, and airports.

Installation: Grounding is not necessary for UTP cables, simplifying installation.

Cost & Flexibility: UTP cables are less expensive, more flexible, and more common for networking than STP cables.

Use Cases: They are widely used for Ethernet connections in homes and offices.

3. Write down the advantages and disadvantages of RJ 45 connectors?

Advantages of RJ45 Connectors

- **Reliable Data Transmission:**

RJ45 connectors provide a stable and secure connection, crucial for consistent and efficient data flow in wired networks.

- **High-Speed Support:**

They can support high-speed data transfers, with modern connectors and cables (like Cat 6A) capable of up to 10 Gbps.

- **Cost-Effectiveness:**

RJ45 connectors and associated cabling are relatively inexpensive, offering a budget-friendly solution for building networks.

- **Broad Compatibility:**

They are a universally accepted standard, working with a wide range of Ethernet-enabled devices, including computers, routers, and switches.

- **Power over Ethernet (PoE) Support:**

RJ45 connectors can deliver electrical power to devices over the network cable, eliminating the need for separate power wiring and increasing flexibility and cost savings.

- **Ease of Use:**

The simple locking latch allows for straightforward connecting and disconnecting, making them user-friendly for installation and use.

Disadvantages of RJ45 Connectors

- **Fragile Latch:**

The plastic retaining tab on the connector can break if handled carelessly, leading to a loose or unreliable connection.

- **Susceptibility to EMI:**

Unshielded Twisted Pair (UTP) cables and connectors are vulnerable to electromagnetic interference, which can degrade signal quality, especially in noisy environments.

- **Distance Limitations:**

The maximum optimal distance for Ethernet connections using RJ45 is around 100 meters (328 feet), requiring repeaters or switches for longer runs.

- **Installation Requires Tools:**

While installation is simple, it still requires specific tools (like a crimping tool) and knowledge of wiring standards to ensure a correct and secure connection.

- **Not Universal:**

RJ45 connectors are not compatible with other types of connectors, such as those used for fiber optics or coaxial cables.

4. If the patterns of colors in straight through cable and crossover cable is changed, what will be the effect and why?

Changing the color patterns in a straight-through or crossover cable will cause it to become non-standard, which can lead to network connectivity issues such as connection failures, loss of speed, or data errors, as the colors are meant to follow industry standards (like T568A or T568B) for proper wiring. While modern network devices with auto-MDIX ports might automatically correct for some miswiring, this is not guaranteed and can result in disruption, data loss, or a complete lack of communication between devices.

THE END