



Crear proyecto nuevo



Copiar los archivos marcados y carpeta freertos entre proyectos


Name	Date Modified	Size	Kind
extra	Today at 9:52 PM	--	Folder
colas_1	Today at 9:52 PM	--	Folder
.vscode	Today at 1:27 AM	--	Folder
c_cpp_properties.json	Today at 1:23 AM	783 bytes	JSON
cmake-kits.json	Today at 1:23 AM	442 bytes	JSON
extensions.json	Today at 1:23 AM	225 bytes	JSON
launch.json	Today at 1:27 AM	616 bytes	JSON
settings.json	Yesterday at 10:30 PM	2 KB	JSON
tasks.json	Today at 1:26 AM	475 bytes	JSON
build	Today at 9:52 PM	--	Folder
freertos	Today at 1:24 AM	--	Folder
colas_1.c	Today at 1:26 AM	1 KB	C source code
pico_sdk_import.cmake	Today at 1:23 AM	6 KB	Document
CMakeLists.txt	Today at 1:25 AM	2 KB	Plain Text
.gitignore	Today at 1:23 AM	6 bytes	Unix Ex...ble File
tp1	Today at 9:53 PM	--	Folder
.vscode	Yesterday at 10:02 PM	--	Folder
firmware	Today at 9:53 PM	--	Folder
.vscode	Yesterday at 10:41 PM	--	Folder
c_cpp_properties.json	Yesterday at 8:43 PM	783 bytes	JSON
cmake-kits.json	Yesterday at 8:43 PM	442 bytes	JSON
extensions.json	Yesterday at 8:43 PM	225 bytes	JSON
launch.json	Yesterday at 10:27 PM	617 bytes	JSON
settings.json	Yesterday at 10:30 PM	2 KB	JSON
tasks.json	Yesterday at 10:21 PM	476 bytes	JSON
build	Today at 9:53 PM	--	Folder
freertos	Yesterday at 8:44 PM	--	Folder
firmware.c	Yesterday at 11:57 PM	2 KB	C source code
pico_sdk_import.cmake	Yesterday at 8:43 PM	6 KB	Document
CMakeLists.txt	Yesterday at 10:57 PM	2 KB	Plain Text
.gitignore	Yesterday at 8:43 PM	6 bytes	Unix Ex...ble File
README.md	Yesterday at 8:41 PM	1 KB	Genesis Game
README.md	Yesterday at 8:41 PM	53 bytes	Genesis Game

Modificar en los archivos copiados por el nombre del archivo elf del proyecto nuevo

```
.vscode > {} launch.json > Launch Targets > {} Pico Debug
1  {
2      "version": "0.2.0",
3      "configurations": [
4          {
5              "name": "Pico Debug",
6              "cwd": "${workspaceRoot}",
7              "executable": "${workspaceRoot}/build/colas_1.elf",
8              "request": "launch",
9              "type": "cortex-debug",
10             "serverType": "external",
11             "device": "RP2040",
12             "runToEntryPoint": "main",
13             "gdbTarget": "localhost:3333",
14             "svdFile": "${workspaceRoot}/pico-sdk/src/rp2040/hardware_regs/rp2040.svd",
15             "preLaunchTask": "Compile Project",
16             "postRestartCommands": [
17                 "break main",
18                 "continue"
19             ]
20         }
21     ]
22 }
23
```

```
.vscode > {} tasks.json > ...
1  {
2    "version": "2.0.0",
3    "tasks": [
4      {
5        "label": "Compile Project",
6        "type": "shell",
7        "command": "cmake --build build",
8        "problemMatcher": [],
9        "group": {
10         "kind": "build",
11         "isDefault": true
12       }
13     },
14     {
15       "label": "Run Project",
16       "type": "shell",
17       "command": "picotool",
18       "args": [
19         "load",
20         "build/colas_1.elf", ←
21         "-f",
22         "-x"
23       ],
24       "problemMatcher": []
25     }
26   ]
27 }
28
```

Modificar CMakeLists.txt añadiendo 2 y 3



The screenshot shows the VS Code interface with the CMakeLists.txt file open. The Explorer sidebar on the left shows the project structure with 'colas_1' selected. The CMakeLists.txt file is displayed in the main editor. Three red annotations are present: a red circle with the number '1' pointing to the 'CMakeLists.txt' file in the Explorer; a red rectangle with the number '2' highlighting the line 'add_subdirectory(\${CMAKE_CURRENT_LIST_DIR}/freertos \${CMAKE_BINARY_DIR}/freertos)' in the CMakeLists.txt file; and a red circle with the number '3' pointing to the 'freertos' entry in the 'target_link_libraries' function in the CMakeLists.txt file.

```
13 if(WIN32)
14   set(USERHOME $ENV{USERPROFILE})
15 else()
16   set(USERHOME $ENV{HOME})
17 endif()
18 set(sdkVersion 2.1.1)
19 set(toolchainVersion 14_2_Rel1)
20 set(picotoolVersion 2.1.1)
21 set(picotool $ENV{USERHOME}/.pico-sdk/cmake/pico-vscodetool)
22 if (EXISTS ${picotool})
23   include(${picotool})
24 endif()
25
26 # Pull in Raspberry Pi Pico SDK (must be before project)
27 include(pico_sdk_import.cmake)
28
29 project(colas_1 C CXX ASM)
30
31 # Initialise the Raspberry Pi Pico SDK
32 pico_sdk_init()
33
34 # Add external FreeRTOS library
35 add_subdirectory(${CMAKE_CURRENT_LIST_DIR}/freertos ${CMAKE_BINARY_DIR}/freertos)
36
37 # Add executable. Default name is the project name, version 0.1
38 add_executable(colas_1 colas_1.c)
39
40 pico_set_program_name(colas_1 "colas_1")
41 pico_set_program_version(colas_1 "0.1")
42
43 # Modify the below lines to enable/disable output over UART/USB
44 pico_enable_stdio_uart(colas_1 0)
45 pico_enable_stdio_usb(colas_1 1)
46
47 # Add the standard library to the build
48 target_link_libraries(colas_1
49   pico_stdlib
50   freertos
51 )
```

Haciendo esto, se arregla perfectamente:

- Debug
- Run