



[Course](#) > [Unit 2:...](#) > [Proble...](#) > 2. A reli...


2. A reliability problem

Problem Set due Feb 12, 2020 05:29 IST Completed

Problem 2. A reliability problem

4.0/4.0 points (graded)

Consider the communication network shown in the figure below and suppose that each link can **fail with probability p** . Assume that failures of different links are independent.



1. Assume that $p = 1/3$. Find the probability that there exists a path from A to B along which no link has failed. (Give a numerical answer.)


✓ Answer: 0.46091

2. Given that exactly one link in the network has failed, find the probability that there exists a path from A to B along which no link has failed. (Give a numerical answer.)

✓ Answer: 0.8

Solution:





Let E be the event that there exists an operational path from A to B . Note that the probability that the Upper path from A to C is operational is $(1 - p)^2$. So the probability that the Upper path fails is $1 - (1 - p)^2$. Similarly, the Lower path fails with probability $1 - (1 - p)^2$ as well.

1. For the event E to occur, that is, in order to have an operational path from A to B , two sub-events must occur: there must be an operational path from A to C , and Link 5 must be operational.

$$\begin{aligned}
 \mathbf{P}(E) &= \mathbf{P}(\text{there exists a path from } A \text{ to } C \text{ and Link 5 is operational}) \\
 &= (1 - \mathbf{P}(\text{Upper path fails and Lower path fails})) \cdot \mathbf{P}(\text{Link 5 is operational}) \\
 &= \left\{ 1 - \left[1 - (1 - p)^2 \right]^2 \right\} \cdot (1 - p).
 \end{aligned}$$

When $p = 1/3$, this gives us $\mathbf{P}(E) \approx 0.46091$.

2. Since all links are equally likely to fail and since exactly one link has failed, each link has the same probability $1/5$ of being the one that failed. There will be no path from A to B only in the case where the link that failed is Link 5, which happens with probability $1/5$. Therefore, the desired probability is $1 - 1/5 = 4/5$.

Submit

You have used 2 of 3 attempts


i Answers are displayed within the problem





Discussion

Hide Discussion

Topic: Unit 2: Conditioning and independence: Problem Set 2 / 2. A reliability problem

Show all posts 


by recent activity 



Ques. 2: What's wrong with this intuition: $P(\text{no failure given 1 link failed})$ should be less than overall $P(\text{no failure})$?

$*P(\text{no failure})* = .46$ from question A. Now in question 2, it's given that 1 link has failed. This means that overall chances ...


2



Points for simple questions

Hello everyone, I think that the simpler a question the less points of total you should get. Therefore I think it will be a littl...


8



Q1 $P(\text{link up}) = (1-p) \dots P = 1/3 \dots$ so $P(\text{link up}) = 2/3$ or complement of $1/9 \dots$?

I have a question, related to the following: if we have that the probability of fail is $1/3 \dots$ so for the working link is $2/3$ and...


2 new_



Oh no! Has the deadline passed? I thought it was midnight

Won't let me enter my second attempt.


6



Instructors please reply: Isn't it a sufficient condition for the first link to fail?

To make the Link1-Link2 combination to fail? We don't need Link 2 to fail if Link 1 has failed. We are assuming the path is...


4



Confusion about solution of part 1

I assume since the deadline is now over, we can discuss the solutions..... Part a asks for a path from A to B where no lin...


2



Easy way to verify intuition about conditional probability.

Q2 can be solved using the intuitive method. My question is, Is there an easy way to verify that our intuition is correct, ot...


2



Hint on how to go about this

I have tried every possible way. Still not getting it. I would appreciate hint on how to solve this


2



Need a hint on how to start problem 2

Hi everyone, For problem two we assume that at least one link has failed, and then find the probability that there is a pa...


1 new_



Numerical precision for Q1?

I've provided 6 digits after comma, i.e., 0.xxxxxx, yet the answer gets rejected (am quite sure the formula I use is correct)...


5



Question 1

I am little confused with question 1. Link 1 and link 2 and link 3 and link 4 form a series path with $(1-p)*(1-p)$ probability....


2



Hint: Multiple links can fail

That is all. I missed it, but maybe it'll help someone else.

2



Is Q1 about the $P(\text{the network is "up"})$? Confused about the wording...

3

© All Rights Reserved

