18. Exercise: Correlation properties

Exercises due Mar 25, 2020 05:29 IST *Completed*

Exercise: Correlation properties

6/6 points (graded)

As in the preceding example, let Z, V, and W be independent random variables with mean 0 and variance 1, and let $X = Z + V$ and $Y = Z + W$. We have found that $\rho(X, Y) = 1/2$.

a) It follows that:

$\rho(X, -Y) =$ -1/2 ✔ **Answer:** -0.5

$\rho(-X, -Y) =$ 1/2 ✔ **Answer:** 0.5

b) Suppose that X and Y are measured in dollars. Let X' and Y' be the same random variables, but measured in cents, so that $X' = 100X$ and $Y' = 100Y$. Then,

$\rho(X', Y') =$ 1/2 ✔ **Answer:** 0.5

c) Suppose now that $\tilde{X} = 3Z + 3V + 3$ and $\tilde{Y} = -2Z - 2W$. Then

$\rho(\tilde{X}, \tilde{Y}) =$ -1/2 ✔ **Answer:** -0.5

d) Suppose now that the variance of Z is replaced by a very large number. Then

$\rho(X, Y)$ is close to 1 ✔ **Answer:** 1

e) Alternatively, suppose that the variance of Z is close to zero. Then

$\rho(X,Y)$ is close to | 0 | ✔ **Answer:** 0

Solution:

We saw that a linear transformation $x \mapsto ax + b$ of a random variable does not change the value of the correlation coefficient, except for a possible sign change if the coefficient a is negative. Note that in the case of $\rho(-X,-Y)$, we have two sign changes, hence no sign change.

For the last two parts, if Z has a very large variance, then the terms V and W become insignificant, and $\rho(X,Y) \approx \rho(Z,Z) = 1$. And if Z has very small variance, then X and Y are approximately independent, so that $\rho(-X,-Y) \approx 0$. (These conclusions can also be justified by an exact calculation.)

Submit You have used 3 of 3 attempts

Answers are displayed within the problem

Discussion

Hide Discussion

Topic: Unit 6: Further topics on random variables:Lec. 12: Sums of independent r.v.'s; Covariance and correlation / 18. Exercise: Correlation properties

Show all posts by recent activity

? STAFF (Grader issue) 3
I believe my first two attempts for 'c' evaluated to the correct answer (though it was input in slightly diffe...

Any hint for question c? :) 4
Any hint for question c? :)

Question d) and e) 3 new
I am doing a reasoning mistake something and I can't find where. Following the calculation from previou...

that was fun 1
Okay, I'm not really a math person as much as a media theory person--but it was really fun figuring out t...

[Staff]Typo in solution?

Community TA

1 new 3

Brilliant Intuition in the solution

I have to admit, the intuition in solution could have saved the whole hour of brute force calculation !!! 2

large z in a real task

hi! If we have a large varience of one feature (say we have 2 more features with significally small varienc... 3

If variance of Z is a large number 1