



Course > Exam 2 > Exam 2 > 5

## 5

Mid Term due Apr 22, 2020 05:29 IST Completed

## Problem 5

2.0025/3.0 points (graded)

Let X and Y be independent positive random variables. Let Z=X/Y. In what follows, all occurrences of x, y, z are assumed to be positive numbers.

1. Suppose that X and Y are discrete, with known PMFs,  $p_X$  and  $p_Y$ . Then,

$$p_{Z\mid Y}\left(z\mid y
ight)=p_{X}\left(?
ight).$$

What is the argument in the place of the question mark?



2. Suppose that X and Y are continuous, with known PDFs,  $f_X$  and  $f_Y$ . Provide a formula, analogous to the one in part (a), for  $f_{Z|Y}(z\,|\,y)$  in terms of  $f_X$ . That is, find A and B in the formula below.

$$f_{Z|Y}(z|y) = A f_X(B)$$
.

$$A=egin{pmatrix} 1 & & imes ext{Answer: y} \ & & & & & & \end{bmatrix}$$



$$B = \begin{bmatrix} z^*y \end{bmatrix}$$
  $\checkmark$  Answer:  $y^*z$ 

3. Which of the following is a formula for  $f_{Z}\left( z\right)$ ?

$$f_{Z}\left( z
ight) =\ldots$$
 (Choose all that apply.)

$$lefter{} f_{Z}\left(z
ight) \,=\, \int_{0}^{\,\infty} f_{Y,Z}\left(y,z
ight) \,dy \, lacksquare$$

$$igcup_{f_{Z}}\left(z
ight) \,=\, \int_{0}^{\,\infty} f_{Y,Z}\left(y,z
ight) \,dz$$

$$igspace{1}{c} f_{Z}\left(z
ight) \, = \, \int_{0}^{\infty} f_{Y}\left(y
ight) f_{Z,Y}\left(z,y
ight) \, dy \, dy$$

$$leve{m{arphi}}f_{Z}\left(z
ight) \,=\, \int_{0}^{\,\infty}\,f_{Y}\left(y
ight)f_{Z|Y}\left(z|y
ight)\,dy$$

$$lefter{Z} f_{Z}\left(z
ight) \, = \, \int_{0}^{\, \infty} f_{Y}\left(y
ight) f_{X}\left(yz
ight) \, dy$$

$$igsqcup_{Z}\left(z
ight) = \int_{0}^{\infty} y f_{Y}\left(y
ight) f_{X}\left(yz
ight) \, dy$$



### **Solution:**

Let X and Y be independent positive random variables. Let Z=X/Y. In the sequel, all occurrences of x, y, z are assumed to be positive numbers.

1. Since Z=X/Y implies X=YZ, the argument is simply yz.

2.



We follow the standard approach of computing the (conditional) CDF and then differentiating to get the conditional PDF.

First, let us obtain the CDF by using the information of the previous part.

$$egin{aligned} F_{Z|Y}\left(z|y
ight) &= P\left(Z \leq z|Y=y
ight) \ &= P\left(X/Y \leq z|Y=y
ight) \ &= P\left(X/y \leq z|Y=y
ight) \ &= P\left(X/y \leq z
ight) \ &= P\left(X \leq yz
ight) \ &= F_X\left(yz
ight). \end{aligned}$$

Now we simply differentiate with respect to z on both sides to obtain:

$$f_{Z|Y}\left( z|y
ight) =yf_{X}\left( yz
ight) .$$

In the above, we applied the chain rule for differentiation.

#### 3. We have

$$egin{aligned} f_{Z}\left(z
ight) &= \int_{0}^{\infty} f_{Y,Z}\left(y,z
ight) dy \ &= \int_{0}^{\infty} f_{Y}\left(y
ight) f_{Z|Y}\left(z|y
ight) dy \ &= \int_{0}^{\infty} y f_{Y}\left(y
ight) f_{X}\left(yz
ight) dy. \end{aligned}$$

Alternative ranges for the integration (such as  $-\infty,\infty$ ) are also valid, as long as they contain the interval  $[0,\infty)$ . This is because the PDFs of X,Y are zero outside the interval  $[0,\infty)$ .  $(0,\infty)$  thus represents the "minimal" acceptable bounds in the generic case.

Submit

You have used 3 of 3 attempts

**1** Answers are displayed within the problem



# Error and Bug Reports/Technical Issues

**Hide Discussion** 

**Topic:** Exam 2:Exam 2 / 5

Sho	ow all posts 💙	by recent activity 🗸
?	[Staff] Passing score  As per Progress page, I have already obtained 60%+ of score for this course. Could you please	e confir
?	<u>Progress Bar Table: missing points</u> <u>Hi, one of the rates for the mid term exams is missing on the progress bar graph, although it is a simple of the rates for the mid term exams is missing on the progress bar graph, although it is a simple of the rates for the mid term exams is missing on the progress bar graph, although it is a simple of the rates for the mid term exams is missing on the progress bar graph, although it is a simple of the rates for the mid term exams is missing on the progress bar graph.</u>	is correc
?	Question 5.3  Hi, can someone explain why the last formula on the list equals to fz(z)?	2
?	Grading anomally  Hi, I've been given 2,7525 points out of 3 with all my answers correct. Is there a reason for this	s l'm mi
Q	Was this exam easier than homework problem sets or I am just too stupid?  Hi guys! The exam is about to end, so I am interesting to launch the discussion. The point is the	nat I stru
Q	<u>Did anyone manage to get all the correct answers?</u> <u>Disappointingly I missed a few questions due to lack of focus (sign) and in all of them I had the</u>	e right a
Q	My answers for Q5 (MidTerm2)	13
?	My incorrect answers in question 5  Hinged HEAVILY on what I thought we were able to submit, I know that I would have had corre	ect ans
Q	Problem of hidden scores  Hey guys, Did the problem of hidden scores resolve for anybody? Or does anybody have more	e inform
Q	Exam scores?  I logged in at 23:59 UTC to check my exam grade. Saw that the due date had been pushed to recommend to the date had been pushed to the date had been p	6 midnigh
Q	last question what if I select too many that apply? Does that somehow negate my correct answer? I'm so co	onfused
Q	"end my exam" = submit each question?  If I submitted each of my questions, but do not "end my exam" will all my answers still be grade.	ded? Jus
<b>⋖</b>	Doubt on Grading System  I have one question for the staff. Assumption is, if I put the correct answer in the first attempt  ★ Following	t of the s 3