5. Hats in a box

Problem Set due Feb 19, 2020 05:29 IST *Completed*

Problem 5. Hats in a box

5/5 points (graded)

Each one of n persons, indexed by $1, 2, \ldots, n$, has a clean hat and throws it into a box. The persons then pick hats from the box, at random. Every assignment of the hats to the persons is equally likely. In an equivalent model, each person picks a hat, one at a time, in the order of their index, with each one of the remaining hats being equally likely to be picked. Find the probability of the following events.

(You need to answer all 5 questions before you can submit.)

1. Every person gets his or her own hat back.

- (selected) $\frac{1}{n!}$
- $\frac{1}{(n+1)!}$
- $\frac{1}{n}$
- $\frac{1}{n+1}$

2. Each one of persons $1, \ldots, m$ gets his or her own hat back, where $1 \leq m \leq n$.

- $\frac{(n+m)!}{n!}$
- **(selected, correct)** $\frac{(n-m)!}{n!}$
- $\frac{n!}{(n+m)!}$
- $\frac{m!}{n!}$

✔

3. Each one of persons $1, \ldots, m$ gets back a hat belonging to one of the last m persons (persons $n-m+1, \ldots, n$), where $1 \leq m \leq n$.

- **(selected, correct)** $\frac{1}{\binom{n}{m}}$
- $\frac{m}{\binom{n}{m}}$
- $\frac{n-m}{\binom{n}{m}}$

- $\dfrac{n}{\binom{n}{m}}$

✔

Now assume, in addition, that every hat thrown into the box has probability p of getting dirty (independently of what happens to the other hats or who has dropped or picked it up). Find the probability that:

4. Persons $1, \ldots, m$ will pick up clean hats.

- $(1-p)^{n-m}$
- $m(1-p)^{m}$
- $(1-p)^{m}$
- $m(1-p)^{n-m}$

✔

5. Exactly m persons will pick up clean hats.

- $\dfrac{\binom{n}{m}}{n!}(1-p)^{m}p^{n-m}$
- $(1-p)^{m}p^{n-m}$

○ $\binom{n}{m}(1-p)^{n-m}p^m$

● $\binom{n}{m}(1-p)^{m}p^{n-m}$

✔

Solution:

1. Consider the sample space of all possible hat assignments. It has $n!$ elements (n hat selections for the first person, after that $n-1$ for the second, etc.), with every assignment equally likely; hence each assignment has probability $1/n!$. The event that everyone gets his or her own hat back corresponds to exactly one of these $n!$ assignments. Therefore, the answer is $1/n!$.

2. Consider the same sample space and probabilities as in the solution of part 1. The event of interest assigns the first m people to their own hats and allows for an arbitrary assignment of hats to the remaining $n-m$ persons, so that there are $(n-m)!$ possible assignments. The probability of an event with $(n-m)!$ elements is $(n-m)!/n!$.

3. Consider the m hats belonging to the last m persons. There are $m!$ ways to distribute these m hats among the first m persons. Then, there are $(n-m)!$ ways to distribute the remaining $n-m$ hats to everyone else. The probability of an event with $m!\,(n-m)!$ elements is $m!\,(n-m)!/n!$, which is equal to $1/\binom{n}{m}$.

4. The probability of a given person picking up a clean hat is $1-p$. By the independence assumption, the probability of m specific persons picking up clean hats is $(1-p)^m$.

5. Think of picking a clean hat as an independent Bernoulli trial with success probability $1-p$. The probability of m successes out of n trials is $\binom{n}{m}(1-p)^m p^{n-m}$.

Submit You have used 2 of 2 attempts

Answers are displayed within the problem

Discussion

Hide Discussion

Topic: Unit 3: Counting:Problem Set 3 / 5. Hats in a box

Show all posts | by recent activity

Q3 - My solution		1
Another intuitive way to understand the 3rd question		1
Bonus probability exercise		5
Am I understanding Pt 3 correctly?	Say n = 5 and m = 4 In layman's terms, the question is asking what is the probability that each of persons...	11
Problem missing	When I checked out my learning progress, I see there should be 6 problems in this problem set. But I ca...	3
Hint for Q3		1
FOR STAFF ON DEADLINES	as for the notification e-mail the deadline of problem set 3 submission is 18th February (in the syllabus it...	2
Grading Issue - Missing Problem?	Completed the five problems and earned the full 2, 1, 2, 4, & 5 points on them. Under progress it lists my...	5
Hint	Solved it counting cases using n=2 and n=3, For eg a is the cap for person 1, b for person 2, c for person ...	2
Language / Specifications on Q2	On Q2, when saying "1-m persons gets their own hats back", does it automatically imply that m+1 to n p...	2
Interpretation of 3	I'm at loss interpreting the statement given in 3) (even after reading through the posts) Each one of per...	6
Difference between part 4) and 5)		6