UUT Report

Station ID:	**IT-W-7303101**
Serial Number:	**NONE**
Date:	**venerdì 21 aprile 2023**
Time:	**08:43:27**
Operator:	**ITLAVIT1**
Execution Time:	**00:31:27.009**
Number of Results:	**1204**
UUT Result:	**Failed**
Serial Number:	**4294967295**
Type Designator:	**B3-D4MB-111A**
FW Version:	**0.15.0**
Power Supply:	**Omicron**
Failure Chain:	

Step	Sequence	Sequence File
Energy Save	MainSequence	Repeated Power fail.seq

Begin Sequence: MainSequence (C:\Users\itlavit1\OneDrive - ABB\LabRnD_Shared\TestStand\Sequences\EQ Meter\New Sequences\Repeated Power fail.seq)

DUT info	
Status:	Done
TestResults/Data:	
Serial Number:	4294967295
Type Designator:	B3-D4MB-111A
FW Version:	0.15.0

Total Active Import	
Status:	Passed
Numeric:	180
Limits:	
Low:	178.8875
High:	180.6125
Comparison Type:	GELE(>= <=)
Total Active Import	
Status:	Passed
Numeric:	180
Limits:	
Low:	180
Comparison Type:	EQ(==)
Total Active Import	
Status:	Passed
Numeric:	186
Limits:	

Low:	184.8875
High:	186.6125
Comparison Type:	GELE(>= <=)
Total Active Import	
Status:	Passed
Numeric:	186
Limits:	
Low:	186
Comparison Type:	EQ(==)
Total Active Import	
Status:	Passed
Numeric:	192
Limits:	
Low:	190.8875
High:	192.6125
Comparison Type:	GELE(>= <=)
Total Active Import	
Status:	Passed
Numeric:	192
Limits:	
Low:	192
Comparison Type:	EQ(==)
Total Active Import	
Status:	Passed
Numeric:	197
Limits:	
Low:	196.8875
High:	198.6125
Comparison Type:	GELE(>= <=)
Total Active Import	
Status:	Passed
Numeric:	197
Limits:	
Low:	197
Comparison Type:	EQ(==)
Total Active Import	
Status:	Passed
Numeric:	203
Limits:	
Low:	201.8875
High:	203.6125
Comparison Type:	GELE(>= <=)
Total Active Import	
Status:	Passed
Numeric:	203
Limits:	
Low:	203
Comparison Type:	EQ(==)
Energy Save	

Status:	Passed
Numeric:	203
Limits:	
Low:	203
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	204
Comparison Type:	LT(<)
Energy Save	
Status:	Passed
Numeric:	203
Limits:	
Low:	203
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	204
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	213
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed

Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203

Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)
Energy Save	
Status:	Failed
Numeric:	203
Limits:	
Low:	215
Comparison Type:	EQ(==)
Energy Save During	
Status:	Passed
Numeric:	203
Limits:	
Low:	216
Comparison Type:	LT(<)

Active Save	
Status:	Done
TestResults/Data:	
Active energy save [0..9] :	
Active Energy Save During [0..9] :	



Energy Flash	
Status:	Passed
Numeric:	215
Limits:	
Low:	218
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	218
Limits:	
Low:	221
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	221
Limits:	
Low:	224
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	224
Limits:	
Low:	227
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	227
Limits:	
Low:	230
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	230
Limits:	

Low:	233
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	233
Limits:	
Low:	236
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	236
Limits:	
Low:	240
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	240
Limits:	
Low:	243
Comparison Type:	LT(<)
Energy Flash	
Status:	Passed
Numeric:	243
Limits:	
Low:	246
Comparison Type:	LT(<)

Active Flash	
Status:	Done
TestResults/Data:	
Active energy flash [0..9] :	
Additional Results	
Status:	Done
TestResults/Data:	
PopupString:	Check the status of the meter.
Status:	Passed

Additional Results	
Status:	Done
TestResults/Data:	
PopupString:	Check the status of the meter.
Status:	Passed

End Sequence: MainSequence

End UUT Report