UUT Report

Station ID: IT-W-7303101

Serial Number: NONE

Date: lunedì 11 settembre 2023

Time: 13:47:02

Operator: administrator

Execution Time: 114.7902898 seconds

Number of Results: 1026

UUT Result: Terminated

Serial Number: 4294967295


Type Designator: B3-D4MB-111A

FW Version: 0.18.143

Power Supply: Production Port


Begin Sequence: MainSequence (C:\Users\ITLUBAR5\ABB\LABRND VITTUONE - LabRnD_Shared\TestStand\Sequences\EQ Meter\New Sequences\D13-Input_State.seq)






Pass/Fail Test	
Status:	Failed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed

Additional Results	
Status:	Done
Voltages_increment[088]:	



Additional Results

Status: Done
Voltages_increment[0..88]:



40

50

60

70

80

88.0

Additional Results


Status: Done

0.0

10

20


30



Additional Results


Status: Done

Voltages_increment[0..88]:




Additional Results

Voltages_increment[0..88]:



Additional Results


Status: Done




Additional Results

Status: Done


Voltages_increment[0..88]:













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Status: Done Voltages_increment[088]:	
Voltages increment[0, 99]	
voitages_increment[000].	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status: Done	
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status: Done	
Voltages_increment[088]:	













Pass/Fail Test	
Status:	Passed









Pass/Fail Test	
Status:	Passed


Additional Results	
Status:	Done
Voltages_increment[088]:	
















Pass/Fail TestStatus:Passed

End Sequence: MainSequence

End UUT Report