```
% Igli Kristo's CV in LaTeX
\documentclass[12pt]{article} % article with 12pt font
%% PACKAGES %%
\usepackage[english]{babel} % multilingual support
\usepackage[utf8]{inputenc} % utf8 encoding
\usepackage{blindtext}
% Set the default font
\usepackage{tgpagella}
% Specify the page margins + Set the page layout
\usepackage{geometry}
\geometry{
    a4paper,
    left=20mm,
    %right=
    %bottom=
    top=15mm
% empty the headers, footers, pagenumbers...
\pagestyle{empty}
% Custom sectioning with secsty
\usepackage{sectsty}
\sectionfont{%
    \large % make sections smaller
                                                          \sectionrule{0pt}{0pt}{-5p}
    \fontfamily{qag}\selectfont % change font family
%% MACROS %%
% size of the boxed used to align text
\newlength{\spacebox}
\settowidth{\spacebox}{123456789}
% vertical space seperator between entries
\newcommand{\sepspace}{\vspace*{1em}}
%name
\newcommand{\name}[1] {
\Huge % font size
\fontfamily{phv}\selectfont % font family
% print name centered and bold
\begin{center} \textbf{#1} \end{center}\par
% back to normal size and font
\normalsize\normalfont
%slogan
\newcommand{\motto}[1]{
    \large % font size
```

```
\fontfamily{phv}\selectfont % font family
    % print motto centered and slanted
    \begin{center} \textsl{#1}\end{center}\par
    % back to normal size and font
    \normalsize \normalfont
% personal information
\newcommand{\info}[2]{
    % set specific indentation for personal information
                                                          \noindent\hangindent=2em\l
    % create a box to align two pieces of text
    \parbox{\spacebox}{%
    \textsl{#1}} % slanted entry name
    #2 \par} % entry value
% skills
\newcommand{\skill}[2]{
% set specific indentation for personal information \noindent\hangindent=2em\hangaft
% create a box to align two pieces of text
\parbox{3\spacebox}{% three times larger box
\textsc{#1}} % small caps entry name
#2 \par} % entry value
% language level \newcommand{\lan}[2]{
    % set specific indentation for personal information
                                                             \noindent\hangindent=2er
    % create a box to align two pieces of text
                                                    \parbox{\spacebox}{%
        \textbf{#1}} % bold font entry name
                   % entry value
        #2 \par}
% education entry
\newcommand{\education}[4]{
% name of the studies
    \noindent \textbf{#1}
    % at the right the duration
        \hfill
        \framebox{% duration inside a frame box
        \parbox{6em}{%
        \centering\textbf{#2}}} \par
        % new paragraph with the school in italics
        \noindent \textit{#3} \par
        % description with no hanging and in smaller text
                                                               \vspace*{0.5em}
        \noindent\hangindent=2em\hangafter=0 \small #4
        %back to normal size
        \normalsize \par}
```

```
% work experience
\newcommand{\work}[4]{
% name of the work
    \noindent \textbf{#1}
    % at the right the duration
    \hfill
\framebox{% duration inside a frame box
    \parbox{6em}{%
    \centering\textbf{#2}}} \par
    \% new paragraph with the school in italics
    \noindent \textit{#3} \par
    % description with no hanging and in smaller text
                                                         \vspace*{0.5em}
    \noindent\hangindent=2em\hangafter=0 \small #4
     %back to normal size
\normalsize \par}
%% MAIN DOCUMENT %%
% name and motto \name{Igli Kristo}
\vspace*{-10pt}
\motto{Embrace challenges, create opportunities}
% personal information
\sepspace
\info{Email}{\texttt{IgliKristo@protonmail.com}}
\info{Phone}{+44 123 456 789}
\info{Address}{Redacted Road 123, City 17, Country}
% work experience
\section*{Work Experience}
\work{Lecturer}{2015--2020}{The XXX University}
{\blindtext}
\sepspace
\work{Data Analyist}{2010--2015}{An important tech company}{This is a detailed descr
\begin{itemize}
    \item One thing I did.
    \item Another thing I did.
    \item I didn't do much more, sorry.
\end{itemize}}
```