



Full-stack software development

Front-end introduction: Project setup

R. Naudts, J. Pieck, J. Rombouts, B. Van Impe

Project Front-end assignment

- Accept the GitHub classroom assignment for the Front-end
 - You can find the link on Toledo
 - Every team member of the group needs to accept the assignment
- Clone your repository in a local folder

Create a Next.js app

- Open a terminal in the **root-folder** of your project and execute the following:


```
/c/Projects/front-end-project-group-0 (main) » npx create-next-app@15.5.2 --typescript
Need to install the following packages:
create-next-app@15.5.2
Ok to proceed? (y) y

✓ What is your project named? ... front-end
✓ Which linter would you like to use? » None
✓ Would you like to use Tailwind CSS? ... No / Yes
✓ Would you like your code inside a `src/` directory? ... No / Yes
✓ Would you like to use App Router? (recommended) ... No / Yes
✓ Would you like to use Turbopack? (recommended) ... No / Yes
✓ Would you like to customize the import alias (`@/*` by default)? ... No / Yes
Creating a new Next.js app in C:\Projects\front-end-project-group-0\front-end.
```

- Choose the settings from the screen-shot above
- A new folder “front-end” in your project folder is created.


Juggling files

- In the front-end folder, select the files as shown below.



Juggling files

- Move the selected files one level up, to your project root. Delete the front-end folder.
- You should end up with this structure:



Install dependencies

- In the terminal, from your project root, run the command “npm install”:

```
/c/Projects/front-end-project-group-0 (main*) » npm install
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use
ay to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm warn deprecated glob@7.2.3: Glob versions prior to v9 are no longer supported
npm warn deprecated abab@2.0.6: Use your platform's native atob() and btoa() methods instead
npm warn deprecated domexception@4.0.0: Use your platform's native DOMException instead

added 494 packages, removed 1 package, changed 11 packages, and audited 520 packages in 6s

70 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```

- You can ignore the warnings.

Starting up

- Now start the app by running “npm run dev”:

```
/c/Projects/front-end-project-group-0 (main*) » npm run dev

> dev
> next dev -p 8080

▲ Next.js 15.5.2
- Local:      http://localhost:8080
- Network:    http://192.168.68.110:8080

✓ Starting...
✓ Ready in 1753ms
```

- You should be able to navigate to the “Local” URL. A standard Next.JS page is shown.
- You can start by modifying **app/page.ts**.
- The browser auto-updates every time a file is saved.

Pages that need a route.

Components that can be reused and composed with each other.

Services that interact with the Rest API.

CSS modules

Tests

Types that define the types of the domain objects

GitHub

- One team mate commits the project to GitHub
- The other member
 - Pulls the project
 - Runs "npm install" in the project map to install the necessary dependencies locally