The doclicense package*

Robin Schneider ypid@riseup.net

February 13, 2015

Abstract

Make it easy to set your documents under a certain license. Information site on CTAN: https://www.ctan.org/pkg/doclicense
Example on Stackexchange: https://tex.stackexchange.com/a/226788/32320

Fork me on GitHub: https://github.com/ypid/latex-packages/tree/master/doclicense

Contents

Al	bstract	1			
1	Introduction	2			
2	Usage	2			
3	Macros				
4	Supported licenses 4.1 CC (Creative commons)	4			
5	Contributing				
6	Implementation6.1 Declaring the options6.2 Declare variables and macros6.3 Macro user macros6.4 Language selection6.5 Internals	5 5 6 7			
	0.0 Internals				

*This document corresponds to doclicense v0.10, dated 2015/02/13.

1 Introduction

The doclicense package allows you to put your document under a license and include a link to read about the license or include an icon or image of the license. Currently, only Creative Commons is supported but this package is designed to handle all kinds of licenses. See Contributing.

2 Usage

Just load the package placing

```
\usepackage{doclicense}
```

in the preamble of your \LaTeX 2 ε source file. This will select the default license which is CC by-sa 3.0, currently. Please always set your license explicitly as package options like so:

```
\usepackage[
  type={CC},
  modifier={by-sa},
  version={3.0},
]{doclicense}
```

This will explicitly set the license to CC by-sa 3.0.

If the hyperxmp package is loaded, then the options pdflicenseurl and pdf-copyright will be set by doclicense to the corresponding values ("https://creativecommons.org/licenses/by-sa/3.0" and "This work is licensed under a Creative Commons 'Attribution-ShareAlike 3.0 Unported' license.").

type The first parameter is "type". This sets the license type. Like in this example, the type can be "CC" to cover all the Creative Commons licenses. Please make sure that the type is all uppercase. See the Supported licenses section for a complete list.

modifier The next parameter is "modifier" which allows to select different subclasses of a license. In this example it is "by-sa". Please make sure that the type is all lowercase. See the Supported licenses section for a complete list.

As there can be more than one version of a license, the version can also be set. This package can output some texts like the long license name. Because of this, there needs to be a way to specify the language to use. If this parameter is omitted, then this package will default to \languagename which is normally set by packages like babel or polyglossia. Currently only English and German are supported.

imagewidth Default image width for the license image.
imagemodifier This options was added to support variation

version

This options was added to support variations in the license images. For example, Creative Commons provides sometimes more than one image for one version. See the donwload page. You will note that there are by-nc.eu and by-nc which only differ in the money unit. By default the by-nc image would be used but you can change this with:

\usepackage[imagemodifier={-eu}]{romanbarpagenumber}

Note that if German is set as language then "eu" will be used as default for this option.

3 Macros

\doclicenseType

Expands to the type as set in the package options. Example: "CC"

\doclicenseLongType

Same as \doclicenseType except that it expands to the long license type. Example: "Creative Commons"

\doclicenseModifier \doclicenseVersion Expands to the modifier as set in the package options. Example: "BY-SA"

Expands to the version as set in the package options. Example: "3.0"

\doclicenseURL

Expands to the official URL about the license. Note that it expands to the raw URL string without the use of \href or similar. If you want the link to be clickable then you can use \href or \url from the hyperref package or just read on because the following macros can also do this for your. Example: "https://creativecommons.org/licenses/by-sa/3.0"

\doclicenseName \doclicenseLongName Expands to the short name of the license. Example: "CC by-sa 3.0"

Expands to the long name of the license. Example: "Creative Commons Attribution-ShareAlike 3.0 Unported"

\doclicenseNameRef

Same as \doclicenseName except that it links to the URL of the license. Example: "CC by-sa 3.0"

\doclicenseLongNameRef

Same as \doclicenseLongName except that it links to the URL of the license. Example: "Creative Commons Attribution-ShareAlike 3.0 Unported"

\doclicenseText

Expands to a localized text which states that this document is licensed under the license. Example: "This work is licensed under a 'CC by-sa 3.0' license."

\doclicenseLongText

Same as \doclicenseText except that it uses the long name of the license. Example: "This work is licensed under a Creative Commons 'Attribution-ShareAlike 3.0 Unported' license."

\doclicenseIcon

Expands to a icon of the license. Example: "@③③". This macro is based on the ccicons package.

\doclicenseImage

This is kind of similar with \doclicenseIcon but it will typeset an bigger pic-



togram of the license. Example: "

Note that you can change the image size with the $[\langle imagewidth \rangle]$ parameter like this: " @ 00 "

\doclicenseImage[imagewidth=2em]

The images are bundled with the doclicense package.

\doclicenseThis

And last but not least there is the \doclicenseThis macro which will typeset the \doclicenseText next to the \doclicenseImage in a "minipage" environment. This will look like the following:

This work is licensed under a Creative Commons "Attribution-ShareAlike 3.0 Unported" license.



4 Supported licenses

4.1 CC (Creative commons)

by@3.0	Attribution 3.0 Unported
by-sa@3.0	Attribution-ShareAlike 3.0 Unported
by-nd@3.0	Attribution-NoDerivs 3.0 Unported
by-nc@3.0	Attribution-NonCommercial 3.0 Unported
by-nc-sa@ 3.0	${\bf Attribution\text{-}NonCommercial\text{-}Share Alike 3.0~Unported}$
by-nc-nc@ 3.0	Attribution-NonCommercial-NoDerivs 3.0 Unported
zero@1.0	CC0 1.0 Universal
pd@1.0	Copyright-Only Dedication

5 Contributing

This package is being developed on GitHub: https://github.com/ypid/latex-packages/tree/master/doclicense. When you want to modify the .sty file, make sure that you make your changes in the .dtx file instead, as the .sty file is automatically generated.

6 Implementation

This package depends on these packages.

```
2 %% Dependencies {{{
3 \RequirePackage{kvoptions}
4 \RequirePackage{xifthen}
5 \RequirePackage{etoolbox} %% \ifcsdef
6 \RequirePackage{xspace}
7 \AtEndPreamble{%
    \@ifpackageloaded{csquotes}{}{\RequirePackage{csquotes}}
    \@ifpackageloaded{ccicons}{}{\RequirePackage{ccicons}}
10
      %% For \doclicenseIcon
    \@ifpackageloaded{graphicx}{}{\RequirePackage{graphicx}}
11
12
      %% For \doclicenseImage
    \@ifpackageloaded{hyperref}{}{\RequirePackage{hyperref}}
13
    \@ifpackageloaded{hyperxmp}{%
14
15
      \hypersetup{
        pdfcopyright = {\doclicenseLongText},
16
17
        pdflicenseurl = {\doclicenseURL},
18
   }{}
19
20 }
21 %% }}}
22
```

6.1 Declaring the options

```
23 %% Parameters {{{
24 \DeclareStringOption[CC] {type}}
25 \DeclareStringOption[by-sa] {modifier}
26 \DeclareStringOption{version}
27 \DeclareStringOption{lang}
28 \DeclareStringOption{imagemodifier}
29 \DeclareStringOption[10em] {imagewidth}
30 %% }}
31
```

To test if all parameters are valid the macro \ProcessLocalKeyvalOptions* is expanded to ensure this before leaving the preamble. This is the only purpose for the \ProcessLocalKeyvalOptions* macro in this case.

32 \ProcessLocalKeyvalOptions*

6.2 Declare variables and macros

```
33 %% Declare variables {{{
34 \newcommand{\doclicense@baseUrlCC}{https://creativecommons.org}}
35 \newcommand{\doclicense@versionFallback}{}
36 \newcommand{\doclicense@versionUsed}{}
37 \newboolean{doclicense@licenseKnown}
38 \newlength{\doclicense@hsize}
```

```
39 \newcommand{\doclicense@longName}{%
     \csname doclicense@lang@lic@\doclicense@type @\doclicense@modifier%
     @\doclicense@versionUsed\endcsname
41
42 }
43 \newcommand{\doclicense@icon}{%
     \PackageError{doclicense}{Icon not defined}
45
       {Please check the documentation of doclicense to see what you can do about it.}%
46 }
47 %% }}}
48
6.3
      Macro user macros
49 %% User macros {{{
50 \newcommand{\doclicenseType}{\doclicense@type\xspace}
51 \newcommand{\doclicenseLongType}{}
52 \newcommand{\doclicenseModifier}{\MakeUppercase{\doclicense@modifier}\xspace}
53 \newcommand{\doclicenseVersion}{\doclicense@versionUsed\xspace}
54 \newcommand{\doclicenseName}{%
     \doclicense@type~\doclicense@modifier~\doclicense@versionUsed\xspace}
56 \newcommand{\doclicenseNameRef}{\href{\doclicenseURL}{\doclicenseName}\xspace}
57 \newcommand{\doclicenseLongName}{\doclicenseLongType\space\doclicense@longName\xspace}
58 \newcommand{\doclicenseLongNameRef}{\href{\doclicenseURL}{\doclicenseLongName}}
59 \newcommand{\doclicenseText}{%
     \doclicense@lang@thisDoc\space
     \href{\doclicenseURL}{\enquote{\doclicenseName}} \doclicense@lang@word@license.\xspace
62 }
63 \newcommand{\doclicenseLongText}{%
     \doclicense@lang@thisDoc\space
64
     \href{\doclicenseURL}{\doclicenseLongType\space\enquote{\doclicense@longName}}
     \doclicense@lang@word@license.\xspace
67 }
68 \newcommand{\doclicenseIcon}{\doclicense@icon\xspace}
69 \newcommand{\doclicenseImage}[1][]{%
     \setkeys{doclicense}{#1}
     \href{\doclicenseURL}{%
71
       \includegraphics[width=\doclicense@imagewidth]%
72
         {doclicense-\doclicense@type-\doclicense@modifier\doclicense@imagemodifier}%
73
    }
74
75 }
76
77 \newcommand{\doclicenseLicense}{\doclicenseThis} %% legacy support
78 \newcommand{\doclicenseThis}{
     \setlength{\doclicense@hsize}{\textwidth-\doclicense@imagewidth-2em}
     \ifthenelse{\lengthtest{\hsize > \vsize}}{\% landscape
80
81
       \setlength{\doclicense@hsize}{\doclicense@hsize-10em}
82
     }{}
     \begin{center}
83
       \begin{minipage}{\doclicense@hsize}
84
         \doclicenseLongText%
```

85

```
86 \end{minipage}
87 \hfill
88 \begin{minipage}{\doclicense@imagewidth}
89 \doclicenseImage%
90 \end{minipage}
91 \end{center}
92 }
93 %% }}
```

6.4 Language selection

The following lines include the ldf file. All language dependent things should be stored there or can be changed there. Note that one could redefine macros like \doclicenseLongText if necessary.

```
95 %% Language support {{{
96 \ifthenelse{\equal{\doclicense@lang}{}}{%
    \renewcommand{\doclicense@lang}{\languagename}}{}
98 \IfFileExists{doclicense-\doclicense@lang.ldf}{%
    \input{doclicense-\doclicense@lang.ldf}
100 }{%
101
     \PackageWarning{doclicense}{%
       No language definition for \doclicense@lang not found.
102
       Please add one and submit a patch. Using English as fallback.}
103
104
     \renewcommand{\doclicense@lang}{english}
     \input{doclicense-\doclicense@lang.ldf}
105
106 }
107
108 %% }}}
109
```

6.5 Internals

```
110 %% Set license {{{
111 \newcommand{\doclicense@setVersion}[1][]{%
     \left\{ \frac{\#1}{}\right\} 
       \renewcommand{\doclicense@versionFallback}{#1}
113
114
     \ifthenelse{\equal{\doclicense@version}{}}{%
115
       \renewcommand{\doclicense@versionUsed}{\doclicense@versionFallback}
116
117
118
       \renewcommand{\doclicense@versionUsed}{\doclicense@version}
     }
119
120 }
121 \newcommand{\doclicense@set}{%
    %% CC {{{
123
     \ifthenelse{\equal{\doclicense@type}{CC}}{%
124
       \renewcommand{\doclicenseLongType}{Creative Commons\xspace}
125
       \ifthenelse{\equal{\doclicense@lang@lic@CC@code}{}}{%
126
```

```
\edef\doclicense@UrlLangPart{}
127
       }{%
128
         \edef\doclicense@UrlLangPart{/\doclicense@lang@lic@CC@code}
129
       }
130
       \doclicense@setVersion[3.0]
131
132
       \edef\doclicenseURL{%
133
         \doclicense@baseUrlCC/%
134
         licenses/%
         \doclicense@modifier/%
135
         \doclicense@versionUsed\doclicense@UrlLangPart}
136
       \ifthenelse{\equal{\doclicense@modifier}{by-sa}}{%
137
138
         \renewcommand{\doclicense@icon}{\ccbysa}
         \renewcommand{\doclicense@imagemodifier}{}
139
140
       \ifthenelse{\equal{\doclicense@modifier}{by-nd}}{%
141
         \renewcommand{\doclicense@icon}{\ccbynd}
142
         \renewcommand{\doclicense@imagemodifier}{}
143
144
       }{}
145
       146
         \renewcommand{\doclicense@icon}{\ccbync}
147
         \renewcommand{\doclicense@imagemodifier}{}
148
       }{}
       \ifthenelse{\equal{\doclicense@modifier}{by-nc-sa}}
149
         {\renewcommand{\doclicense@icon}{\ccbync}}{}
150
       \ifthenelse{\equal{\doclicense@modifier}{by-nc-nd}}
151
         {\renewcommand{\doclicense@icon}{\ccbync}}{}
152
       \ifthenelse{\equal{\doclicense@modifier}{zero}}{%
153
         \renewcommand{\doclicense@icon}{\cczero}
154
         \renewcommand{\doclicense@imagemodifier}{}
155
         \doclicense@setVersion[1.0]
156
         \edef\doclicenseURL{%
157
158
           \doclicense@baseUrlCC/%
159
           publicdomain/%
160
           \doclicense@modifier/%
161
           \doclicense@versionUsed\doclicense@UrlLangPart}
162
       }{}
       \ifthenelse{\equal{\doclicense@modifier}{pd}}{
163
164
         \renewcommand{\doclicense@icon}{\ccpd}
         \renewcommand{\doclicense@imagemodifier}{}
165
         \doclicense@setVersion[1.0]
166
167
         \edef\doclicenseURL{%
           \doclicense@baseUrlCC/%
168
           licenses/publicdomain/%
169
           \doclicense@versionUsed\doclicense@UrlLangPart}
170
171
       }{}
172
173
       \ifcsdef{doclicense@lang@lic@\doclicense@type%
174
         @\doclicense@modifier @\doclicense@versionUsed}{}{%
175
176
         \PackageError{doclicense}{License long name not defined}%
```

```
177
           {Please check the documentation of doclicense to see what you can do about it.}%
178
179
       \setboolean{doclicense@licenseKnown}{true}
180
     }{}%% }}}
181
182
     \ifthenelse{\not\boolean{doclicense@licenseKnown}}{%
183
       \PackageError{doclicense}{License unknown}%
         {Please check the documentation of doclicense to see what you can do about it.}%
184
     }{}%
185
186 }
187 %% }}}
189 \doclicense@set%
That's it.
190 \endinput
```

Change History

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

```
Symbols
                        \cczero ..... 154
                                                 \doclicense@imagemodifier
\@ifpackageloaded .
                                                        73, 139,
                        \csname ..... 40
                                                        143, 147, 155, 165
      . . . 8, 9, 11, 13, 14
                                   D
                                                 \doclicense@imagewidth
                        \doclicense@baseUrlCC
          \mathbf{A}
                                                        . 34, 133, 158, 168
\AtEndPreamble .... 7
                                                 \doclicense@lang ..
                         \doclicense@hsize .
                                                        .... 38, 79, 81, 84
                                                       98, 99, 102, 104, 105
\ccbync ... 146, 150, 152
                        \doclicense@icon ..
                                                 \doclicense@lang@lic@CC@code
\ccbynd ..... 142
                               .......................43, 68,
                                                        . . . . . . . . 126, 129
\ccbysa ..... 138
                              138, 142, 146,
                              150, 152, 154, 164 \doclicense@lang@thisDoc
\ccpd ..... 164
```

$\dots \dots $	\doclicenseLongNameRef	\input 99, 105
\doclicense@lang@word@lic	ense	
	\doclicenseLongText	${f L}$
\doclicense@longName	3, 16, 63, 85	\languagename 97
	\doclicenseLongType	\lengthtest 80
\doclicense@modifier	. 3, 51, 57, 65, 124	
. 40, 52, 55, 73,	\doclicenseModifier	${f M}$
135, 137, 141,	3, 52	\MakeUppercase 52
145, 149, 151,	\doclicenseName	
153, 160, 163, 174	3, 54, 56, 61	$\mathbf N$
\doclicense@set 121, 189	\doclicenseNameRef 3,56	\newboolean 37
\doclicense@setVersion	\doclicenseText 3, 59	\newlength 38
. 111, 131, 156, 166	\doclicenseThis $3, 77, 78$	_
\doclicense@type 40,	\doclicenseType $3, 50$	P
50, 55, 73, 123, 173	\doclicenseURL	\PackageError
\doclicense@UrlLangPart	3, 17, 56, 58, 61,	$\dots 44, 176, 183$
127,	65, 71, 132, 157, 167	~
129, 136, 161, 170	\doclicenseVersion $3,53$	S
\doclicense@version		\setboolean 180
115, 118	${f E}$	\setkeys 70
\doclicense@versionFallba	\endcsname 41	\setlength 79, 81
35, 113, 116	enquote 61, 65	\space 57, 60, 64, 65
\doclicense@versionUsed	н	${f T}$
$\dots 36, 41,$	\hfill 87	\textwidth 79
53, 55, 116, 118,	\href 56, 58, 61, 65, 71	
136, 161, 170, 174	\hsize 80	\mathbf{V}
\doclicenseIcon 3 , 10 , 68	\hypersetup 15	
\doclicenseImage	(-) p	
3, 12, 69, 89	I	\mathbf{X}
\doclicenseLicense . 77	\ifcsdef 5, 173	\xspace 50,
\doclicenseLongName	\IfFileExists 98	52, 53, 55, 56,
	\includegraphics 72	57, 61, 66, 68, 124