Visoka škola strukovnih studija za informacione i komunikacione tehnologije Predmet: Web programiranje PHP2 sajt1

Dokumentacija:

https://wtw-movies.000webhostapp.com/

Student: Ignjat Jokanović

Broj indeksa: 311/16

Smer: Internet tehnologije – Web programiranje

Contents

1. Uvod 4
2. Dizajn Baze 16
3. Kodovi 17
3.1 index.php 17
3.2 activation.php 19
3.3 actors.php 20
3.4 author.php 22
3.5 category.php 23
3.6 contact.php 25
3.7 edit.php 28
3.7 footer.php 31
3.8 header.php 34
3.9 home.php 35
3.10 login.php 37
3.11 nav.php 39
3.12 register.php 43
3.13 single_actor.php 45
3.14 single_movie.php 54
3.15 slider.php 63
3.16 widgets.php 65
3.17 kod.js 66
3.18 php/logout.php 68
3.19 php/rate_actor.php 69
3.20 php/rate_movie.php 70
3.21 Actor.php 72
3.22 Category.php 77
3.23 ComentActor 79
3.24 CommentMovie.php 80

3.25 DB.php 81
3.26 Movie.php 83
3.27 User.php 91
3.28 admin/index.php 100
3.29 admin/footer.php 103
3.30 admi/header.php 104
3.31 admin/views/actor_combo.php 108
3.32 admin/views/actor_edit.php 110
3.33 admin/views/category_combo.php 119
3.34 admin/views/insert_actor.php 122
3.35 admin/views/insert_category.php 128
3.36 admin/views/insert_movie.php 131
3.37 admin/views/movie_combo.php 142
3.38 admin/views/movie_edit.php 144

1. Uvod

Korišćeni programski jezici: HTML, CSS, JAVASCRIPT, JQUERY,PHP Opis funkcionalnosti sajta:


BACK TO WEBSITE
Movies
Actors
Update / Delete
Insert
Category
Actor
Delete
Update
Ryan Reynolds
Delete
Edit
Josh Brolin
Delete
Edit
Morena Baccarin
Delete
Edit
Zazie Beetz
Delete
Edit
Gerard Butler
Delete
Edit
Jim Sturgess
Delete
Edit
Abbie Cornish
Delete
Edit
Lena Headey
Delete
Edit
Jack Nicholson
Delete
Edit
Shelley Duvall
Delete
Edit
Ben Foster
Delete
Edit
Dennis Quaid
Delete
Edit
Karen Fukuhara
Delete
Edit
Christine Woods
Delete
Edit
Sam Rockwell
Delete
Edit
Taraji P. Henson
Delete
Edit


BACK TO WEBSITE
Movies
Actors
Category
Name:
Ryan
Surname:
Ryan
Description:
Ryan Rodney Reynolds was born
Edit
Main image :
Choose File
No file chosen
Galery image:
Choose File
No file chosen
Galery image:
Choose File
No file chosen
Galery image:
Choose File
No file chosen
Galery image:
Choose File
No file chosen
Galery image:
Choose File
No file chosen
Galery image:
Choose File
No file chosen


BACK TO WEBSITE
Movies
Actors
Update / Delete
Insert
Category
Name:
Surname:
Image:
Choose File
No file chosen
Description:
Galery image(1):
Galery image(2):
Galery image(3):
Galery image(4):
Galery image(5):
Galery image(6):
Insert


WTW
Home
Categories
Actors
Author
Contact
Account
CATEGORY
HORROR
THRILLER
ADVENTURE
COMEDY
ACTION
SCI FI
DRAMA
HISTORY
Ryan Reynolds
Josh Brolin
Morena Baccarin
Zazie Beetz
Gerard Butler
Jim Sturgess
1
2
3
LATEST MOVIES
The Best of Enemies
Stray
Pandorum
The Shining
300
DOCUMENTATION
SUBSCRIBE TO OURS NEWSLETTER
Your email address
Get the most recent updates from our site and be updated your self...
© Ignjat Jokanovic 31/1/16


WTW
Home
Categories
Actors
Author
Contact
Search
Account
My name is Ignjat Jokanovic and i am finishing year at ICT college. My plans for the future is to become back-end developer in PHP or Java.
LATEST MOVIES
The Best of Enemies
Stray
Pandorum
The Shining
300
DOCUMENTATION
SUBSCRIBE TO OURS NEWSLETTER
Your email address
Get the most recent updates from our site and be updated your self...
© Ignjat Jokanovic 311/16


BACK TO WEBSITE
Movies
Actors
Category
Update / Delete
Insert
Category
Delete/Update
horror
Delete
Update
thriller
Delete
Update
animated
Delete
Update
adventure
Delete
Update
Kategorija
Delete
Update
comedy
Delete
Update
action
Delete
Update
sci fi
Delete
Update
drama
Delete
Update
history
Delete
Update


BACK TO WEBSITE
Movies
Actors
Category
Update / Delete
Insert
Name:
Insert

WTW Home Categories Actors Author Contact Search Account

CONTACT US

Your Message Here

Submit

LATEST MOVIES

The Best of Enemies
Stray
Pandorum
The Shining
300

DOCUMENTATION

SUBSCRIBE TO OURS NEWSLETTER

Your email address

Get the most recent updates from our site and be updated your self...

© Ignjat Jokanovic 311/16




BACK TO WEBSITE
Movies
Update / Delete
Insert
Actors
Category
Movie
Delete
Update
Deadpool
Delete
Edit
Deadpool 2
Delete
Edit
Geostorm
Delete
Edit
300
Delete
Edit
The Shining
Delete
Edit
Pandorum
Delete
Edit
Stray
Delete
Edit
The Best of Enemies
Delete
Edit


BACK TO WEBSITE
Movies
Actors
Category
Title:
Deadpool
Storyline:
A wisecracking mercenary gets
Release date:
Choose a day
Choose a month
Choose a year
Select country:
Choose a country
Edit
Main image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Gallery image:
Choose File
No file chosen
Add/Remove Actors
Actor: Ryan Reynolds
Remove
Actor: Josh Brolin
Add
Actor: Morena Baccarin
Remove
Actor: Zazie Beetz
Add
Actor: Gerard Butler
Add
Actor: Jim Sturgess
Add
Actor: Abbie Cornish
Add
Actor: Lena Headey
Add
Actor: Jack Nicholson
Add
Actor: Shelley Duvall
Add
Actor: Ben Foster
Add
Actor: Dennis Quaid
Add
Actor: Karen Fukuhara
Add
Actor: Christina Woods
Add
Actor: Sam Rockwell
Add
Actor: Taraji P. Henson
Add
Add/Remove Categories
Actor: HORROR
Add
Actor: THRILLER
Add
Actor: ANIMATED
Add
Actor: ADVENTURE
Remove
Actor: KATEGORIJA
Add
Actor: COMEDY
Remove
Actor: ACTION
Remove
Actor: SCI FI
Add
Actor: DRAMA
Add
Actor: HISTORY
Add


BACK TO WEBSITE
Movies
Update / Delete
Insert
Actors
Category
Title:
Storyline:
Image:
Choose File
No file chosen
Release date:
Choose a day
Choose a month
Choose a year
Select country:
Choose a country
Select categories:
HORROR
THRILLER
ANIMATED
ADVENTURE
KATEGORIJA
COMEDY
ACTION
SCI FI
DRAMA
HISTORY
Select actors:
Ryan Reynolds
Josh Brolin
Morena Baccarin
Zazie Beetz
Gerard Butler
Jim Sturgess
Abbie Cornish
Lena Headey
Jack Nicholson
Shelley Duvall
Ben Foster
Dennis Quaid
Karen Fukuhara
Christine Woods
Sam Rockwell
Taraji P. Henson
Galery image(1):
Galery image(2):
Galery image(3):
Galery image(4):
Galery image(5):
Galery image(6):
Insert


WTW
Home
Categories
Actors
Author
Contact
Search
Account
CATEGORY
HORROR
THRILLER
ADVENTURE
COMEDY
ACTION
SCI FI
DRAMA
HISTORY
Josh Brolin
Rating:
Bio:
Rugged features and a natural charm have worked for Josh Brolin, the son of actor James Brolin. He has played roles as a policeman, a hunter, and the President of the United States. Brolin was born February 12, 1968 in Santa Monica, California, to Jane Cameron (Agee), a Texas-born wildlife activist, and James Brolin.
Rate this actor
Comments:
Write Your Comment
Submit
LATEST MOVIES
The Best of Enemies
Stray
Pandorum
The Shining
300
DOCUMENTATION
SUBSCRIBE TO OURS NEWSLETTER
Your email address
Get the most recent updates from our site and be updated your self...
© Ignjat Jokanovic 311/16


WTW
Home
Categories
Actors
Author
Contact
Search
Account
CATEGORY
HORROR
THRILLER
ADVENTURE
COMEDY
ACTION
SCI FI
DRAMA
HISTORY
DEADPOOL
FEEL THE LOVE VALENTINE'S DAY
Deadpool
Rating:
Country: United States
Release date: 11 Feb 2016
Actors:
Ryan Reynolds
Morena Baccarin
Categories:
#ADVENTURE
#COMEDY
#ACTION
Storyline:
A wisecracking mercenary gets experimented on and becomes immortal but ugly, and sets out to track down the man who ruined his looks.
Rate this movie
Comments:
Posted by
Ignjat Jokanovic, on 19 Feb 2019
Test
Write Your Comment
Submit
LATEST MOVIES
The Best of Enemies
Stray
Pandorum
The Shining
300
DOCUMENTATION
SUBSCRIBE TO OURS NEWSLETTER
Your email address
Get the most recent updates from our site and be updated your self...
© Ignjat Jokanovic 311/16

2. Dizajn Baze



3. Kodovi

3.1 index.php

```
<?php
session_start();
include_once('models/Movie.php');
include_once('models/Category.php');
include_once('models/User.php');
use models\User;
use models\Movie;
use models\Category;
$movie = new Movie();
$category = new Category();
include('views/header.php');
include('views/nav.php');

if(isset($_GET['page']))
{
   switch($_GET['page'])
   {
      case 'actors':
         require_once('views/actors.php');
         break;
      case 'author':
         require_once('views/author.php');
         break;
      case 'contact':
         require_once('views/contact.php');
```

```
        break;
    case 'login':
        require_once('views/login.php');
        break;
    case 'register':
        require_once('views/register.php');
        break;
    case 'edit':
        require_once('views/edit.php');
        break;
    case 'actor':
        require_once('views/single_actor.php');
        break;
    case 'movie':
        require_once('views/single_movie.php');
        break;
    case 'category':
        require_once('views/category.php');
        break;
    case 'activation':
        require_once('views/activation.php');
        break;
    default:
        require_once('views/home.php');
        break;

}
```

```
}
else
{
   include('views/home.php');
}

include('views/footer.php');
```

3.2 activation.php

```
<?php
include_once('models/User.php');
use models\User;
if(isset($_GET['ac_key']))
{
   $user = new User();
   $key = $_GET['ac_key'];
   $user->activate($key);
   if(empty($user->err))
   {
      if(isset($_SESSION['user']))
      {
         unset($_SESSION['user']);
      }

      echo "<h1 class='text-center'>Thank you for activating your account
you can now login</h1>";

   }
```

```
    else{
        foreach($user->err as $e)
        {
            echo "<h1 class='text-center'>$e</h1>";
        }
    }

}
else{
    echo "<h1>User not found</h1>";
}

?>
```

3.3 actors.php

```
<?php
include_once('models/Actor.php');
use models\Actor;
$actor = new Actor();

    ?>
<section class="mt-100">
  <div class="container">
          <div class="row">
            <?php
                include('views/widgets.php');
            ?>
                  <div class="col-sm-9 padding-right">
```

```
                    <div class="features_items"><!--features_items-->
                    <?php

                    $offset = 6;
                    $number_of_results = count($actor->allNameSurname());
                    $number_of_pages = ceil($number_of_results/$offset);
                    if (!isset($_GET['paginate']))
                    {
                        $paginate = 1;
                    }
                    else
                    {
                        $paginate = $_GET['paginate'];
                    }
                    $limit = ($paginate-1)*$offset;
                    $actors = $actor->paginate($limit, $offset);
                    ?>
                    <?php foreach($actors as $a): ?>
                        <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                <div class="single-products">
                                    <div class="productinfo text-center">
                                        <img src="<?= $a->image ?>" alt="<?=  $a->alt ?>" />
                                        <h2><a href="index.php?page=actor&id=<?= $a->id ?>"><?= $a->name.' '.$a->surname ?></a></h2>
```

```
                                        </div>
                                    </div>

                                </div>
                            </div>

                <?php endforeach; ?>
                    </div><!--features_items-->

                </div>
            </div>
            <nav aria-label="..." class="col-md-3 col-md-offset-5">
            <ul class="pagination pagination-lg">
                <?php if($number_of_pages > 1): ?>
                    <?php for($i = 1; $i <= $number_of_pages; $i++): ?>
                    <li class="page-item"><a class="page-link"
href="index.php?page=actors&paginate=<?= $i ?>"><?= $i ?></a></li>
                    <?php endfor; ?>
                <?php endif; ?>
            </ul>
  </nav>
  </div>

</section>
```

3.4 author.php

```
<div class="container">
```

```
<div class="row  mt-3 mb-3">
<div class="col-lg-7 self-center">
<img src="img/JA.jpg" width="500" alt="Ignjat Jokanovic">
</div>
<div class="col-lg-5 ml-3">
<h1>My name is Ignjat Jokanovic and i am finishing year at ICT college. My plans for the future is to become back-end developer in PHP or Java.</h1>

</div>

</div>

</div>
```

3.5 category.php

```
<section class="mt-100">
  <div class="container">
        <div class="row">
          <?php
             include('views/widgets.php');
          ?>
                <div class="col-sm-9 padding-right">
                        <div class="features_items"><!--features_items-->
                        <?php
             $id = $_GET['id'];

                        $offset = 6;
```

```
                    $number_of_results = count($movie->byCategory($id));
                    $number_of_pages = ceil($number_of_results/$offset);
                    if (!isset($_GET['paginate']))
                    {
                        $paginate = 1;
                    }
                    else
                    {
                        $paginate = $_GET['paginate'];
                    }
                    $limit = ($paginate-1)*$offset;
                    $movies = $movie->paginateByCategory($limit, $offset, $id);
                    ?>
                    <?php foreach($movies as $m): ?>
                        <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                <div class="single-products">
                                        <div class="productinfo text-center">
                                            <img src="<?= $m->src ?>" alt="<?= $m->alt ?>" />
                                            <h2><a href="index.php?page=movie&id=<?= $m->id ?>"><?= $m->title ?></a></h2>
                                            <p><?= $m->story ?></p>
```

```
                                        </div>
                                    </div>

                                </div>
                            </div>

                            <?php endforeach; ?>
                            </div><!--features_items-->

                        </div>
                    </div>
                    <nav aria-label="..." class="col-md-3 col-md-offset-5">
                    <ul class="pagination pagination-lg">
                        <?php if($number_of_pages > 1): ?>
                            <?php for($i = 1; $i <= $number_of_pages; $i++): ?>
                            <li class="page-item"><a class="page-link"
href="index.php?page=category&id=<?= $_GET['id'] ?>&paginate=<?= $i
?>"><?= $i ?></a></li>
                            <?php endfor; ?>
                        <?php endif; ?>
                    </ul>
                </nav>
                </div>

</section>
```

3.6 contact.php

```
<div id="contact-page" class="container mt-100">
```

```
        <div class="bg">
        <div class="row">
                <div class="col-sm-12">

                        <h2 class="title text-center">Contact
<strong>Us</strong></h2>

                </div>
        </div>
                <div class="row">
                <div class="col-sm-8">
                        <div class="contact-form mt-200">
                                <div class="status alert alert-success"
style="display: none"></div>
                                <?php
                                if(isset($_POST['submit']))
                                {
                                        extract($_POST);
                                        $err = array();
                                        $regex = "/^[A-Za-z0-9\s]{3,}$/";
                                        if($message == '')
                                        {
                                                array_push($err, "<p class='text-
danger'>Message field is required</p>");
                                        }
                                        if($message != '' && !preg_match($regex,
$message))
                                        {
```

```
                array_push($err, "<p class='text-
danger'>Message field Must be atleast 3 characters long and contain
numbers and letters</p>");
            }
            if(empty($err))
            {
                mail("jokanovic.ignjat@gmail.com",
"Poruka sa sajta", $message);
                echo "<p class='text-success'>Thank
you for your message</p>";
            }
            else
            {
                foreach($err as $e)
                {
                    echo $e;
                }
            }
        }
        ?>
    <form id="main-contact-form" action="<?=
$_SERVER['PHP_SELF']?>?page=contact" class="contact-form row"
name="contact-form" method="post">
        <div class="form-group col-md-12">
          <textarea name="message" id="message"
required="required" class="form-control" rows="8" placeholder="Your
Message Here"></textarea>
        </div>
        <div class="form-group col-md-12">
          <input type="submit" name="submit" class="btn
btn-primary pull-right" value="Submit">
```

```
                    </div>
                </form>
                    </div>
                </div>
            </div>
            </div>
    </div><!--/#contact-page-->
```

3.7 edit.php

```
<?php
include_once('models/User.php');
use models\User;
?>
<?php if(isset($_SESSION['user'])): ?>
<section id="form"><!--form-->
  <div class="container">
        <div class="row">
            <div class="col-sm-4 col-sm-offset-1">
                <div class="login-form"><!--login form-->
                    <h2>Change picture</h2>
                    <form method="post"
action="<?=$_SERVER['PHP_SELF'].'?page=edit';?>"
enctype="multipart/form-data">
                        <img width="100" src="<?= $_SESSION['user']->src ?>"
alt="<?= $_SESSION['user']->src ?>"/>
                        <input type="hidden" name="img_id" value="<?=
$_SESSION['user']->amg_id ?>" />
                            <input type="file" name="pic" />
                            <input type="submit" name="esub"
class="btn btn-default" value="Edit"/>
```

```
                </form>
                <?php
                        if(isset($_POST['esub']))
                        {
                extract($_FILES);
                extract($_POST);
                if($pic['size'] == 0)
                {
                   echo "<p class='text-danger'>Image Is required</p>";
                }
                else
                {
                   $user = new User();
                   $img = time().$pic['name'];
                   if(move_uploaded_file($pic['tmp_name'],
"img/$img"))
                   {
                      $user->image = "img/$img";
                      $user->updatePic($img_id);
                      $id =  $_SESSION['user']->id;
                      $_SESSION['user'] = $user->findBy('id', $id);
                      echo "<p class='text-success'>Updated profile
picture</p>";
                   }
                   else
                   {
                      echo "Something went wrong";
                   }
```

```
                }


                        }
                    ?>
                </div><!--/login form-->
            </div>
            <div class="col-sm-4 col-sm-offset-1">
                <div class="login-form"><!--login form-->
                    <h2>Change information</h2>
                    <form method="post"
action="<?=$_SERVER['PHP_SELF'].'?page=edit';?>">
                <input type="text" name="name"  value="<?=
$_SESSION['user']->name ?>"/>
                <input type="text" name="sur" value="<?=
$_SESSION['user']->surname ?>"/>
                <input type="password" name="pass"
placeholder="Password" />
                        <input type="submit" name="esubi"
class="btn btn-default" value="Edit"/>
                    </form>
                    <?php
                        if(isset($_POST['esubi']))
                        {
                    extract($_POST);
                    $user = new User();
                    $user->name = $name;
                    $user->surname = $sur;
                    $user->password = $pass;
                    $id =  $_SESSION['user']->id;
                    $user->updateInfo($id, $_SESSION['user']->amg_id);
```

```
                    if(empty($user->err))
                    {
                        $_SESSION['user'] = $user->findBy('id', $id);
                        echo '<p class="text-success">Updated profile</p>';
                    }
                    else
                    {
                        foreach($user->err as $e)
                        {
                            echo $e;
                        }
                    }
                                        }
                                ?>
                        </div><!--/login form-->
                </div>
        </div>
  </div>
</section><!--/form-->
<?php endif; ?>
```

3.7 footer.php

```
<footer id="footer"><!--Footer-->

  <div class="footer-widget">
        <div class="container">
                <div class="row">
                        <div class="col-sm-2">
```

```
                        <div class="single-widget">
                            <h2>Latest Movies</h2>
                            <ul class="nav nav-pills nav-stacked">
                            <?php foreach($movie->fresh() as $f): ?>
                                <li><a
href="index,php?page=movie&id=<?= $f->id ?>"><?= $f->title ?></a></li>

                            <?php endforeach; ?>
                            </ul>
                        </div>
                    </div>
<?php if(isset($_SESSION['user']) && $_SESSION['user']->role ==
'admin'):?>
                    <div class="col-sm-2">
                        <div class="single-widget">
                            <a
href="documentation.pdf"><h2>Documentation</h2>

                        </div>
                    </div>
<?php endif; ?>
                    <div class="col-sm-3 col-sm-offset-1 right">
                        <div class="single-widget">
                            <h2>Subscribe to ours newsletter</h2>
                            <form action="#" class="searchform">
                                <input type="text"
placeholder="Your email address" />
                                <button type="submit" class="btn
btn-default"><i class="fa fa-arrow-circle-o-right"></i></button>
```

```
                                        <p>Get the most recent updates
from <br />our site and be updated your self...</p>
                                    </form>
                                </div>
                            </div>

                        </div>
                    </div>
                </div>

                <div class="footer-bottom">
                    <div class="container">
                        <div class="row">
                            <p class="text-center">&copy; Ignjat Jokanovic
311/16</p>

                        </div>
                    </div>
                </div>

</footer><!--/Footer-->



    <script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/price-range.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
```

```
    <script src="js/main.js"></script>
<script src="js/kod.js"></script>
<script src="js/lightbox.js"></script>
</body>
</html>
```

3.8 header.php

```
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>WTW</title>
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/price-range.css" rel="stylesheet">
    <link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">
    <link href="css/lightbox.css" rel="stylesheet">
    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="img/wtw_logo_512.ico">
```

```
   <link rel="apple-touch-icon-precomposed" sizes="144x144"
href="images/ico/apple-touch-icon-144-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="114x114"
href="images/ico/apple-touch-icon-114-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="72x72"
href="images/ico/apple-touch-icon-72-precomposed.png">
   <link rel="apple-touch-icon-precomposed" href="images/ico/apple-
touch-icon-57-precomposed.png">
</head><!--/head-->
<body>
```

3.9 home.php

```
<?php



include('views/slider.php');
   ?>
<section class="mt-100">
  <div class="container">
          <div class="row">
            <?php
               include('views/widgets.php');
            ?>
                  <div class="col-sm-9 padding-right">
                        <div class="features_items"><!--features_items-->
                        <?php

                        $offset = 6;
                        $number_of_results = count($movie->all());
```

```
                $number_of_pages =
ceil($number_of_results/$offset);
                if (!isset($_GET['paginate']))
                {
                        $paginate = 1;
                }
                else
                {
                        $paginate = $_GET['paginate'];
                }
                $limit = ($paginate-1)*$offset;
                $movies = $movie->paginate($limit, $offset);
                ?>
                <?php foreach($movies as $m): ?>
                        <div class="col-sm-4">
                                <div class="product-image-wrapper">
                                        <div class="single-products">
                                                <div class="productinfo
text-center">
                                                        <img src="<?=
$m->src ?>" alt="<?= $m->alt ?>" />
                                                        <h2><a
href="index.php?page=movie&id=<?= $m->id ?>"><?= $m->title
?></a></h2>
                                                        <p><?= $m-
>story ?></p>


                                                </div>
                                        </div>
```

```
                                    </div>
                                </div>

                                <?php endforeach; ?>
                                </div><!--features_items-->

                        </div>
                </div>
                <nav aria-label="..." class="col-md-3 col-md-offset-5">
                <ul class="pagination pagination-lg">
                        <?php if($number_of_pages > 1): ?>
                                <?php for($i = 1; $i <= $number_of_pages; $i++): ?>
                                <li class="page-item"><a class="page-link"
href="index.php?paginate=<?= $i ?>"><?= $i ?></a></li>
                                <?php endfor; ?>
                        <?php endif; ?>
                </ul>
  </nav>
  </div>

</section>
```

3.10 login.php

```
<?php
include_once('models/User.php');
use models\User;
?>
```

```
<section id="form"><!--form-->
  <div class="container">
        <div class="row">
              <div class="col-sm-4 col-sm-offset-1">
                    <div class="login-form"><!--login form-->
                          <h2>Login to your account</h2>
                          <form method="post"
action="<?=$_SERVER['PHP_SELF'].'?page=login';?>">
                                <input type="text" name="uname"
placeholder="Username" />
                                <input type="password" name="pass"
placeholder="Password" />
                                <input type="submit" name="lsub"
class="btn btn-default" value="Login"/>
                          </form>
                          <?php
                                if(isset($_POST['lsub']))
                                {
                                      extract($_POST);
                                      $user = new User();
                                      $user->uname = $uname;
                                      $user->password = $pass;
                                      $result = $user->login($uname,
$pass);
                                      if(empty($user->err))
                                      {
#header(„Location“) ne funkcionise zbog nepostojeceg outputa na liniji
jedan koja ima sadrzaj <! DOCTYPE html >
                                            $_SESSION['user'] = $result;
```

```
                                        echo
"<script>location.replace('https://wtw-
movies.000webhostapp.com/');</script>";

                                    }
                                    else
                                    {
                                        foreach($user->err as $e)
                                        {
                                            echo $e;
                                        }
                                    }
                                }
                            ?>
                        </div><!--/login form-->
                    </div>
                </div>
            </div>
        </section><!--/form-->
```

3.11 nav.php

```
<header id="header"><!--header-->

    <div class="header-middle"><!--header-middle-->
        <div class="container">
            <div class="row">
                <div class="col-sm-2">
                    <div class="logo pull-left">
```

```
                                    <a href="index.php"><img class="logo-
size" src="img/wtw_logo.png" alt="wtw-logo" /></a>
                                </div>
                            </div>
                            <div class="col-sm-6 m-t-2">
                                <div class="navbar-header">
                                    <button type="button"
class="navbar-toggle" data-toggle="collapse" data-target=".navbar-
collapse">
                                        <span class="sr-only">Toggle
navigation</span>
                                        <span class="icon-
bar"></span>
                                        <span class="icon-
bar"></span>
                                        <span class="icon-
bar"></span>
                                    </button>
                                </div>
                                <div class="mainmenu pull-left">
                                    <ul class="nav navbar-nav collapse
navbar-collapse">
                                        <li><a href="index.php"
class="active">Home</a></li>
                                        <li class="dropdown"><a
href="#">Categories<i class="fa fa-angle-down"></i></a>
                                            <ul role="menu"
class="sub-menu">
<?php foreach($category->presentCategories() as $c): ?>
```

```
                                                    <li><a
href="index.php?page=category&id=<?= $c->id ?>"><?= strtoupper($c-
>name) ?></a></li>
<?php endforeach; ?>
                                                        </ul>
                                                    </li>
                                                    <li><a
href='index.php?page=actors'>Actors</a></li>
                                                    <li><a
href="index.php?page=author">Author</a></li>
                                                    <li><a
href="index.php?page=contact">Contact</a></li>
                                                </ul>
                                            </div>
                                        </div>
                                    <div class="col-sm-2">
                                            <div class="search_box pull-right
dropdown">
                                                <input  class="srch" type="search"
placeholder="Search"/>
                                                <ul class="sub-menu dropdown-
content">
                                                    <li><a
href="shop.html">Item1</a></li>
                                                    <li><a href="product-
details.html">Item2</a></li>
                                                    <li><a
href="checkout.html">Item3</a></li>
                                                    <li><a
href="cart.html">Item4</a></li>
```

```
                                        <li><a
href="login.html">Itme5</a></li>
                                    </ul>
                                </div>
                            </div>
                            <div class="col-sm-2">
                                <div class="shop-menu pull-right">
                                    <ul class="nav navbar-nav acc">

                                        <li><a href="#"><i class="fa
fa-user"></i> Account</a>
                                            <ul class="sub-menu
acc-content">
                                                <?php
if(!isset($_SESSION['user'])) : ?>

                                                <li><a
href="index.php?page=login">Login</a></li>
                                                <li><a
href="index.php?page=register">Register</a></li>

                                                <?php else: ?>

                                                    <?php
if(isset($_SESSION['user']) && $_SESSION['user']->role == 'admin'): ?>

                                                    <li><a
href="admin/index.php">Admin pannel</a></li>

                                                    <?php
endif; ?>
```

```
                                                    <li><a
href="index.php?page=edit">Edit account</a></li>
                                                    <li><a
href="php/logout.php">Logout</a></li>
                                                    <?php endif; ?>
                                                </ul>

                                            </li>
                                        </ul>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </header>
```

3.12 register.php

```
<?php

include_once('models/User.php');
use models\User;

?>

<section id="form"><!--form-->
  <div class="container">
        <div class="row">
            <div class="col-sm-4">
```

```
                    <div class="signup-form"><!--sign up form-->
                        <h2>New User Signup!</h2>
                        <form method="post"
action="index.php?page=register" enctype="multipart/form-data">
                            <input type="text" name="name"
placeholder="Name"/>
                            <input type="text" name="sur"
placeholder="Surname"/>
                            <input type="text" name="uname"
placeholder="Username"/>
                            <input type="text" name="email"
placeholder="Email"/>
                            <input type="password" name="pass"
name="pass" placeholder="Password"/>
                            <input type="File" name="img"/>
                            <button type="submit" name="resub"
class="btn btn-default">Signup</button>
                        </form>
                    </div><!--/sign up form-->
                </div>
                <div class="col-sm-5 mt-100">
                    <?php
                        if(isset($_POST['resub']))
                        {
                            extract($_POST);
                            extract($_FILES);
                            $user = new User();
                            $user->name = $name;
                            $user->surname = $sur;
                            $user->uname = $uname;
```

```
                                $user->email = $email;
                                $user->password = $pass;
                                $user->image = $img;
                                $user->save();
                                if(empty($user->err))
                                {
                                        echo "<p class='text-success'>Thank
you for registering, activation email has been sent to your emali</p>";
                                }
                                else{
                                        foreach($user->err as $e)
                                        {
                                                echo $e;
                                        }
                                }
                        }

                        ?>
                </div>
        </div>
  </div>
</section><!--/form-->
```

3.13 single_actor.php

```
<?php

include_once('models/Actor.php');
include_once('models/ComentActor.php');
```

```
use models\ComentActor;
use models\Actor;

if(isset($_GET['id']))
{
  $actor = new Actor();
  $id = $_GET['id'];
  $actor->findById($id);
  $instance = new ComentActor();
  $coments = $instance->all($id);
  $i =1;
  ob_start();
  if(empty($actor))
  {
          header("Location: index.php");
  }
}
else{
  header("Location: index.php");
}


   ?>

<section>
  <div class="container">
          <div class="row">
            <?php
```

```
            include_once('views/widgets.php');
        ?>

            <div class="col-sm-9 padding-right">
                <div class="product-details"><!--product-details-->
                    <div class="col-sm-5">
                        <div class="view-product">
                            <img src="<?= $actor->image ?>"
alt="<?= $actor->alt ?>" />
                        </div>
                        <div id="similar-product" class="carousel
slide" data-ride="carousel">

                            <!-- Wrapper for slides -->
                            <div class="carousel-inner">
                                <?php foreach($actor->galery
as $g): ?>
                                    <?php if($i%3 == 1): ?>
                                        <div class="item
<?= $i == 1?'active':'' ?>">
                                    <?php endif; ?>
                                        <a
href="<?= $g->src ?>" data-lightbox="roadtrip"><img src="<?= $g->src ?>"
width="85" alt="<?= $g->alt ?>"></a>
                                    <?php if($i%3 == 0): ?>
                                        </div>
                                    <?php endif; ?>
                                        <?php $i++; ?>
                                <?php endforeach; ?>
```

```
                                        </div>

                                        <!-- Controls -->
                                        <a class="left item-control"
href="#similar-product" data-slide="prev">
                                            <i class="fa fa-angle-
left"></i>
                                        </a>
                                        <a class="right item-control"
href="#similar-product" data-slide="next">
                                            <i class="fa fa-angle-
right"></i>
                                        </a>
                                    </div>

                                </div>
                                <div class="col-sm-7">
                                    <div class="product-information"><!--
/product-information-->
                                        <h2><?= $actor->name.' '.$actor-
>surname ?></h2>
                                        <p>Rating:
                                        <?php
                                        if($actor->rating->avg == null)
                                        {
                                            echo "Actor not yet rated";

                                        }
                                        else
                                        {
```

```
                                        for($i = 0; $i < round($actor->rating->avg); $i++)
                                        {
                                            echo "<span>☆</span>";
                                        }

                                    }

                                    ?>
                                    <p>Bio:</br><?= wordwrap($actor->description,30,"<br>\n", true) ?></p>
                                    <script>
                                        const ID = <?= $actor->id ?>
                                    </script>
                                    <div class="rating-system2">

  <h3>Rate this actor</h3>

  <input class="input rate-actor" type="radio" value="5" name='rate2' id="star5_2" />

  <label for="star5_2"></label>


  <input class="input rate-actor" type="radio" value="4" name='rate2' id="star4_2" />

  <label for="star4_2"></label>
```

```
  <input class="input rate-actor" type="radio" value="3" name='rate2' id="star3_2" />

  <label for="star3_2"></label>


  <input class="input rate-actor" type="radio" value="2" name='rate2' id="star2_2" />

  <label for="star2_2"></label>


  <input class="input rate-actor" type="radio" value="1" name='rate2' id="star1_2" />

  <label for="star1_2"></label>



  <div class="text"></div>

                                                    </div>
                                                    <p id="feedback_actor"></p>
                                            </div><!--/product-information-->
                                    </div>
                            </div><!--/product-details-->

                            <div class="category-tab shop-details-tab"><!--category-tab-->
                                    <div class="col-sm-12">
```

```
                    <h3>Comments:</h3>
                </div>
                <div class="tab-content">


                    <div class="tab-pane fade active in"
id="reviews" >
                        <div class="col-sm-12">
                        <?php foreach($coments as $c): ?>
                            <p><b>Posted by:</b> <?=
$c->name.' '.$c->surname.', on '.date("d M Y", $c->created_at) ?></p>
                            <p><?= $c->comment ?></p>
                        <?php endforeach; ?>
                            <p><b>Write Your
Comment</b></p>
                            <form action="<?=
$_SERVER['PHP_SELF'] ?>?page=actor&id=<?= $id ?>" method="post">
                                <textarea
name="body" ></textarea>

                                <button type="submit"
name="comment" class="btn btn-default pull-right">
                                    Submit
                                </button>
                            </form>
                            <?php
                            if(isset($_POST['comment']))
                            {
                                $err = array();
                                extract($_POST);
```

```
                                                    $validator = "/^[A-Za-
z0-9\s]+$/";

  if(!isset($_SESSION['user']))
                                                    {
                                                        array_push($err,
"<p class='text-danger'>You must be logged in to comment</p>");
                                                    }

  if(isset($_SESSION['user']) && $body == '')
                                                    {
                                                        array_push($err,
"<p class='text-danger'>You must write somethin in your comment</p>");
                                                    }

  if(isset($_SESSION['user']) && $body != '' && !preg_match($validator,
$body))
                                                    {
                                                        array_push($err,
"<p class='text-danger'>You can write only numbers and letters in
comment</p>");
                                                    }
                                                    if(empty($err))
                                                    {

                                                        $instance-
>comment = $body;
                                                        $instance-
>created_at = time();
                                                        $instance-
>id_user = $_SESSION['user']->id;
```

```
                                        $instance-
>id_actor = $id;
                                        $instance-
>save();

  header("Refresh:0");
                                        ob_end_flush();

                                    }
                                    else{
                                        foreach($err as
$e)
                                        {
                                            echo $e;
                                        }
                                    }

                                }



                                    ?>
                                </div>
                            </div>

                        </div>
                    </div><!--/category-tab-->
```

```
                </div>
            </div>
  </div>
</section>
```

3.14 single_movie.php

```
<?php

include_once('models/Movie.php');
include_once('models/ComentMovie.php');
use models\ComentMovie;
use models\Movie;
ob_start();
if(isset($_GET['id']))
{
  $movie = new Movie();
  $id = $_GET['id'];
  $movie->findById($id);
  $instance = new ComentMovie();
  $coments = $instance->all($id);
  $i =1;
  if(empty($movie))
  {
          header("Location: index.php");
  }
}
else{
```

```
  header("Location: index.php");
}



   ?>


<section>
  <div class="container">
          <div class="row">
            <?php
               include_once('views/widgets.php');
            ?>

                  <div class="col-sm-9 padding-right">
                        <div class="product-details"><!--product-details-->
                              <div class="col-sm-5">
                                    <div class="view-product">
                                          <img src="<?= $movie->image ?>"
alt="<?= $movie->alt ?>" />
                                    </div>
                                    <div id="similar-product" class="carousel
slide" data-ride="carousel">

                                          <!-- Wrapper for slides -->
                                          <div class="carousel-inner">
                                                <?php foreach($movie-
>galery as $g): ?>
                                                      <?php if($i%3 == 1): ?>
```

```
                                        <div class="item
<?= $i == 1?'active':'' ?>">
                                            <?php endif; ?>
                                                <a
href="<?= $g->src ?>" data-lightbox="roadtrip"><img src="<?= $g->src ?>"
width="85" alt="<?= $g->alt ?>"></a>
                                            <?php if($i%3 == 0): ?>
                                                </div>
                                            <?php endif; ?>
                                                <?php $i++; ?>
                                        <?php endforeach; ?>


                                        </div>


                                    <!-- Controls -->
                                    <a class="left item-control"
href="#similar-product" data-slide="prev">
                                        <i class="fa fa-angle-
left"></i>
                                    </a>
                                    <a class="right item-control"
href="#similar-product" data-slide="next">
                                        <i class="fa fa-angle-
right"></i>
                                    </a>
                                </div>


                            </div>
                            <div class="col-sm-7">
```

```
                    <div class="product-information"><!--
/product-information-->
                        <h2><?= $movie->title ?></h2>
                        <p>Rating:
                        <?php
                        if($movie->rating->avg == null)
                        {
                            echo "Movie not yet rated";

                        }
                        else
                        {
                            for($i = 0; $i < round($movie-
>rating->avg); $i++)
                            {
                                echo
"<span>☆</span>";
                            }


                        }

                        ?>
                        </p>
                        <script>
                            const ID = <?= $movie->id ?>
                        </script>
```

```
                                        <p>Country: <?= $movie->country
?></p>
                                        <p>Release date: <?= date("d M Y",
$movie->release) ?></p>
                                        <p>Actors: </p>
                                        <?php foreach($movie->actors as
$a): ?>
                                                <a
href="index.php?page=actor&id=<?= $a->id ?>"><?= $a->name.' '.$a-
>surname ?></a></br>
                                        <?php endforeach; ?>
                                        <p>Categories: </p>
                                        <?php foreach($movie->categories
as $c): ?>
                                                #<?= strtoupper($c->name)
?></br>
                                        <?php endforeach; ?>
                                        <p>Storyline:</br><?=
wordwrap($movie->story,30,"<br>\n", true) ?></p>
                                        <?php if(time() >= $movie-
>release): ?>
                                        <div class="rating-system2">

  <h3>Rate this movie</h3>

  <input class="input rate-movie" type="radio" value="5" name='rate2'
id="star5_2" />

  <label for="star5_2"></label>
```

```
  <input class="input rate-movie" type="radio" value="4" name='rate2' id="star4_2" />

  <label for="star4_2"></label>


  <input class="input rate-movie" type="radio" value="3" name='rate2' id="star3_2" />

  <label for="star3_2"></label>


  <input class="input rate-movie" type="radio" value="2" name='rate2' id="star2_2" />

  <label for="star2_2"></label>


  <input class="input rate-movie" type="radio" value="1" name='rate2' id="star1_2" />

  <label for="star1_2"></label>



  <div class="text"></div>

                                        </div>
                                    <?php endif; ?>
                                    <p id="feedback_movie"></p>
                                    </div><!--/product-information-->
```

```
                    </div>
                </div><!--/product-details-->

                <div class="category-tab shop-details-tab"><!--
category-tab-->
                    <div class="col-sm-12">
                        <h3>Comments:</h3>
                    </div>
                    <div class="tab-content">


                        <div class="tab-pane fade active in"
id="reviews" >
                            <div class="col-sm-12">
                            <?php foreach($coments as $c): ?>
                                <p><b>Posted
by:</b> <img src="<?= $c->src ?>" alt="<?= $c->alt ?>"
width="50"/> <?= $c->name.' '.$c->surname.', on '.date("d M Y", $c-
>created_at) ?></p>
                                <p><?= $c->comment ?></p>
                            <?php endforeach; ?>
                                <p><b>Write Your
Comment</b></p>
                                <form action="<?=
$_SERVER['PHP_SELF'] ?>?page=movie&id=<?= $id ?>" method="post">
                                    <textarea
name="body" ></textarea>

                                    <button type="submit"
name="comment" class="btn btn-default pull-right">
                                        Submit
```

```
                    </button>
                </form>
                <?php
                if(isset($_POST['comment']))
                {
                    $err = array();
                    extract($_POST);
                    $validator = "/^[A-Za-
z0-9\s]+$/";

  if(!isset($_SESSION['user']))
                    {
                        array_push($err,
"<p class='text-danger'>You must be logged in to comment</p>");
                    }

  if(isset($_SESSION['user']) && $body == '')
                    {
                        array_push($err,
"<p class='text-danger text-center'>You must write somethin in your
comment</p>");
                    }

  if(isset($_SESSION['user']) && $body != '' && !preg_match($validator,
$body))
                    {
                        array_push($err,
"<p class='text-danger'>You can write only numbers and letters in
comment</p>");
                    }
                    if(empty($err))
```

```
                                                    {
                                                        $instance->comment = $body;
                                                        $instance->created_at = time();
                                                        $instance->id_user = $_SESSION['user']->id;
                                                        $instance->id_movie = $id;
                                                        $instance->save();

  header("Refresh:0");
                                                        ob_end_flush();

                                                    }
                                                    else{
                                                        foreach($err as $e)
                                                        {
                                                            echo $e;
                                                        }
                                                    }

                                                }



                                                ?>
                                            </div>
```

```
                    </div>

                </div>
            </div><!--/category-tab-->



        </div>
    </div>
  </div>
</section>
```

3.15 slider.php

```
<section id="slider"><!--slider-->
  <div class="container">
        <div class="row">
            <div class="col-sm-12">
                <div id="slider-carousel" class="carousel slide" data-
ride="carousel">
                    <ol class="carousel-indicators">
                        <li data-target="#slider-carousel" data-
slide-to="0" class="active"></li>
                        <li data-target="#slider-carousel" data-
slide-to="1"></li>
                        <li data-target="#slider-carousel" data-
slide-to="2"></li>
                    </ol>

                    <div class="carousel-inner">
```

```
                    <?php $i = 0; ?>
                    <?php foreach($movie->incoming() as $new): ?>
                        <div class="item <?= $i==0?'active':'' ?>">
                            <div class="col-sm-6">
                                <h1>WTW</h1>
                                <h2><?= $new->title ?></h2>
                                <p><?= $new->storyline
?></p>
                                <a
href="index.php?page=movie&id=<?= $new->id ?>" class="btn btn-default
get">Preview</a>
                            </div>
                            <div class="col-sm-6">
                                <img src="<?= $new->src ?>"
class="girl img-responsive" alt="<?= $new->alt ?>" />
                            </div>
                        </div>
                        <?php $i++; ?>
                    <?php endforeach; ?>
                    </div>

                    <a href="#slider-carousel" class="left control-
carousel hidden-xs" data-slide="prev">
                        <i class="fa fa-angle-left"></i>
                    </a>
                    <a href="#slider-carousel" class="right control-
carousel hidden-xs" data-slide="next">
                        <i class="fa fa-angle-right"></i>
                    </a>
                </div>
```

```
                </div>
            </div>
        </div>
</section><!--/slider-->
```

3.16 widgets.php

```
<div class="col-sm-3">
                        <div class="left-sidebar">
                            <h2>Category</h2>

                            <div class="panel-group category-products"
id="accordian"><!--category-productsr-->
                            <?php foreach($category->presentCategories()
as $c): ?>
                                <div class="panel panel-default">
                                    <div class="panel-heading">
                                        <h4 class="panel-title"><a
href="index.php?page=category&id=<?= $c->id ?>"><?= $c->name
?></a></h4>
                                    </div>
                                </div>
                            <?php endforeach; ?>
                            </div><!--/category-products-->

                        </div>
                </div>
```

3.17 kod.js

```
$(document).ready( function() {
   $('.rate-movie').on('click', function(){

      var v = $(this).val();

      $.ajax({
         method: 'POST',
         url: 'https://wtw-
movies.000webhostapp.com/php/rate_movie.php',
         data: {id_movie: ID, grade: v},
         complete: function(data){
            if(data.status == 500)
            {
               console.log(data.responseText);
               var show = data.responseText;
               $('#feedback_movie').text(show);
               $('#feedback_movie').css('color', 'red');
            }
            else
            {
               console.log(data.responseText);
               var show = data.responseText;
               $('#feedback_movie').text(show);
               $('#feedback_movie').css('color', 'green');

            }
```

```
        },
        error: function(data){
          var show = data.responseText;
          $('#feedback_movie').text(show);
          $('#feedback_movie').css('color', 'red');
        }
    });

});

$('.rate-actor').on('click', function(){

    var v = $(this).val();

    $.ajax({
        method: 'POST',
        url: 'https://wtw-movies.000webhostapp.com/php/rate_actor.php',
        data: {id_actor: ID, grade: v},
        complete: function(data){
            if(data.status == 500)
            {
                console.log(data.responseText);
                var show = data.responseText;
                $('#feedback_actor').text(show);
                $('#feedback_actor').css('color', 'red');
            }
            else
```

```
            {
                console.log(data.responseText);
                var show = data.responseText;
                $('#feedback_actor').text(show);
                $('#feedback_actor').css('color', 'green');

            }


        },
        error: function(data){
          var show = data.responseText;
          $('#feedback_actor').text(show);
          $('#feedback_actor').css('color', 'red');
        }
      });

  });


});
```

3.18 php/logout.php

```
<?php

session_start();
unset($_SESSION['user']);
```

```
header("Location: ../index.php");
```

3.19 php/rate_actor.php

```
<?php
session_start();
require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');
use models\DB;
$con = DB::getInstance()->getConnection();
if(isset($_POST['id_actor']) && isset($_POST['grade']))
{
   $code = 500;
   $response = '';
   if(isset($_SESSION['user']))
   {
      extract($_POST);
      $id = $_SESSION['user']->id;
  $active = $_SESSION['user']->active;
      $result = $con->query("select * from actor_rating where id_user=$id
and id_actor=$id_actor")->fetch();
      if(empty($result))
      {
          if($active)
          {
                  $con->query("insert into actor_rating values(null,$id,
$id_actor, $grade)");
                  $response = "Thank you for voting";
                  $code = 200;
```

```
            }
            else
            {
                    $response = "Please activate yoru account";
            }

        }
        else
        {
           $response = "You already voted";
        }

    }
    else
    {
        $response = "You must be logged in to vote";
    }

}
http_response_code($code);
echo $response;
```

3.20 php/rate_movie.php

```
<?php
session_start();
require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');
use models\DB;
```

```
$con = DB::getInstance()->getConnection();
if(isset($_POST['id_movie']) && isset($_POST['grade']))
{
   $code = 500;
   $response = '';
   if(isset($_SESSION['user']))
   {
      extract($_POST);
      $id = $_SESSION['user']->id;
  $active = $_SESSION['user']->active;
      $result = $con->query("select * from movie_rating where id_user=$id
and id_movie=$id_movie")->fetch();
      if(empty($result))
      {
          if($active)
          {
                  $con->query("insert into movie_rating values(null, $id,
$id_movie, $grade)");
                  $response = "Thank you for voting";
                  $code = 200;

          }
          else
          {
                  $response = "Please activate your account";
          }

      }
      else
```

```
        {
            $response = "You already voted";
        }

    }
    else
    {
        $response = "You must be logged in to vote";
    }

}
http_response_code($code);
echo $response;
```

3.21 Actor.php

```
<?php
    namespace models;
    require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

    use models\DB;
    class Actor
    {
        public $id;
        public $name;
        public $surname;
        public $description;
        public $image;
        public $alt;
```

```
    public $rating;
    public $img_id;
    public $galery = array();

    public function save()
    {
        $con = DB::getInstance()->getConnection();
        $id_s = array();
        $alt = $this->name.' '.$this->surname;
        $stm1 = $con->prepare("insert into image values(null, :src, :alt)");
        $stm1->bindParam(":src", $this->image);
        $stm1->bindParam(":alt", $alt);
        $stm1->execute();
        $img_id = $con->lastInsertId();
        $stm2 = $con->prepare("insert into actor values(null, :name,
:surname, :desc, $img_id)");
        $stm2->bindParam(":name", $this->name);
        $stm2->bindParam(":surname", $this->surname);
        $stm2->bindParam(":desc", $this->description);
        $stm2->execute();
        $ac_id = $con->lastInsertId();
        foreach($this->galery as $g)
        {
            $stm = $con->prepare("insert into image values(null, :src, :alt)");
            $stm->bindParam(":src", $g);
            $stm->bindParam(":alt", $alt);
            $stm->execute();
            array_push($id_s, $con->lastInsertId());
```

```
        }
        foreach($id_s as $id)
        {
            $con->query("insert into actor_galery values(null, $ac_id, $id)");
        }
    }

    public function allNameSurname()
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from actor")->fetchAll();
    }

    public function paginate($limit, $offset)
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select a.id as id, a.name as name, a.surname
as surname, i.src as image, i.alt as alt from actor a join image i on
a.img_id=i.id limit $limit, $offset")->fetchAll();

    }
    public function findById($id)
    {
        $con = DB::getInstance()->getConnection();
        $actor = $con->query("select a.id as id, a.name as name, a.surname
as surname, a.description as description, i.id as img_id, i.src as image, i.alt
as alt from actor a join image i on a.img_id=i.id where a.id=$id")->fetch();
        $this->id = $actor->id;
        $this->name = $actor->name;
```

```
        $this->surname = $actor->surname;
        $this->description =  $actor->description;
        $this->image = $actor->image;
        $this->img_id = $actor->img_id;
        $this->galery = $con->query("select i.id, i.src, i.alt from image i join
actor_galery ag on i.id=ag.id_img where ag.id_actor=$id")->fetchAll();
        $this->rating = $con->query("select avg(rating) as avg from
actor_rating where id_actor=$id")->fetch();
    }

    public function destroy($id)
    {
        $con = DB::getInstance()->getConnection();
        $con->query("delete from actor where id=$id");
        $con->query("delete from comment_actor where id_actor=$id");
        $con->query("delete from actor_rating where id_actor=$id");
        $ids = $con->query("select id_img from actor_galery where
id_actor=$id");
        $con->query("delete from actor_galery where id_actor=$id");
        foreach($ids as $id)
        {
            $con->query("delete from image where id=$id");
        }

    }

    public function updateInfo($id, $ids)
    {
        $con = DB::getInstance()->getConnection();
```

```
        $stm = $con->prepare("update actor set name=:name,
surname=:surname, description=:description where id=$id");
        $stm->bindParam(":name", $this->name);
        $stm->bindParam(":surname", $this->surname);
        $stm->bindParam(":description", $this->description);
        $stm->execute();
        $alt = $this->name.' '.$this->surname;
        foreach($ids as $id)
        {

            $stm = $con->prepare("update image set alt=:alt where id=$id");
            $stm->bindParam(":alt", $alt);
            $stm->execute();
        }
    }
    public function updateImages($id, $src)
    {
        $con = DB::getInstance()->getConnection();
        $stm = $con->prepare("update image set src=:src where id=$id");
        $stm->bindParam(":src", $src);
        $stm->execute();

    }



}
```

3.22 Category.php

```
<?php
  namespace models;
  require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

  use models\DB;
   class Category
   {
      public $name;

      public function save()
      {
         $con = DB::getInstance()->getConnection();
         $stm = $con->prepare("insert into category values(null, :name)");
         $stm->bindParam(":name", $this->name);
         $result = $stm->execute();
         if($result)
         {
            return true;
         }
         else
         {
            return false;
         }

      }
     public function all()
```

```
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from category")->fetchAll();
    }
    public function presentCategories()
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select distinct c.name as name, c.id as id  from
category c join movie_category mc on c.id=mc.id_category")->fetchAll();
    }
    public function destroy($id)
    {
        $con = DB::getInstance()->getConnection();
        $con->query("delete from category where id=$id");
        $con->query("delete from movie_category where id_category =
$id");

    }
    public function update($id)
    {
        $con = DB::getInstance()->getConnection();
        $stm = $con->prepare("update category set name=:name where
id=$id");
        $stm->bindParam(":name", $this->name);
        $stm->execute();
    }
  }
```

3.23 ComentActor

```
<?php
   namespace models;
   require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

   use models\DB;
   class ComentActor
   {
      public $comment;
      public $created_at;
      public $id_user;
      public $id_actor;

      public function save()
      {
         $con = DB::getInstance()->getConnection();
         $id_s = array();
         $stm1 = $con->prepare("insert into comment_actor values(null,
:user, :actor, :coment, :time)");
         $stm1->bindParam(":user", $this->id_user);
         $stm1->bindParam(":actor", $this->id_actor);
         $stm1->bindParam(":coment", $this->comment);
         $stm1->bindParam(":time", $this->created_at);
         $stm1->execute();
      }

      public function all($actor)
```

```
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from user u join comment_actor ca on
u.id=ca.id_user join image i on u.img_id=i.id  where id_actor=$actor")-
>fetchAll();
    }

}
```

3.24 CommentMovie.php

```
<?php
  namespace models;
  require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

  use models\DB;
  class ComentMovie
  {
    public $comment;
    public $created_at;
    public $id_user;
    public $id_movie;

    public function save()
    {
        $con = DB::getInstance()->getConnection();
        $id_s = array();
```

```
        $stm1 = $con->prepare("insert into comment_movie values(null,
:user, :movie, :coment, :time)");
        $stm1->bindParam(":user", $this->id_user);
        $stm1->bindParam(":movie", $this->id_movie);
        $stm1->bindParam(":coment", $this->comment);
        $stm1->bindParam(":time", $this->created_at);
        $stm1->execute();
    }

    public function all($movie)
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from user u join comment_movie cm
on u.id=cm.id_user join image i on u.img_id=i.id  where
id_movie=$movie")->fetchAll();
    }

}
```

3.25 DB.php

```
<?php
  namespace models;
  use PDO;
  class DB
  {
    private static $instance = null;
    private $host = 'localhost';
```

```
    private $db = 'id8755604_ignjat';
    private $uname = 'id8755604_yyyzzx21';
    private $pass = 'yyyzzx21';
    private $con;


    private function __construct()
    {
      try{
        $this->con = new PDO("mysql:host=".$this-
>host.";dbname=".$this->db.";charset=utf8", $this->uname, $this->pass);

        $this->con->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
        $this->con->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);

      }
      catch(PDOException $msg){
        echo $msg;
      }

    }

    public static function getInstance()
    {
      if(!self::$instance)
      {
```

```
            self::$instance = new DB();

        }

        return self::$instance;
    }

    public function getConnection()
    {
        return $this->con;
    }

}
```

3.26 Movie.php

```
<?php namespace models;
  require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

  use models\DB;
  class Movie
  {
    public $id;
    public $title;
    public $release;
    public $country;
    public $story;
    public $image;
    public $rating;
```

```
    public $actors = array();
    public $categories = array();
    public $galery = array();
    public $img_id;
    public $alt;

    public function save()
    {
        $con = DB::getInstance()->getConnection();
        $id_s = array();
        $stm1 = $con->prepare("insert into image values(null, :src, :alt)");
        $stm1->bindParam(":src", $this->image);
        $stm1->bindParam(":alt", $this->title);
        $stm1->execute();
        $img_id = $con->lastInsertId();
        $stm2 = $con->prepare("insert into movie values(null, :title,
:release_date, :country, :storyline,  $img_id)");
        $stm2->bindParam(":title", $this->title);
        $stm2->bindParam(":release_date", $this->release);
        $stm2->bindParam(":country", $this->country);
        $stm2->bindParam(":storyline", $this->story);
        $stm2->execute();
        $movie_id = $con->lastInsertId();
        foreach($this->categories as $c)
        {
            $con->query("insert into movie_category values(null, $movie_id,
$c)");

        }
```

```
        foreach($this->actors as $a)
        {
            $con->query("insert into movie_actor values(null,  $a,
$movie_id)");

        }
        foreach($this->galery as $g)
        {
            $stm = $con->prepare("insert into image values(null, :src, :alt)");
            $stm->bindParam(":src", $g);
            $stm->bindParam(":alt", $this->title);
            $stm->execute();
            array_push($id_s, $con->lastInsertId());
        }
        foreach($id_s as $id)
        {
            $con->query("insert into movie_galery values(null, $movie_id,
$id)");
        }
    }

    public function all()
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from movie")->fetchAll();
    }

    public function paginate($limit, $offset)
    {
```

```
        $con = DB::getInstance()->getConnection();
        return $con->query("select m.id as id, m.title as title, m.storyline as story, i.src as src, i.alt as alt from movie m join image i on m.img_id=i.id limit $limit, $offset");
    }

    public function findById($id)
    {
        $con = DB::getInstance()->getConnection();
        $this->actors = $con->query("select a.id, a.name, a.surname from actor a join movie_actor ma on a.id=ma.id_actor where ma.id_movie = $id")->fetchAll();
        $this->categories = $con->query("select c.id, c.name from category c join movie_category mc on c.id=mc.id_category where id_movie = $id")->fetchAll();
        $movie =  $con->query("select m.id as id, m.title as title, m.country as country, m.release_date as date, m.storyline as story, i.id as img_id, i.src as src, i.alt as alt from movie m join image i on m.img_id=i.id where m.id = $id")->fetch();
        $this->title = $movie->title;
        $this->img_id = $movie->img_id;
        $this->release = $movie->date;
        $this->story = $movie->story;
        $this->image = $movie->src;
        $this->alt = $movie->alt;
        $this->country = $movie->country;
        $this->id = $movie->id;
        $this->galery = $con->query("select i.id, i.src, i.alt from image i join movie_galery mg on i.id=mg.id_img where mg.id_movie=$id")->fetchAll();
        $this->rating = $con->query("select avg(grade) as avg from movie_rating where id_movie=$id")->fetch();
```

```
    }
    public function fresh()
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select * from movie order by id desc limit 5");
    }
    public function incoming()
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select m.title as title, m.storyline as storyline,
m.id as id, i.src as src, i.alt as alt from movie m join image i on
m.img_id=i.id order by release_date desc limit 3");
    }
    public function byCategory($id)
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select m.id as id, m.title as title, m.storyline as
story, i.src as src, i.alt as alt from movie m join image i on m.img_id=i.id
join movie_category mc on m.id=mc.id_movie where mc.id_category =
$id")->fetchAll();
    }
    public function paginateByCategory($limit, $offset, $id)
    {
        $con = DB::getInstance()->getConnection();
        return $con->query("select m.id as id, m.title as title, m.storyline as
story, i.src as src, i.alt as alt from movie m join image i on m.img_id=i.id
join movie_category mc on m.id=mc.id_movie where mc.id_category = $id
limit $limit, $offset")->fetchAll();
    }
```

```
    public function destroy($id)
    {
        $con = DB::getInstance()->getConnection();
        $con->query("delete from movie where id=$id");
        $con->query("delete from comment_movie where id_movie=$id");
        $con->query("delete from movie_rating where id_movie=$id");
        $ids = $con->query("select id_img from movie_galery where
id_movie=$id");
        $con->query("delete from movie_galery where id_movie=$id");
        foreach($ids as $id)
        {
            $con->query("delete from image where id=$id");
        }

    }

    public function updateInfo($id, $ids)
    {
        $con = DB::getInstance()->getConnection();
        $stm = $con->prepare("update movie set title=:title,
release_date=:release, storyline=:story, country=:country where id=$id");
        $stm->bindParam(":title", $this->title);
        $stm->bindParam(":release", $this->release);
        $stm->bindParam(":story", $this->story);
        $stm->bindParam(":country", $this->country);
        $stm->execute();
        foreach($ids as $id)
        {
            $stm = $con->prepare("update image set alt=:alt where id=$id");
```

```
            $stm->bindParam(":alt", $this->title);
            $stm->execute();
        }
    }
    public function updateImages($id, $src)
    {
        $con = DB::getInstance()->getConnection();
        $stm = $con->prepare("update image set src=:src where id=$id");
        $stm->bindParam(":src", $src);
        $stm->execute();

    }

    public function actorControls($id_movie, $id_actor, $operation)
    {
        if($operation == 'remove')
        {
            $con = DB::getInstance()->getConnection();
            $con->query("delete from movie_actor where id_actor=$id_actor
and id_movie=$id_movie");

        }
        elseif($operation == 'add')
        {
            $con = DB::getInstance()->getConnection();
            $con->query("insert into movie_actor values(null, $id_actor,
$id_movie)");

        }
```

```
    }

    public function categoryControls($id_movie, $id_category,
$operation)
    {
      if($operation == 'remove')
      {
        $con = DB::getInstance()->getConnection();
        $con->query("delete from movie_category where
id_movie=$id_movie and id_category=$id_category");

      }
      elseif($operation == 'add')
      {
        $con = DB::getInstance()->getConnection();
        $con->query("insert into movie_category values(null, $id_movie,
$id_category)");

      }

    }



  }
```

3.27 User.php

```
<?php
   namespace models;
   require_once(realpath($_SERVER["DOCUMENT_ROOT"])
.'/models/DB.php');

   use models\DB;
   class User
   {
      public $name;
      public $surname;
      public $uname;
      public $email;
      public $password;
      public $image = array();
      public $err = array();

      public function save()
      {
         $this->validateRegistration();
         if(empty($this->err))
         {
            $pic = time().$this->image['name'];

            if(move_uploaded_file($this->image['tmp_name'], "img/$pic"))
            {
               $this->image ="img/$pic";
               $con = DB::getInstance()->getConnection();
```

```
            $query = "insert into image values(null, :src, :alt)";
            $smt = $con->prepare($query);
            $smt->bindParam(":src", $this->image);
            $name = $this->name.' '.$this->surname;
            $smt->bindParam(":alt", $name);
            $smt->execute();
            $img_id = $con->lastInsertId();
            $ac_key = md5($this->uname);
            $query1 = "insert into user values(null, :name, :surname,
:uname, :email, :pass, 0, '$ac_key', '$img_id', 2)";
            $smt1 = $con->prepare($query1);
            $pass =  md5($this->password);
            $smt1->bindParam(":name", $this->name);
            $smt1->bindParam(":surname", $this->surname);
            $smt1->bindParam(":uname", $this->uname);
            $smt1->bindParam(":email", $this->email);
            $smt1->bindParam(":pass", $pass);
            $smt1->execute();
            $content = "Please click <a href='https://wtw-
movies.000webhostapp.com/?page=activation&ac_key=$ac_key'>HERE</
a> to activate your account";
            mail($this->email, 'Account activation link', $content);
            return true;

        }



    }
```

```
    }

    public function validateUpdate()
    {
        $regex = "/^[a-zA-Z0-9]{3,}$/";
        if($this->name != '' && !preg_match($regex, $this->name))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
        if($this->surname != '' && !preg_match($regex, $this->surname))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
        if($this->password != '' && !preg_match($regex, $this->password))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
        if($this->password == '')
        {
            array_push($this->err, '<p class="text-danger">Password field is
required</p>');
        }
        if($this->name == '')
        {
```

```
            array_push($this->err, '<p class="text-danger">Name field is
required</p>');
        }
        if($this->surname == '')
        {
            array_push($this->err, '<p class="text-danger">Surname field is
required</p>');
        }
    }
    public function validateRegistration()
    {
        $regex = "/^[a-zA-Z0-9]{3,}$/";
        if($this->name != '' && !preg_match($regex, $this->name))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
        if($this->surname != '' && !preg_match($regex, $this->surname))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
        if($this->uname != '' && !preg_match($regex, $this->uname))
        {
            array_push($this->err, '<p class="text-danger">Name must
contain minimum 3 characters and contain numbers and letters
only</p>');
        }
```

```
        if($this->password != '' && !preg_match($regex, $this->password))
        {
            array_push($this->err, '<p class="text-danger">Name must contain minimum 3 characters and contain numbers and letters only</p>');
        }
        if($this->password == '')
        {
            array_push($this->err, '<p class="text-danger">Password field is required</p>');
        }
        if($this->name == '')
        {
            array_push($this->err, '<p class="text-danger">Name field is required</p>');
        }
        if($this->surname == '')
        {
            array_push($this->err, '<p class="text-danger">Surname field is required</p>');
        }
        if($this->uname == '')
        {
            array_push($this->err, '<p class="text-danger">Userame field is required</p>');
        }
        if($this->email == '')
        {
            array_push($this->err, '<p class="text-danger">Email field is required</p>');
```

```
        }
        if($this->email != '' && !filter_var($this->email,
FILTER_VALIDATE_EMAIL))
        {
            array_push($this->err, '<p class="text-danger">Email field must
be a valid email</p>');
        }
        if($this->image['size'] == 0)
        {
            array_push($this->err, '<p class="text-danger">Picture is
required</p>');
        }
        if(empty($this->err))
        {
            $con = DB::getInstance()->getConnection();
            $uname_check = $con->query("select * from user where
username='$this->uname'")->fetch();
            $email_check = $con->query("select * from user where
email='$this->email'")->fetch();
            if(!empty($uname_check))
            {
                array_push($this->err, '<p class="text-danger">Username
already taken try somethin else</p>');
            }
            if(!empty($email_check))
            {
                array_push($this->err, '<p class="text-danger">Email already in
use</p>');
            }
        }
```

```
    }
    public function validateLogin()
    {
        $regex = "/^[a-zA-Z0-9]{3,}$/";
        if($this->uname == '')
        {
            array_push($this->err, '<p class="text-danger">Username field is required</p>');
        }
        if($this->password == '')
        {
            array_push($this->err, '<p class="text-danger">Password field is required</p>');
        }
        if($this->uname != '' && !preg_match($regex, $this->uname))
        {
            array_push($this->err, '<p class="text-danger">Username field mist contain only letters and number and be atleast 3 characters long</p>');
        }
        if($this->password != '' && !preg_match($regex, $this->password))
        {
            array_push($this->err, '<p class="text-danger">Password field mist contain only letters and number and be atleast 3 characters long</p>');
        }

    }
    public function activate($hash)
    {
```

```
        $user = $this->findBy('ac_key', $hash);
        if(!empty($user))
        {
           if(!$user->active)
           {
              $con = DB::getInstance()->getConnection();
              $con->query("update user set active=true where
ac_key='$hash'");
           }
           else
           {
              array_push($this->err, 'User with that activation key is already
active');
           }
        }
        else
        {
           array_push($this->err, 'User with that activation key not found');
        }

     }
     public function findBy($row, $value)
     {
        $con = DB::getInstance()->getConnection();
        return $con->query("select u.id as id, u.name as name, u.surname
as surname, u.username as uname, u.email as email, u.active as active, i.id
as amg_id, i.src as src, i.alt as alt, r.name as role from user u join image i
        on u.img_id=i.id join role r on u.role_id=r.id where
u.$row='$value'")->fetch();
```

```
    }
    public function login($uname, $pass)
    {
        $this->validateLogin();
        if(empty($this->err))
        {
            $con = DB::getInstance()->getConnection();
            $user = $con->query("select u.id as id, u.password as password,
u.name as name, u.surname as surname, u.username as uname, u.email
as email, u.active as active, i.id as img_id, i.src as src, i.alt as alt, r.name as
role from user u join image i
            on u.img_id=i.id join role r on u.role_id=r.id where
username='$uname' and password=md5('$pass')")->fetch();
            if($user)
            {
                return $user;
            }
            else
            {
                array_push($this->err, '<p class="text-danger">Invalid
username or password</p>');
            }
        }
    }
    public function updateInfo($id, $img_id)
    {
        $this->validateUpdate();
        if(empty($this->err))
        {
            $con = DB::getInstance()->getConnection();
```

```
            $con->query("update user set name='$this->name',  name='$this->name', surname='$this->surname', password=md5('$this->password') where id='$id'");
            $alt = $this->name.' '.$this->surname;
            $con->query("update image set alt='$alt' where id='$img_id'");
        }

    }
    public function updatePic($id)
    {

        $con = DB::getInstance()->getConnection();
        $query = "update image set src=:src where id='$id'";
        $smt = $con->prepare($query);
        $smt->bindParam(":src", $this->image);
        $smt->execute();



    }
}
```

3.28 admin/index.php

```
<?php

session_start();
```

```
if(isset($_SESSION['user']) && $_SESSION['user']->role == 'admin')
{


include 'header.php';


 if(isset($_GET['page'])){

  $page = $_GET['page'];

  switch($page){
     case 'insertM':
       include 'views/insert_movie.php';
       break;
     case 'insertA':
       include 'views/insert_actor.php';
       break;
     case 'insertC':
       include 'views/insert_category.php';
       break;
     case 'actorC':
       include 'views/actor_combo.php';
       break;
     case 'movieC':
       include 'views/movie_combo.php';
       break;
```

```
    case 'actorE':
      include 'views/actor_edit.php';
      break;
    case 'movieE':
      include 'views/movie_edit.php';
      break;
    case 'categoryC':
      include 'views/category_combo.php';
      break;

  }
}

include 'footer.php';




}
else
{

  header("Location: ../index.php");

}
```

3.29 admin/footer.php

```
    <!-- /#wrapper -->

    <!-- jQuery -->
    <script src="../vendor/jquery/jquery.min.js"></script>

    <!-- Bootstrap Core JavaScript -->
    <script src="../vendor/bootstrap/js/bootstrap.min.js"></script>

    <!-- Metis Menu Plugin JavaScript -->
    <script src="../vendor/metisMenu/metisMenu.min.js"></script>

    <!-- Morris Charts JavaScript -->
    <script src="../vendor/raphael/raphael.min.js"></script>
    <script src="../vendor/morrisjs/morris.min.js"></script>
    <script src="../vendor/morris-data.js"></script>

    <!-- Custom Theme JavaScript -->
    <script src="../vendor/sb-admin-2.js"></script>

</body>

</html>
```

3.30 admi/header.php

```
<!DOCTYPE html>
<html lang="en">
<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>WTW - Admin panel</title>

    <!-- Bootstrap Core CSS -->
    <link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

    <!-- MetisMenu CSS -->
    <link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">

    <!-- Custom CSS -->
    <link href="../vendor/sb-admin-2.css" rel="stylesheet">

    <!-- Morris Charts CSS -->
    <link href="../vendor/morrisjs/morris.css" rel="stylesheet">

    <!-- Custom Fonts -->
```

```
  <link href="../vendor/font-awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css">


  <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and
media queries -->
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// --
>
  <!--[if lt IE 9]>
    <script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></scri
pt>
  <![endif]-->


</head>


<body>


  <div id="wrapper">


    <!-- Navigation -->
    <nav class="navbar navbar-default navbar-static-top"
role="navigation" style="margin-bottom: 0">
      <div class="navbar-header">
        <button type="button" class="navbar-toggle" data-
toggle="collapse" data-target=".navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
```

```
            <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="../index.php">BACK TO
WEBSITE</a>
        </div>
        <!-- /.navbar-header -->


            <!-- /.dropdown-messages -->


        <!-- /.navbar-top-links -->

        <div class="navbar-default sidebar" role="navigation">
          <div class="sidebar-nav navbar-collapse">
            <ul class="nav" id="side-menu">


              <!-- <li>
                <a href="admin.php?page=userS">User Statistics</a>
              </li> -->
              <li>
                <a href="#">Movies<span class="fa arrow"></span></a>
                <ul class="nav nav-second-level">
                  <li>
                    <a href="index.php?page=movieC">Update /
Delete</a>
                  </li>
                  <li>
                    <a href="index.php?page=insertM">Insert</a>
                  </li>
```

```
                </ul>

            </li>


            <li>
                <a href="#">Actors<span class="fa arrow"></span></a>
                <ul class="nav nav-second-level">
                    <li>
                        <a href="index.php?page=actorC">Update /
Delete</a>
                    </li>
                    <li>
                        <a href="index.php?page=insertA">Insert</a>
                    </li>

                </ul>

            </li>
            <li>
                <a href="#">Category<span class="fa arrow"></span></a>
                <ul class="nav nav-second-level">
                    <li>
                        <a href="index.php?page=categoryC">Update /
Delete</a>
                    </li>
                    <li>
                        <a href="index.php?page=insertC">Insert</a>
```

```
                        </li>

                    </ul>

                </li>
            </ul>
        </div>
        <!-- /.sidebar-collapse -->
    </div>
    <!-- /.navbar-static-side -->
</nav>
</div>
```

3.31 admin/views/actor_combo.php

```
<?php
    include_once('../models/Actor.php');
    use models\Actor;
    $actor = new Actor();
    $actors = $actor->allNameSurname();

?>

<div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">
<?php
```

```
if(isset($_POST['delete']))
{

   extract($_POST);
   $actor->destroy($id);
   header("Refresh:0");
   echo "<p class='text-success'>Sucessfully deleted</p>";
}



?>
                <!-- /.panel-heading -->
                <div class="panel-body">
                   <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                      <thead>
                         <tr>
                            <th>Actor</th>
                            <th>Delete</th>
                            <th>Update</th>
                         </tr>
                      </thead>
                      <tbody>
                         <?php foreach($actors as $a): ?>
                         <tr>
                            <td><?= $a->name.' '.$a->surname ?></td>
                            <td>
                            <form action="<?= $_SERVER['PHP_SELF']
?>?page=actorC" method="POST">
```

```
                        <input name="id" type="hidden" value="<?= $a->id
?>"/>
                        <button class="btn btn-primary" type="submit"
name="delete">Delete</button>
                        </form>

                        </td>
                        <td>
                        <a href="index.php?page=actorE&id=<?= $a->id ?>"
class="btn btn-primary">Edit</a>
                        </td>
                      </tr>



                    <?php endforeach; ?>
                  </tbody>
                </table>
              </div>
            </div>
          </div>
        </div>
</div>
```

3.32 admin/views/actor_edit.php

```
<?php
include_once('../models/Actor.php');
use models\Actor;
```

```
$actor = new Actor();
$id = $_GET['id'];
$actor->findById($id);
?>

<div id="page-wrapper">

 <div class="row">
            <div class="col-lg-12">
               <div class="panel panel-default">
<?php
   if(isset($_POST['editTxt']))
   {
      extract($_POST);
      $err = array();
      if($name == '')
      {
         array_push($err, "<p class='text-danger'>Name field is
required</p>");
      }
      if($surname == '')
      {
         array_push($err, "<p class='text-danger'>Surname field is
required</p>");
      }
      if($description == '')
      {
         array_push($err, "<p class='text-danger'>Description field is
required</p>");
```

```
    }
    if(empty($err))
    {
       $actor = new Actor();
       $actor->name = ucfirst($name);
       $actor->surname = ucfirst($surname);
       $actor->description = $description;
       $actor->updateInfo($id, $ids);
       echo "<p class='text-success'>Update information, due to anomaly
you have to refresh page manualy</p>";




    }
    else
    {

       foreach($err as $e)
       {
         echo $e;
       }

    }


   //$data->galery
  }
  if(isset($_POST['editImage']))
```

```
  {
    extract($_FILES);
    extract($_POST);
    $mimes = array("image/jpg", "image/jpeg", "image/png");
    if($image['size'] == 0)
    {
      array_push($err, "<p class='text-danger'>Main image is
required</p>");
    }
    if(!in_array($image['type'], $mimes)){
      $erors[] = '<p class="text-danger">Main image must be an image
format</p>';
    }
    if(empty($err))
    {
      $main_img = time().$image['name'];
      if(move_uploaded_file($image['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img")){
        $img = "img/$main_img";
        $actor->updateImages($id_main, $img);
        echo "<p class='text-success'>Updated Main image, due to
anomaly you have to refresh page manualy</p>";
      }
```

```
    }
    else
    {

      foreach($err as $e)
      {
        echo $e;
      }

    }

  }
  if(isset($_POST['editGalery']))
  {
    extract($_POST);
    extract($_FILES);
    $mimes = array("image/jpg", "image/jpeg", "image/png");
    if($galery['size'] == 0)
    {
      array_push($err, "<p class='text-danger'>Main image is
required</p>");
    }
    if(!in_array($galery['type'], $mimes)){
      $erors[] = '<p class="text-danger">Main image must be an image
format</p>';
    }
    if(empty($err))
    {
      $main_img = time().$galery['name'];
```

```
        if(move_uploaded_file($galery['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img")){
            $img = "img/$main_img";
            $actor->updateImages($id_galery, $img);
            echo "<p class='text-success'>Updated Galery image, due to
anomaly you have to refresh page manualy</p>";
        }




    }
    else
    {

      foreach($err as $e)
      {
        echo $e;
      }

    }

  }

?>
```

```
                <!-- /.panel-heading -->
                <div class="panel-body">
                <form action="<?= $_SERVER['PHP_SELF'] ?>?page=actorE&id=<?= $id ?>" method="post">
                    <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <tbody>



<tr>
  <td>Name:</td>
  <td><input type="text" value="<?= $actor->name ?>" name="name"></td>
</tr>
<tr>
  <td>Surname:</td>
  <td><input type="text" value="<?= $actor->name ?>" name="surname"></td>
</tr>
<tr>
   <td>
     Description:
   </td>
   <td>
   <textarea type="text" name="description"><?= $actor->description ?></textarea>
   <input type="hidden" name="ids[]" value="<?= $actor->img_id ?>">
<?php foreach($actor->galery as $g): ?>
```

```
<input type="hidden" name="ids[]" value="<?= $g->id ?>">
<?php endforeach; ?>
    </td>
</tr>
<tr>
<td>
<input type="submit" value="Edit" class="btm btn-primary"
name="editTxt"/>
</td>
</tr>
</tbody>
</table>
</form>

<form action="<?= $_SERVER['PHP_SELF'] ?>?page=actorE&id=<?= $id ?>"
method="post" enctype="multipart/form-data">
                    <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                        <tbody>



<tr>
   <td>Main image : <img src="../<?=$actor->image?>" width="50"></td>
   <td>
   <input type="file" name="image">
   <input type="hidden" name="id_main" value="<?=$actor->img_id ?>">
   </td>
   <td>
```

```
      <input type="submit" value="Edit" class="btm btn-primary"
name="editImage"/>
   </td>
</tr>
</tbody>
</table>
</form>
<?php foreach($actor->galery as $g): ?>
<form action="<?= $_SERVER['PHP_SELF'] ?>?page=actorE&id=<?= $id ?>"
method="post" enctype="multipart/form-data">
                    <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                        <tbody>



<tr>
   <td>Galery image: <img src="../<?=$g->src?>" width="50"></td>
   <td>
   <input type="file" name="galery">
   <input type="hidden" name="id_galery" value="<?= $g->id ?>">
   </td>
   <td>
      <input type="submit" value="Edit" class="btm btn-primary"
name="editGalery"/>
   </td>
</tr>
</tbody>
</table>
```

```
</form>
<?php endforeach; ?>


</div>


</div>
</div>
```

```
</div>
```

3.33 admin/views/category_combo.php

```
<?php
   include_once('../models/Category.php');
   use models\Category;
   $category = new Category();
   $categories = $category->all();

?>
<div id="page-wrapper">
        <div class="row">
```

```
            <div class="col-lg-12">
                <div class="panel panel-default">
<?php
if(isset($_POST['delC']))
{
   extract($_POST);
   $category->destroy($id);
   echo "<p class='text-success'>Deleted category</p>";
}
if(isset($_POST['update']))
{
   extract($_POST);
   if($txt == '')
   {
      echo "<p class='text-danger'>Category must not be empty</p>";
   }
   else{
      $category->name = $txt;
      $category->update($idU);
      echo "<p class='text-success'>Updated category</p>";
   }

}


?>
                    <!-- /.panel-heading -->
                    <div class="panel-body">
```

```
                    <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                        <thead>
                            <tr>
                                <th>Category</th>
                                <th>Delete/Update</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php foreach($categories as $c): ?>
                            <tr>
                                <td><?= $c->name ?></td>
                                <td>
                                <form action="<?= $_SERVER['PHP_SELF']
?>?page=categoryC" method="POST">
                                <input name="id" type="hidden" value="<?= $c->id
?>"/>
                                <button class="btn btn-primary" type="submit"
name="delC">Delete</button>
                                </form>
                                </td>
                            </tr>
                            <tr>
                            <form action="<?= $_SERVER['PHP_SELF']
?>?page=categoryC" method="POST">
                                <td><input type="text" name="txt"></td>
                                <input name="idU" type="hidden" value="<?= $c-
>id ?>"/>
                                <td><button class="btn btn-primary" type="submit"
name="update">Update</button></td>
```

```
                        </form>
                        </tr>



                        <?php endforeach; ?>
                      </tbody>
                    </table>
                  </div>
                </div>
              </div>
            </div>
</div>
```

3.34 admin/views/insert_actor.php

```
<?php
   include_once('../models/Actor.php');
   use models\Actor;


?>

<div id="page-wrapper">

 <div class="row">
            <div class="col-lg-12">
               <div class="panel panel-default">
```

```
                <!-- /.panel-heading -->
                <div class="panel-body">
                <form action="index.php?page=insertA" method="POST"
enctype="multipart/form-data">
                  <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                    <tbody>



<tr>
  <td>Name:</td>
  <td><input type="text" name="name"></td>
</tr>
<tr>
  <td>Surname:</td>
  <td><textarea type="text" name="surname"></textarea></td>
</tr>
<tr>
  <td>Image:</td>
  <td><input type="file" name="image"></td>
</tr>
<tr>
   <td>
     Description:
   </td>
   <td>
   <textarea type="text" name="description"></textarea>
```

```
    </td>
</tr>

<?php
for($i = 1; $i<=6; $i++):

?>

<tr>
   <td>Galery image(<?= $i ?>):</td>
   <td><input type="file" name="galery<?= $i ?>"></td>
</tr>

<?php endfor; ?>




<tr>

<td><button type="submit" class="btn btn-primary" name="insert">
Insert

</button>

</td></tr>
```

```
</tbody>
</table>
</form>

<?php
   if(isset($_POST['insert']))
   {
      extract($_FILES);
      extract($_POST);
      $err = array();
      $mimes = array("image/jpg", "image/jpeg", "image/png");
      if($name == '')
      {
         array_push($err, "<p class='text-danger'>Name field is
required</p>");
      }
      if($surname == '')
      {
         array_push($err, "<p class='text-danger'>Surname field is
required</p>");
      }
      if($image['size'] == 0)
      {
         array_push($err, "<p class='text-danger'>Main image is
required</p>");
      }
      if($description == '')
      {
```

```
        array_push($err, "<p class='text-danger'>Description field is
required</p>");
    }
    for($i = 1; $i <= 6; $i++)
    {
        if(${'galery' . $i}['size'] == 0)
        {
            array_push($err, "<p class='text-danger'>Galerry image($i) is
required</p>");

        }
        if(!in_array(${'galery' . $i}['type'], $mimes)){
            $erors[] = '<p class="text-danger">Galerry image($i) must be an
image format</p>';
        }

    }
    if(!in_array($image['type'], $mimes)){
        $erors[] = '<p class="text-danger">Main image must be an image
format</p>';
    }
    if(empty($err))
    {
        $actor = new Actor();
        $actor->name = ucfirst($name);
        $actor->surname = ucfirst($surname);
        $actor->description = $description;
        $main_img = time().$image['name'];
        if(move_uploaded_file($image['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img")){
```

```
            $actor->image = "img/$main_img";
        }
        for($i = 1; $i <=6; $i++)
        {
            $galery = time().${'galery' . $i}['name'];
            if(move_uploaded_file(${'galery' . $i}['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$galery"))
            {
                array_push($actor->galery, "img/$galery");
            }

        }
        $actor->save();




    }
    else
    {

        foreach($err as $e)
        {
          echo $e;
        }

    }
```

```
      //$data->galery
    }

?>
</div>


</div>
</div>
```

```
</div>
```

3.35 admin/views/insert_category.php

```
<?php include_once('../models/Category.php');
                        use models\Category;


?>

<div id="page-wrapper">

   <div class="row">
```

```
<div class="col-lg-12">
  <div class="panel panel-default">

    <!-- /.panel-heading -->
    <div class="panel-body">
      <form action="index.php?page=insertC" method="POST" enctype="multipart/form-data">
        <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
          <tbody>
            <tr>
              <td>Name:</td>
              <td><input type="text" name="name"></td>


              <td><button type="submit" class="btn btn-primary" name="insert">
              Insert

              </button>

              </td>
            </tr>



          </tbody>
        </table>
      </form>
```

```
                    <?php

                    if(isset($_POST['insert']))
                    {

                       extract($_POST);
                       $category = new Category();
                       $category->name = $name;
                       if($category->save())
                       {
                          echo '<p class="text-success">Category inserted
sucessfully</p>';
                       }
                       else{
                          echo "something went wrong";
                       }
                    }



                    ?>
                    </div>
                  </div>
                </div>


   </div>
</div>
```

3.36 admin/views/insert_movie.php

```
<?php
   include_once('../models/Category.php');
   include_once('../models/Actor.php');
   include_once('../models/Movie.php');
   use models\Category;
   use models\Actor;
   use models\Movie;









?>

<div id="page-wrapper">

   <div class="row">
            <div class="col-lg-12">
               <div class="panel panel-default">

                  <!-- /.panel-heading -->
                  <div class="panel-body">
                  <?php
                        if(isset($_POST['insert']))
                        {
                           extract($_POST);
                           extract($_FILES);
```

```
                $err = array();
                $mimes = array("image/jpg", "image/jpeg",
"image/png");
                if($title == '')
                {
                   array_push($err, "<p class='bg-danger text-white
text-center'>Title field is required</p>");
                }
                if($story == '')
                {
                   array_push($err, "<p class='bg-danger text-white
text-center'>Storyline field is required</p>");
                }
                if($image['size'] == 0)
                {
                   array_push($err, "<p class='bg-danger text-white
text-center'>Image is required</p>");
                }
                if(!in_array($image['type'], $mimes))
                {
                   array_push($err, "<p class='bg-danger text-white
text-center'>Image must be of image format</p>");
                }
                if($d == 0)
                {
                   array_push($err, "<p class='bg-danger text-white
text-center'>Select day</p>");
                }
                if($m == 0)
                {
```

```
                    array_push($err, "<p class='bg-danger text-white
text-center'>Select month</p>");
                }
                if($y == 0)
                {
                    array_push($err, "<p class='bg-danger text-white
text-center'>Select year</p>");
                }
                if($country == "0")
                {
                    array_push($err, "<p class='bg-danger text-white
text-center'>Select Country</p>");
                }
                if(!isset($categories))
                {
                    array_push($err, "<p class='bg-danger text-white
text-center'>Select atleast one category</p>");
                }
                if(!isset($actors))
                {
                    array_push($err, "<p class='bg-danger text-white
text-center'>Select atleast one actor</p>");
                }
                for($i = 1; $i <= 6; $i++)
                {
                    if(${'galery' . $i}['size'] == 0)
                    {
                        array_push($err, "<p class='text-
danger'>Galerry image($i) is required</p>");
```

```
                    }
                    if(!in_array(${'galery' . $i}['type'], $mimes)){
                        $erors[] = '<p class="text-danger">Galerry
image($i) must be an image format</p>';
                    }

                }

                if(empty($err))
                {
                    $movie = new Movie();
                    $movie->title = $title;
                    $movie->release = mktime(0,0,0,$m,$d,$y);
                    $movie->country = $country;
                    $movie->story = $story;
                    $movie->actors = $actors;
                    $movie->categories = $categories;
                    $main_img = time().$image['name'];
                    if(move_uploaded_file($image['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img"))
                    {
                        $movie->image = "img/$main_img";

                    }
                    for($i = 1; $i <=6; $i++)
                    {
                        $galery = time().${'galery' . $i}['name'];
```

```
                        if(move_uploaded_file(${'galery' .
$i}['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$galery"))
                        {
                            array_push($movie->galery, "img/$galery");
                        }

                    }
                    $movie->save();


                }
                else
                {
                    foreach($err as $e)
                    {
                        echo $e;
                    }
                }

            }


        ?>
        <form action="index.php?page=insertM"
method="POST" enctype="multipart/form-data">
            <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
```

```
                        <tbody>
                            <tr>
                                <td>Title:</td>
                                <td><input type="text" name="title"></td>
                            </tr>
                            <tr>
                                <td>Storyline:</td>
                                <td><textarea type="text"
name="story"></textarea></td>
                            </tr>
                            <tr>
                                <td>Image:</td>
                                <td><input type="file" name="image"></td>
                            </tr>
                            <tr>
                                <td>Release date:</td>
                                <td>
                                    <select name="d">
                                        <option value="0">Choose a day</option>
                                        <?php
                                            for($i = 1; $i<=31; $i++):
                                        ?>
                                        <option value="<?= $i ?>"><?= $i
?></option>
                                            <?php endfor; ?>
                                    </select>


                                    <select name="m">
```

```
                                    <option value="0">Choose a
month</option>
                                    <?php
                                       for($i = 1; $i<=12; $i++):
                                    ?>
                                    <option value="<?= $i ?>"><?= $i
?></option>
                                       <?php endfor; ?>
                                 </select>



                                 <select name="y">
                                    <option value="0">Choose a year</option>
                                    <?php
                                       for($i = 1895 ; $i<=date("Y",
strtotime('+5 years')); $i++):
                                    ?>
                                    <option value="<?= $i ?>"><?= $i
?></option>
                                       <?php endfor; ?>
                                 </select>
                              </td>

                           </tr>
                           <tr>
                              <td>
                                 Select country:
                              </td>
```

```
<td>
  <select name="country">
    <option value="0">Choose a
country</option>
    <?php
      $countries = array("Afghanistan",
"Algeria", "American Samoa", "Andorra", "Angola", "Anguilla",
"Antarctica", "Antigua and Barbuda", "Argentina", "Armenia", "Aruba",
"Australia", "Austria", "Azerbaijan", "Bahamas", "Bahrain", "Bangladesh",
"Barbados", "Belarus", "Belgium", "Belize", "Benin", "Bermuda", "Bhutan",
"Bolivia", "Botswana", "Bouvet Island", "Brazil", "British Indian Ocean
Territory", "Brunei Darussalam", "Bulgaria", "Burkina Faso", "Burundi",
"Cambodia", "Cameroon", "Canada", "Cape Verde", "Cayman Islands",
"Central African Republic", "Chad", "Chile", "China", "Christmas Island",
"Cocos (Keeling) Islands", "Colombia", "Comoros", "Congo", "Congo, the
Democratic Republic of the", "Cook Islands", "Costa Rica", "Cote d'Ivoire",
"Cuba", "Cyprus", "Czech Republic", "Denmark", "Djibouti", "Dominica",
"Dominican Republic", "East Timor", "Ecuador", "Egypt", "El Salvador",
"Equatorial Guinea", "Eritrea", "Estonia", "Ethiopia", "Falkland Islands
(Malvinas)", "Faroe Islands", "Fiji", "Finland", "France", "France
Metropolitan", "French Guiana", "French Polynesia", "French Southern
Territories", "Gabon", "Gambia", "Georgia", "Germany", "Ghana",
"Gibraltar", "Greece", "Greenland", "Grenada", "Guadeloupe", "Guam",
"Guatemala", "Guinea", "Guinea-Bissau", "Guyana", "Haiti", "Heard and
Mc Donald Islands", "Holy See (Vatican City State)", "Honduras", "Hong
Kong", "Hungary", "Iceland", "India", "Indonesia", "Iran (Islamic Republic
of)", "Iraq", "Ireland", "Israel", "Italy", "Jamaica", "Japan", "Jordan",
"Kazakhstan", "Kenya", "Kiribati", "Korea, Democratic People's Republic
of", "Korea, Republic of", "Kuwait", "Kyrgyzstan", "Lao, People's
Democratic Republic", "Latvia", "Lebanon", "Lesotho", "Liberia", "Libyan
Arab Jamahiriya", "Liechtenstein", "Lithuania", "Luxembourg", "Macau",
"Madagascar", "Malawi", "Malaysia", "Maldives", "Mali", "Malta",
"Marshall Islands", "Martinique", "Mauritania", "Mauritius", "Mayotte",
"Mexico", "Micronesia, Federated States of", "Moldova, Republic of",
"Monaco", "Mongolia", "Montserrat", "Morocco", "Mozambique",
"Myanmar", "Namibia", "Nauru", "Nepal", "Netherlands", "Netherlands
```

```
Antilles", "New Caledonia", "New Zealand", "Nicaragua", "Niger",
"Nigeria", "Niue", "Norfolk Island", "Northern Mariana Islands", "Norway",
"Oman", "Pakistan", "Palau", "Panama", "Papua New Guinea", "Paraguay",
"Peru", "Philippines", "Pitcairn", "Poland", "Portugal", "Puerto Rico",
"Qatar", "Reunion", "Romania", "Russian Federation", "Rwanda", "Saint
Kitts and Nevis", "Saint Lucia", "Saint Vincent and the Grenadines",
"Samoa", "San Marino", "Sao Tome and Principe", "Saudi Arabia",
"Senegal", "Seychelles", "Sierra Leone", "Singapore", "Slovakia (Slovak
Republic)", "Slovenia", "Solomon Islands", "Somalia", "South Africa",
"South Georgia and the South Sandwich Islands", "Spain", "Sri Lanka", "St.
Helena", "St. Pierre and Miquelon", "Sudan", "Suriname", "Svalbard and
Jan Mayen Islands", "Swaziland", "Sweden", "Switzerland", "Syrian Arab
Republic", "Taiwan, Province of China", "Tajikistan", "Tanzania, United
Republic of", "Thailand", "Togo", "Tokelau", "Tonga", "Trinidad and
Tobago", "Tunisia", "Turkey", "Turkmenistan", "Turks and Caicos Islands",
"Tuvalu", "Uganda", "Ukraine", "United Arab Emirates", "United
Kingdom", "United States", "United States Minor Outlying Islands",
"Uruguay", "Uzbekistan", "Vanuatu", "Venezuela", "Vietnam", "Virgin
Islands (British)", "Virgin Islands (U.S.)", "Wallis and Futuna Islands",
"Western Sahara", "Yemen", "Serbia", "Zambia", "Zimbabwe");
                                    foreach($countries as $country):
                                ?>
                                <option value="<?= $country ?>"><?=
$country ?></option>
                                    <?php endforeach; ?>
                            </select>

                        </td>
                    </tr>
                    <tr>
                        <td>
                            Select categories:
                        </td>
```

```
                    <td>
                        <?php
                            $category = new Category();
                            foreach($category->all() as $c):
                        ?>
                        <p> <input type="checkbox"
name="categories[]" value="<?= $c->id ?>" /> <?= strtoupper($c-
>name) ?></p>
                            <?php endforeach; ?>
                    </td>
                </tr>
                <tr>
                    <td>
                        Select actors:
                    </td>
                    <td>
                        <?php
                            $actor = new Actor();
                            foreach($actor->allNameSurname() as $a):
                        ?>
                        <p> <input type="checkbox" name="actors[]"
value="<?= $a->id ?>" /> <?= $a->name.' '.$a->surname ?></p>
                            <?php endforeach; ?>
                    </td>
                </tr>
                <?php
                for($i = 1; $i<=6; $i++):

                ?>
```

```
                        <tr>
                            <td>Galery image(<?= $i ?>):</td>
                            <td><input type="file" name="galery<?= $i
?>"></td>
                        </tr>

                        <?php endfor; ?>




                        <tr>

                        <td><button type="submit" class="btn btn-
primary" name="insert">
                        Insert

                        </button>

                        </td>
                        </tr>



                    </tbody>
                </table>
            </form>
```

```
                    </div>
                </div>
            </div>


    </div>
</div>
```

3.37 admin/views/movie_combo.php

```
<?php
    include_once('../models/Movie.php');
    use models\Movie;
    $movie = new Movie();
    $movies = $movie->all();

?>

<div id="page-wrapper">
        <div class="row">
            <div class="col-lg-12">
                <div class="panel panel-default">
<?php
if(isset($_POST['delete']))
{

    extract($_POST);
```

```
    $movie->destroy($id);
    echo "<p class='text-success'>Sucessfully deleted</p>";
}



?>
                <!-- /.panel-heading -->
                <div class="panel-body">
                    <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <thead>
                            <tr>
                                <th>Movie</th>
                                <th>Delete</th>
                                <th>Update</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php foreach($movies as $m): ?>
                            <tr>
                                <td><?= $m->title ?></td>
                                <td>
                                <form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieC" method="POST">
                                <input name="id" type="hidden" value="<?= $m->id ?>"/>
                                <button class="btn btn-primary" type="submit" name="delete">Delete</button>
                                </form>
```

```
                        </td>
                        <td>
                        <a href="index.php?page=movieE&id=<?= $m->id
?>" class="btn btn-primary">Edit</a>
                        </td>
                    </tr>



                    <?php endforeach; ?>
                </tbody>
            </table>
        </div>
    </div>
</div>
</div>
```

3.38 admin/views/movie_edit.php

```
<?php
include_once('../models/Actor.php');
include_once('../models/Movie.php');
include_once('../models/Category.php');
use models\Actor;
use models\Movie;
use models\Category;
$movie = new Movie();
```

```
$category = new Category();
$actor = new Actor();
$actors = $actor->allNameSurname();
$id = $_GET['id'];
$movie->findById($id);
$present_actors = array();
$present_categories = array();
$categories = $category->all();
foreach($movie->actors as $actor)
{
   array_push($present_actors, $actor->id);
}
foreach($movie->categories as $c)
{
   array_push($present_categories, $c->id);
}
?>

<div id="page-wrapper">

 <div class="row">
            <div class="col-lg-12">
               <div class="panel panel-default">
<?php
   if(isset($_POST['editTxt']))
   {
      extract($_POST);
      $err = array();
```

```
if($title == '')
{
   array_push($err, "<p class='bg-danger text-white text-center'>Title field is required</p>");
}
if($story == '')
{
   array_push($err, "<p class='bg-danger text-white text-center'>Storyline field is required</p>");
}
if($d == 0)
{
   array_push($err, "<p class='bg-danger text-white text-center'>Select day</p>");
}
if($m == 0)
{
   array_push($err, "<p class='bg-danger text-white text-center'>Select month</p>");
}
if($y == 0)
{
   array_push($err, "<p class='bg-danger text-white text-center'>Select year</p>");
}
if($country == "0")
{
   array_push($err, "<p class='bg-danger text-white text-center'>Select Country</p>");
}
```

```
    if(empty($err))
    {
       $movie = new movie();
       $movie->title = ucfirst($title);
       $movie->story = ucfirst($story);
       $movie->country = $country;
       $movie->release = mktime(0,0,0,$m,$d,$y);
       $movie->updateInfo($id, $ids);

       echo "<p class='text-success'>Updated information, due to anomaly
you have to refresh page manualy</p>";




    }
    else
    {

       foreach($err as $e)
       {
         echo $e;
       }

    }


   //$data->galery
  }
```

```
  if(isset($_POST['editImage']))
  {
     extract($_FILES);
     extract($_POST);
     $mimes = array("image/jpg", "image/jpeg", "image/png");
     if($image['size'] == 0)
     {
        array_push($err, "<p class='text-danger'>Main image is
required</p>");
     }
     if(!in_array($image['type'], $mimes)){
        $erors[] = '<p class="text-danger">Main image must be an image
format</p>';
     }
     if(empty($err))
     {
        $main_img = time().$image['name'];
        if(move_uploaded_file($image['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img")){
           $img = "img/$main_img";
           $movie->updateImages($id_main, $img);
           echo "<p class='text-success'>Updated Main image, due to
anomaly you have to refresh page manualy</p>";
        }
```

```
    }
    else
    {

      foreach($err as $e)
      {
        echo $e;
      }

    }

  }
  if(isset($_POST['editGalery']))
  {
    extract($_POST);
    extract($_FILES);
    $mimes = array("image/jpg", "image/jpeg", "image/png");
    if($galery['size'] == 0)
    {
      array_push($err, "<p class='text-danger'>Main image is
required</p>");
    }
    if(!in_array($galery['type'], $mimes)){
      $erors[] = '<p class="text-danger">Main image must be an image
format</p>';
    }
    if(empty($err))
    {
```

```
        $main_img = time().$galery['name'];
        if(move_uploaded_file($galery['tmp_name'],
"/storage/ssd5/604/8755604/public_html/img/$main_img")){
            $img = "img/$main_img";
            $movie->updateImages($id_galery, $img);
            echo "<p class='text-success'>Updated Galery image, due to
anomaly you have to refresh page manualy</p>";
        }




    }
    else
    {

        foreach($err as $e)
        {
          echo $e;
        }

    }

  }
  if(isset($_POST['add/remove']))
  {
    extract($_POST);
    $movie->actorControls($id, $actor, $controll);
```

```
    echo "<p class='text-success'>Updated Actors, due to anomaly you have to refresh page manualy</p>";
  }

  if(isset($_POST['add/remove_c']))
  {
    extract($_POST);
    $movie->categoryControls($id, $category, $controll);
    echo "<p class='text-success'>Updated Categories, due to anomaly you have to refresh page manualy</p>";
  }

?>

                <!-- /.panel-heading -->
                <div class="panel-body">
                <form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieE&id=<?= $id ?>" method="post">
                    <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <tbody>

                        <tbody>
                            <tr>
```

```
                        <td>Title:</td>
                        <td><input type="text" value="<?= $movie->title ?>" name="title"></td>
                    </tr>
                    <tr>
                        <td>Storyline:</td>
                        <td><textarea type="text" name="story"><?= $movie->story ?></textarea>
<?php foreach($movie->galery as $g): ?>
<input type="hidden" name="ids[]" value="<?= $g->id ?>">
<?php endforeach; ?>

                        </td>
                    </tr>
                    <tr>
                        <td>Release date:</td>
                        <td>
                            <select name="d">
                                <option value="0">Choose a day</option>
                                <?php
                                    for($i = 1; $i<=31; $i++):
                                ?>
                                <option value="<?= $i ?>"><?= $i ?></option>
                                    <?php endfor; ?>
                            </select>

                            <select name="m">
```

```
                                    <option value="0">Choose a
month</option>
                                    <?php
                                       for($i = 1; $i<=12; $i++):
                                    ?>
                                    <option value="<?= $i ?>"><?= $i
?></option>
                                       <?php endfor; ?>
                                 </select>



                                 <select name="y">
                                    <option value="0">Choose a year</option>
                                    <?php
                                       for($i = 1895 ; $i<=date("Y",
strtotime('+5 years')); $i++):
                                    ?>
                                    <option value="<?= $i ?>"><?= $i
?></option>
                                       <?php endfor; ?>
                                 </select>
                              </td>

                           </tr>
                           <tr>
                              <td>
                                 Select country:
                              </td>
```

```
<td>
  <select name="country">
    <option value="0">Choose a
country</option>
    <?php
      $countries = array("Afghanistan",
"Algeria", "American Samoa", "Andorra", "Angola", "Anguilla",
"Antarctica", "Antigua and Barbuda", "Argentina", "Armenia", "Aruba",
"Australia", "Austria", "Azerbaijan", "Bahamas", "Bahrain", "Bangladesh",
"Barbados", "Belarus", "Belgium", "Belize", "Benin", "Bermuda", "Bhutan",
"Bolivia", "Botswana", "Bouvet Island", "Brazil", "British Indian Ocean
Territory", "Brunei Darussalam", "Bulgaria", "Burkina Faso", "Burundi",
"Cambodia", "Cameroon", "Canada", "Cape Verde", "Cayman Islands",
"Central African Republic", "Chad", "Chile", "China", "Christmas Island",
"Cocos (Keeling) Islands", "Colombia", "Comoros", "Congo", "Congo, the
Democratic Republic of the", "Cook Islands", "Costa Rica", "Cote d'Ivoire",
"Cuba", "Cyprus", "Czech Republic", "Denmark", "Djibouti", "Dominica",
"Dominican Republic", "East Timor", "Ecuador", "Egypt", "El Salvador",
"Equatorial Guinea", "Eritrea", "Estonia", "Ethiopia", "Falkland Islands
(Malvinas)", "Faroe Islands", "Fiji", "Finland", "France", "France
Metropolitan", "French Guiana", "French Polynesia", "French Southern
Territories", "Gabon", "Gambia", "Georgia", "Germany", "Ghana",
"Gibraltar", "Greece", "Greenland", "Grenada", "Guadeloupe", "Guam",
"Guatemala", "Guinea", "Guinea-Bissau", "Guyana", "Haiti", "Heard and
Mc Donald Islands", "Holy See (Vatican City State)", "Honduras", "Hong
Kong", "Hungary", "Iceland", "India", "Indonesia", "Iran (Islamic Republic
of)", "Iraq", "Ireland", "Israel", "Italy", "Jamaica", "Japan", "Jordan",
"Kazakhstan", "Kenya", "Kiribati", "Korea, Democratic People's Republic
of", "Korea, Republic of", "Kuwait", "Kyrgyzstan", "Lao, People's
Democratic Republic", "Latvia", "Lebanon", "Lesotho", "Liberia", "Libyan
Arab Jamahiriya", "Liechtenstein", "Lithuania", "Luxembourg", "Macau",
"Madagascar", "Malawi", "Malaysia", "Maldives", "Mali", "Malta",
"Marshall Islands", "Martinique", "Mauritania", "Mauritius", "Mayotte",
"Mexico", "Micronesia, Federated States of", "Moldova, Republic of",
"Monaco", "Mongolia", "Montserrat", "Morocco", "Mozambique",
"Myanmar", "Namibia", "Nauru", "Nepal", "Netherlands", "Netherlands
```

```
Antilles", "New Caledonia", "New Zealand", "Nicaragua", "Niger",
"Nigeria", "Niue", "Norfolk Island", "Northern Mariana Islands", "Norway",
"Oman", "Pakistan", "Palau", "Panama", "Papua New Guinea", "Paraguay",
"Peru", "Philippines", "Pitcairn", "Poland", "Portugal", "Puerto Rico",
"Qatar", "Reunion", "Romania", "Russian Federation", "Rwanda", "Saint
Kitts and Nevis", "Saint Lucia", "Saint Vincent and the Grenadines",
"Samoa", "San Marino", "Sao Tome and Principe", "Saudi Arabia",
"Senegal", "Seychelles", "Sierra Leone", "Singapore", "Slovakia (Slovak
Republic)", "Slovenia", "Solomon Islands", "Somalia", "South Africa",
"South Georgia and the South Sandwich Islands", "Spain", "Sri Lanka", "St.
Helena", "St. Pierre and Miquelon", "Sudan", "Suriname", "Svalbard and
Jan Mayen Islands", "Swaziland", "Sweden", "Switzerland", "Syrian Arab
Republic", "Taiwan, Province of China", "Tajikistan", "Tanzania, United
Republic of", "Thailand", "Togo", "Tokelau", "Tonga", "Trinidad and
Tobago", "Tunisia", "Turkey", "Turkmenistan", "Turks and Caicos Islands",
"Tuvalu", "Uganda", "Ukraine", "United Arab Emirates", "United
Kingdom", "United States", "United States Minor Outlying Islands",
"Uruguay", "Uzbekistan", "Vanuatu", "Venezuela", "Vietnam", "Virgin
Islands (British)", "Virgin Islands (U.S.)", "Wallis and Futuna Islands",
"Western Sahara", "Yemen", "Serbia", "Zambia", "Zimbabwe");

                                    foreach($countries as $country):
                                ?>
                                <option value="<?= $country ?>"><?=
$country ?></option>
                                    <?php endforeach; ?>
                                </select>

                            </td>
                        </tr>
<tr>
<td>
<input type="submit" value="Edit" class="btm btn-primary"
name="editTxt"/>
```

```
</td>
</tr>
</tbody>
</table>
</form>

<form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieE&id=<?= $id ?>" method="post" enctype="multipart/form-data">
                    <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <tbody>

<tr>
  <td>Main image : <img src="../<?=$movie->image?>" width="50"></td>
  <td>
  <input type="file" name="image">
  <input type="hidden" name="id_main" value="<?=$movie->img_id ?>">
  </td>
  <td>
    <input type="submit" value="Edit" class="btm btn-primary" name="editImage"/>
  </td>
</tr>
</tbody>
</table>
</form>
<?php foreach($movie->galery as $g): ?>
```

```
<form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieE&id=<?= $id ?>" method="post" enctype="multipart/form-data">
                    <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <tbody>



<tr>
  <td>Galery image: <img src="../<?=$g->src?>" width="50"></td>
  <td>
  <input type="file" name="galery">
  <input type="hidden" name="id_galery" value="<?= $g->id ?>">
  </td>
  <td>
    <input type="submit" value="Edit" class="btm btn-primary" name="editGalery"/>
  </td>
</tr>
</tbody>
</table>
</form>



<?php endforeach; ?>
</tbody>
</table>
```

```
</form>
<h1>Add/Remove Actors</h1>

        <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
    <tbody>



<?php foreach($actors as $a):?>


<form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieE&id=<?= $id ?>" method="post">
<tr>
  <td>
  Actor: <?= $a->name.' '.$a->surname ?>
  <input type="hidden" name="actor" value="<?= $a->id ?>">
  <input type="hidden" name="controll" value="<?= in_array($a->id, $present_actors)?'remove':'add' ?>">
  </td>
  <td>
    <input type="submit" class="btn btn-primary" value="<?= in_array($a->id, $present_actors)?'Remove':'Add' ?>" name="add/remove"/>
  </td>
</tr>
</form>



<?php endforeach; ?>
```

```
</tbody>
</table>

<h1>Add/Remove Categories</h1>

        <table width="100%" class="table table-striped table-bordered table-hover" id="dataTables-example">
    <tbody>



<?php foreach($categories as $c):?>

<form action="<?= $_SERVER['PHP_SELF'] ?>?page=movieE&id=<?= $id ?>" method="post">
<tr>
  <td>
  Actor: <?= strtoupper($c->name) ?>
  <input type="hidden" name="category" value="<?= $c->id ?>">
  <input type="hidden" name="controll" value="<?= in_array($c->id, $present_categories)?'remove':'add' ?>">
  </td>
  <td>
    <input type="submit" class="btn btn-primary" value="<?= in_array($c->id, $present_categories)?'Remove':'Add' ?>" name="add/remove_c"/>
  </td>
</tr>
</form>
```

```
<?php endforeach; ?>
</tbody>
</table>

</div>


</div>
</div>




</div>
```