Rail Reliability API 0.1.0 OAS 3.1

/openapi.json

stations

- GET /api/v1/stations List Stations
- POST /api/v1/stations Create Station
- GET /api/v1/stations/code/{station_code} Get Station By Code
- GET /api/v1/stations/{station_id} Get Station
- PATCH /api/v1/stations/{station_id} Update Station
- DELETE /api/v1/stations/{station_id} Delete Station

routes

- GET /api/v1/routes List Routes
- POST /api/v1/routes Create Route
- GET /api/v1/routes/code/{route_code} Get Route By Code
- GET /api/v1/routes/{route_id} Get Route
- PATCH /api/v1/routes/{route_id} Update Route
- DELETE /api/v1/routes/{route_id} Delete Route

incidents

- GET /api/v1/incidents List Incidents
- POST /api/v1/incidents Create Incident

GET /api/v1/incidents/{incident_id} Get Incident

PATCH /api/v1/incidents/{incident_id} Update Incident

DELETE /api/v1/incidents/{incident_id} Delete Incident

analytics

GET /api/v1/analytics/routes/{route_id}/reliability
Get Route Reliability

GET /api/v1/analytics/routes/{route_id}/average-delay
Get Route Average Delay

GET /api/v1/analytics/routes/by-code/{route_code}/reliability
Get Route Reliability By Code

GET /api/v1/analytics/routes/by-code/{route_code}/average-delay
Get Route Average Delay By Code

GET /api/v1/analytics/routes/{route_id}/cancellation-rate
Get Route Cancellation Rate

GET /api/v1/analytics/routes/by-code/{route_code}/cancellation-rate
Get Route Cancellation Rate By Code

GET /api/v1/analytics/routes/{route_id}/delay-distribution
Get Route Delay Distribution

GET /api/v1/analytics/routes/by-code/{route_code}/delay-distribution
Get Route Delay Distribution By Code

GET /api/v1/analytics/delay-patterns/hourly Get Hourly Delay Patterns

GET /api/v1/analytics/stations/hotspots Get Station Hotspots

GET /api/v1/analytics/incidents/frequency Get Incident Frequency

GET /api/v1/analytics/incidents/severity-breakdown
Get Incident Severity Breakdown

GET /api/v1/analytics/incidents/status-breakdown
Get Incident Status Breakdown

GET /api/v1/analytics/delay-reasons/common Get Common Delay Reasons

GET /api/v1/analytics/routes/top-delayed Get Top Delayed Routes

GET /api/v1/analytics/routes/top-cancelled Get Top Cancelled Routes

GET /api/v1/analytics/reference-data/route-name-coverage
Get Route Name Coverage

meta

GET / Read Root

GET /health Health Check

Schemas

DelayDistributionBucketRead > Expand all object

DelayPatternPointRead > Expand all object

DelayReasonFrequencyRead > Expand all object

HTTPValidationError > Expand all object

IncidentBreakdownPointRead > Expand all object

IncidentCreate > Expand all object

IncidentFrequencyPointRead > Expand all object

IncidentRead > Expand all object

IncidentUpdate > Expand all object

RouteAverageDelayRead > Expand all object

RouteCancellationRateRead > Expand all object

RouteCreate > Expand all object

RouteDelayDistributionRead > Expand all `object`

RouteNameCoverageRead > Expand all `object`

RouteRead > Expand all `object`

RouteReliabilityRead > Expand all `object`

RouteUpdate > Expand all `object`

StationCreate > Expand all `object`

StationHotspotRead > Expand all `object`

StationRead > Expand all `object`

StationSummary > Expand all `object`

StationUpdate > Expand all `object`

TopCancelledRouteRead > Expand all `object`

TopDelayedRouteRead > Expand all `object`

UnresolvedLocationRead > Expand all `object`

ValidationError > Expand all `object`

Rail Reliability API 0.1.0 OAS 3.1

/openapi.json

stations

GET /api/v1/stations List Stations

Parameters

Try it out

Name	Description
limit integer (query)	*Default value* : 100 100 maximum: 500 minimum: 1
offset integer (query)	*Default value* : 0 0 minimum: 0
code string | (string | null) (query)	code
name string | (string | null) (query)	name
city string | (string | null) (query)	city
crs_code string | (string | null) (query)	crs_code
tiploc_code string | (string | null) (query)	tiploc_code

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema


```
[
  {
    "name": "string",
    "code": "string",
    "city": "string",
    "latitude": "0000000000000000000000000000000000000000000000000000000000000000
000000000000000000000000000070323600019412794857719054007885724035469422672
7789347348265080571059",
    "longitude": "+0000000000000000000000000000000000000000000000000000000000000
000220737116214276267467123704348281814943807501317785281666953215473380892
0579930767902495832442500596683664095412854582219656 88",
    "id": 0,
    "created_at": "2026-03-20T22:39:31.007Z",
    "updated_at": "2026-03-20T22:39:31.007Z"
  }
]
```


422	Validation Error	*No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/api/v1/stations` Create Station

Parameters | **Try it out**

Name	Description

X-API-Key
`string |`
`(string |`
	X-API-Key

Name	Description
null) *(header)*	

Request body required

application/json

Example Value | Schema


```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": 0,
  "longitude": 0
}
```


Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*


```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": "0000000000000000000000000000000000000000000000000000000009
2822922522404489955823174434883389720228094867541258946444710417100965816
7345148121382404706286716409074466933805640289613196158659283613417944571
656",
  "longitude": "0000000000000000000000000000000000000000000000004821048461
758957264953046746.7729615870537085633375 1",
  "id": 0,
  "created_at": "2026-03-20T22:39:31.010Z",
  "updated_at": "2026-03-20T22:39:31.010Z"
}
```


422	Validation Error Media type application/json **Example Value** | Schema	*No links*


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
```

Code	Description	Links

```
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/stations/code/{station_code}` Get Station By Code

Parameters | Try it out

Name	Description
station_code * required `string` *(path)*	station_code

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": "+0000000000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000000000000000000000000000
0000000000000000000
```

Code	Description	Links


```
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET /api/v1/stations/{station_id} Get Station

Parameters

Try it out

Name	Description
station_id * required `integer` *(path)*	station_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema


```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": "0000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000089616325.66572260928320929809687352620472974200973115979258896810236759554937051777046651",
  "longitude": "+0000000000000000000000000000000000000000000000000000000000
```

Code	Description	Links

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH `/api/v1/stations/{station_id}` Update Station

Parameters Try it out

Name	Description
station_id * required `integer` *(path)*	station_id
X-API-Key `string | (string | null)` *(header)*	X-API-Key

Request body required — application/json

Example Value | Schema

```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": 0,
  "longitude": 0
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Code	Description	Links

Example Value | Schema


```
{
  "name": "string",
  "code": "string",
  "city": "string",
  "latitude": "+077397246906916136067101914384226818245422175603238 9.0718
855280822025640958374622697744309260647784665628789269377920067376671318 9
7251479339819673868812 5",
  "longitude": "0000000000000000000000000000000000000000083600453677072389 77
2192965796865374785459453031591213630131818892876876238761901038387761289
951613531",
  "id": 0,
  "created_at": "2026-03-20T22:39:31.018Z",
  "updated_at": "2026-03-20T22:39:31.018Z"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE /api/v1/stations/{station_id} Delete Station

Parameters | **Try it out**

Name	Description
station_id * required `integer` *(path)*	station_id
X-API-Key `string | (string | null)` *(header)*	X-API-Key

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

routes

GET `/api/v1/routes` List Routes

Parameters Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 100 100 *maximum: 500* *minimum: 1*
offset **integer** *(query)*	*Default value* : 0 0 *minimum: 0*
code **string | (string | null)** *(query)*	code
name **string | (string | null)** *(query)*	name

Name	Description
origin `string	(string | null)` *(query)*	origin
destination `string	(string | null)` *(query)*	destination
operator_name `string	(string | null)` *(query)*	operator_name
is_active `boolean	(boolean | null)` *(query)*	--

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*


```
[
  {
    "origin_station_id": 0,
    "destination_station_id": 0,
    "name": "string",
    "code": "string",
    "operator_name": "string",
    "distance_km": "0000000000000000000000000000000000000000000000000000
0319174082889835793013382203553600944303354438024242823201358627977948848
1196529723749074063147590832134479427710934326048106068576 73",
    "is_active": true,
    "id": 0,
    "created_at": "2026-03-20T22:39:31.024Z",
    "updated_at": "2026-03-20T22:39:31.024Z",
    "origin_station": {
      "id": 0,
      "name": "string",
      "code": "string",
      "city": "string"
    },
    "destination_station": {
      "id": 0,
      "name": "string",
      "code": "string",
      "city": "string"
    }
  }
]
```

Code	Description	Links
422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST /api/v1/routes Create Route

Parameters Try it out

Name	Description
X-API-Key `string	(string | null)` *(header)*	X-API-Key

Request body required application/json

Example Value | Schema

```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": 0,
  "is_active": true
}
```

Responses

Code	Description	Links
201	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema


```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": "0000000000000000000000000000000000000000296935906467799300893318664781988078137881188853646856 37.17399852247743359",
  "is_active": true,
  "id": 0,
  "created_at": "2026-03-20T22:39:31.027Z",
  "updated_at": "2026-03-20T22:39:31.027Z",
  "origin_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  },
  "destination_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  }
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/api/v1/routes/code/{route_code}` Get Route By Code

Parameters | **Try it out**

Name	Description
route_code * required `string` *(path)*	route_code

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema


```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": "+0000000000000000000000000000000000000000000077994.08401
9440373060929130892900721345",
  "is_active": true,
  "id": 0,
  "created_at": "2026-03-20T22:39:31.029Z",
  "updated_at": "2026-03-20T22:39:31.029Z",
  "origin_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  },
  "destination_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  }
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
```

Code	Description	Links

```
    }
  ]
}
```

GET `/api/v1/routes/{route_id}` Get Route

Parameters | Try it out

Name	Description
route_id * required `integer` *(path)*	route_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": "+0000000000000000005148026915691063463011113080056380530396061007999393530489644307136946093557266501297578657 41",
  "is_active": true,
  "id": 0,
  "created_at": "2026-03-20T22:39:31.032Z",
  "updated_at": "2026-03-20T22:39:31.032Z",
  "origin_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  },
  "destination_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  }
}
```

422	Validation Error	*No links*

Media type

application/json

Code	Description	Links

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH /api/v1/routes/{route_id} Update Route

Parameters

Try it out

Name	Description
route_id * required integer *(path)*	route_id
X-API-Key string | (string | null) *(header)*	X-API-Key

Request body required

application/json

Example Value | Schema

```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": 0,
  "is_active": true
}
```

Responses

Code	Description	Links
200	Successful Response Media type	*No links*

Code	Description	Links

application/json

Controls `Accept` header.

Example Value | Schema


```
{
  "origin_station_id": 0,
  "destination_station_id": 0,
  "name": "string",
  "code": "string",
  "operator_name": "string",
  "distance_km": "-0000000000000000000000000000057844552645508216704637002312405416529989747857054717326576849760983564046573205018059873715340862632819501556753435151186899914214272882360937433604167184",
  "is_active": true,
  "id": 0,
  "created_at": "2026-03-20T22:39:31.035Z",
  "updated_at": "2026-03-20T22:39:31.035Z",
  "origin_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  },
  "destination_station": {
    "id": 0,
    "name": "string",
    "code": "string",
    "city": "string"
  }
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE `/api/v1/routes/{route_id}` Delete Route

Parameters | Try it out

Name	Description
route_id * required `integer` *(path)*	route_id

Name	Description
X-API-Key **string | (string | null)** *(header)*	X-API-Key

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

incidents

GET `/api/v1/incidents` List Incidents

Parameters Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 100 100 *maximum: 500* *minimum: 1*
offset **integer** *(query)*	*Default value* : 0 0 *minimum: 0*

Name	Description
route_id `integer | (integer | null)` *(query)*	route_id
station_id `integer | (integer | null)` *(query)*	station_id
incident_type `string | (string | null)` *(query)*	incident_type
severity `string | (string | null)` *(query)*	severity
status `string | (string | null)` *(query)*	status
reported_from `string | (string | null) ($date-time)` *(query)*	reported_from
reported_to `string | (string | null) ($date-time)` *(query)*	reported_to

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "route_id": 0,
    "station_id": 0,
```

Code	Description	Links


```
    "title": "string",
    "description": "string",
    "incident_type": "string",
    "severity": "low",
    "status": "open",
    "reported_at": "2026-03-20T22:39:31.042Z",
    "id": 0,
    "created_at": "2026-03-20T22:39:31.042Z",
    "updated_at": "2026-03-20T22:39:31.042Z"
  }
]
```


422 Validation Error *No links*

Media type

application/json

Example Value | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST /api/v1/incidents Create Incident

Parameters Try it out

Name	Description
X-API-Key `string	(string | null)` *(header)*	X-API-Key

Request body required application/json

Example Value | Schema


```
{
  "route_id": 0,
  "station_id": 0,
  "title": "string",
  "description": "string",
  "incident_type": "string",
  "severity": "low",
  "status": "open",
  "reported_at": "2026-03-20T22:39:31.045Z"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "station_id": 0,
  "title": "string",
  "description": "string",
  "incident_type": "string",
  "severity": "low",
  "status": "open",
  "reported_at": "2026-03-20T22:39:31.045Z",
  "id": 0,
  "created_at": "2026-03-20T22:39:31.045Z",
  "updated_at": "2026-03-20T22:39:31.045Z"
}
```

422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/incidents/{incident_id}` Get Incident

Parameters

Try it out

Name	Description
incident_id * required `integer` *(path)*	incident_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "route_id": 0,
  "station_id": 0,
  "title": "string",
  "description": "string",
  "incident_type": "string",
  "severity": "low",
  "status": "open",
  "reported_at": "2026-03-20T22:39:31.050Z",
  "id": 0,
  "created_at": "2026-03-20T22:39:31.050Z",
  "updated_at": "2026-03-20T22:39:31.050Z"
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH `/api/v1/incidents/{incident_id}` Update Incident

Parameters

Try it out

Name	Description
incident_id * required `integer` *(path)*	incident_id

Name	Description
X-API-Key `string	(string | null)` *(header)*	X-API-Key

Request body required

application/json

Example Value | Schema

```
{
  "route_id": 0,
  "station_id": 0,
  "title": "string",
  "description": "string",
  "incident_type": "string",
  "severity": "low",
  "status": "open",
  "reported_at": "2026-03-20T22:39:31.053Z"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "station_id": 0,
  "title": "string",
  "description": "string",
  "incident_type": "string",
  "severity": "low",
  "status": "open",
  "reported_at": "2026-03-20T22:39:31.054Z",
  "id": 0,
  "created_at": "2026-03-20T22:39:31.054Z",
  "updated_at": "2026-03-20T22:39:31.054Z"
}
```

```
{
  "detail": [
    {
      "loc": [
```

Code	Description	Links

```
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/api/v1/incidents/{incident_id}` Delete Incident

Parameters Try it out

Name	Description
incident_id * required `integer` *(path)*	incident_id
X-API-Key `string | (string | null)` *(header)*	X-API-Key

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

analytics

GET `/api/v1/analytics/routes/{route_id}/reliability`

Get Route Reliability

Parameters | Try it out

Name	Description
route_id * required `integer` *(path)*	route_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*
422	Validation Error Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "on_time_percentage": 0,
  "delayed_percentage": 0,
  "cancelled_percentage": 0
}
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/{route_id}/average-delay`

Get Route Average Delay

Parameters Try it out

Name	Description
route_id * required `integer` *(path)*	route_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "average_delay_minutes": 0
}
```

422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/by-code/{route_code}/reliability`

Get Route Reliability By Code

Parameters Try it out

Name	Description
route_code * required `string` *(path)*	route_code

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "on_time_percentage": 0,
  "delayed_percentage": 0,
  "cancelled_percentage": 0
}
```

422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/by-code/{route_code}/average-delay`

Get Route Average Delay By Code

Parameters | Try it out

Name	Description
route_code * required `string` *(path)*	route_code

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "average_delay_minutes": 0
}
```

Code	Description	Links
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /api/v1/analytics/routes/{route_id}/cancellation-rate

Get Route Cancellation Rate

Parameters

Try it out

Name	Description
route_id * required `integer`	route_id

Name	Description
(path)	

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "cancelled_journeys": 0,
  "cancellation_rate_percentage": 0
}
```

Code	Description	Links
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/by-code/{route_code}/cancellation-rate`

Get Route Cancellation Rate By Code

Parameters

Try it out

Name	Description
route_code * required `string` *(path)*	route_code

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*
422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "route_id": 0,
  "total_journeys": 0,
  "cancelled_journeys": 0,
  "cancellation_rate_percentage": 0
}
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/{route_id}/delay-distribution`

Get Route Delay Distribution

Parameters

Try it out

Name	Description
route_id * required `integer` *(path)*	route_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "route_id": 0,
  "total_journeys": 0,
  "buckets": [
    {
      "bucket": "string",
      "total_journeys": 0,
      "percentage": 0
    }
  ]
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/api/v1/analytics/routes/by-code/{route_code}/delay-distribution

Get Route Delay Distribution By Code

Parameters

Try it out

Name	Description
route_code * required `string` *(path)*	route_code

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "route_id": 0,
  "total_journeys": 0,
  "buckets": [
    {
      "bucket": "string",
      "total_journeys": 0,
      "percentage": 0
    }
  ]
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /api/v1/analytics/delay-patterns/hourly Get Hourly Delay Patterns

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

Code	Description	Links

application/json

Controls `Accept` header.

Example Value | Schema

```
[
  {
    "bucket": "string",
    "total_journeys": 0,
    "average_delay_minutes": 0
  }
]
```

GET /api/v1/analytics/stations/hotspots Get Station Hotspots

Parameters Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 10 10 *maximum: 100* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
[
  {
    "station_id": 0,
    "station_name": "string",
    "affected_journeys": 0,
    "average_delay_minutes": 0
  }
]
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

Code	Description	Links

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /api/v1/analytics/incidents/frequency Get Incident Frequency

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Example Value | Schema

```
[
  {
    "bucket": "string",
    "total_incidents": 0
  }
]
```

GET /api/v1/analytics/incidents/severity-breakdown Get Incident Severity Breakdown

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "label": "string",
    "total_incidents": 0
  }
]
```

GET /api/v1/analytics/incidents/status-breakdown

Get Incident Status Breakdown

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "label": "string",
    "total_incidents": 0
  }
]
```

GET /api/v1/analytics/delay-reasons/common

Get Common Delay Reasons

Parameters Try it out

Name	Description
limit `integer`	*Default value* : 10

Name	Description
(query)	10 *maximum: 100* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "reason": "string",
    "total_occurrences": 0
  }
]
```

422	Validation Error Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/top-delayed` Get Top Delayed Routes

Parameters Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 10 10

Name	Description
	maximum: 100 *minimum: 1*
min_journeys **integer** *(query)*	*Default value* : 1 1 *maximum: 1000* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "route_id": 0,
    "route_name": "string",
    "route_code": "string",
    "total_journeys": 0,
    "average_delay_minutes": 0
  }
]
```

422	Validation Error Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/api/v1/analytics/routes/top-cancelled` Get Top Cancelled Routes

Parameters Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 10 10 *maximum: 100* *minimum: 1*
min_journeys **integer** *(query)*	*Default value* : 1 1 *maximum: 1000* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*
422	Validation Error Media type **application/json** **Example Value** | Schema	*No links*

```
[
  {
    "route_id": 0,
    "route_name": "string",
    "route_code": "string",
    "total_journeys": 0,
    "cancelled_journeys": 0,
    "cancellation_rate_percentage": 0
  }
]
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET **/api/v1/analytics/reference-data/route-name-coverage**

Get Route Name Coverage

Parameters | Try it out

Name	Description
limit **integer** *(query)*	*Default value* : 10 10 *maximum: 100* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "total_routes": 0,
  "fully_human_readable_routes": 0,
  "partially_unresolved_routes": 0,
  "fully_unresolved_routes": 0,
  "unresolved_location_count": 0,
  "top_unresolved_locations": [
    {
      "station_id": 0,
      "station_name": "string",
      "unresolved_route_count": 0
    }
  ]
}
```

422	Validation Error Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
```

Code	Description	Links
	```] }```	

meta

GET / Read Root

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema ```{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }```	*No links*

GET `/health` Health Check

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header.	*No links*

Code	Description	Links

Example Value | Schema

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

Schemas

DelayDistributionBucketRead > Expand all `object`

DelayPatternPointRead > Expand all `object`

DelayReasonFrequencyRead > Expand all `object`

HTTPValidationError > Expand all `object`

IncidentBreakdownPointRead > Expand all `object`

IncidentCreate > Expand all `object`

IncidentFrequencyPointRead > Expand all `object`

IncidentRead > Expand all `object`

IncidentUpdate > Expand all `object`

RouteAverageDelayRead > Expand all `object`

RouteCancellationRateRead > Expand all `object`

RouteCreate > Expand all `object`

RouteDelayDistributionRead > Expand all `object`

RouteNameCoverageRead > Expand all `object`

RouteRead Expand all `object`

RouteReliabilityRead Expand all `object`

RouteUpdate Expand all `object`

StationCreate Expand all `object`

StationHotspotRead Expand all `object`

StationRead Expand all `object`

StationSummary Expand all `object`

StationUpdate Expand all `object`

TopCancelledRouteRead Expand all `object`

TopDelayedRouteRead Expand all `object`

UnresolvedLocationRead Expand all `object`

ValidationError Expand all `object`