





# Formal Language Driven Data Analysis Research Group Report

Semyon Grigorev

Saint Petersburg State University


September 14, 2022






## Applications

- Code analysis
- Code querying
- Code parsing



## Applications

- Code analysis
- Code querying
- Code parsing



## Research directions

- Graph algorithms
  - ▶ Dynamic graphs
  - ▶ Linear algebra
  - ▶ Path querying
- Formal languages
  - ▶ Languages classes and properties
  - ▶ Parsing algorithms
  - ▶ **Formal language constrained path querying**

# Code Analysis and Querying

## Huge software projects

- millions LOC
- complex structure
- dynamic



## Huge graphs for analysis

- millions of vertices
- dynamic



## Graph storage

- graph querying
- graph querying



## Graph analysis

- Performance-critical
- Nontrivial (esp. for dynamic graphs)

# Code Analysis and Querying

Huge software projects

- millions LOC
- complex structure
- dynamic



Huge graphs for analysis

- millions of vertices
- dynamic



Graph storage

- graph querying
- graph querying



Linear algebra

- parallel (multicore CPU, GPGPU)
- Flexible, expressive

Graph analysis

- Performance-critical
- Nontrivial (esp. for dynamic graphs)



# Code parsing (for IDE)

- Dynamic
- Error recovery



- Graph analysis layer for symbolic execution engine
- Formal language constrained path querying
  - ▶ Evaluation
  - ▶ Implementation

- Graph analysis layer for symbolic execution engine
- Formal language constrained path querying
  - ▶ Evaluation
  - ▶ Implementation
- Linear algebra
  - ▶ Brahma
  - ▶ SPLA

- Graph analysis layer for symbolic execution engine
- Formal language constrained path querying
  - ▶ Evaluation
  - ▶ Implementation
- Linear algebra
  - ▶ Brahma
  - ▶ SPLA
- Graph analysis algorithms
  - ▶ Complexity

- !!!

- !!!

- !!!

- !!!

- !!!



- !!!

- !!!

- !!!

- !!!

- !!!

# Possible Ways for Collaboration

- Algebraic Path Problem framework applicability for network analysis
  - ▶ Which constraints can be specified in terms of semirings?
    - ★ Length minimality
    - ★ Nodes to visit
    - ★ ...
  - ▶ Is it flexible enough?
- High-performance network analysis
  - ▶ GraphBLAS-based solution
  - ▶ Algorithms development and analysis
  - ▶ Algorithms implementation and evaluation