

3M+

продуктів у barcode БД

100+

tracked нутрієнтів

4

spec health modes

7 днів

безкоштовно, без картки







the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [14]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [15].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [16]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [17].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [18]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [19].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [20]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [21].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [22]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [23].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [24]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [25].

In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [26]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [27].



— Testimonials є плейсхолдерами для production landing; реальні beta-цитати буде вставлено перед публічним запуском. —



KkaloAI

AI-трекер калорій, побудований на прозорості, контролі користувача та health-journeys, які інші додатки ігнорують.

КОМПАНІЯ

[Про нас](#)

[Press kit](#)

[Партнерства](#)

[Контакти](#)

ПРОДУКТ

[Фічі](#)

[Як працює](#)

[Spec modes](#)

[Ціни](#)

ЮРИДИЧНЕ

[Privacy policy](#)

[Terms of service](#)

[Медичний disclaimer](#)

[GDPR / CCPA](#)