1- Create GitHub repo without files, Name it "homework1"

2- Clone the repo

3- Add the following:

- Add index.html to the folder homework1
- Add index.css to the folder homework1

4- Add files to repo

5- Make a commit with name "Initial Commit"

6- Push commit to GitHub

7- Inside html file add the following text:

Change the JavaScript code to print 3 and 8

```html
<html>
<head>
    <title></title>

    <script type="text/javascript">

        'use strict'

        x = 2;
        if (x == 2) {
            x = 3;
        console.log(x);//here must print 3
            x = x + 5;
        }

        console.log(x);//here must print 8

    </script>

</head>
<body>
</body>
</html>
```

8- Add, commit, push

9- Change the code again to print Hello and   Homework

```html
<html>
<head>
    <title></title>

    <script type="text/javascript">

        'use strict'

        let x = "Homework";
        if (x == "Homework") {
            let x = "Hello ";
            console.log(x);//here must print: Hello
            x = x + " How are you";
        }

        console.log(x);//here must print: Homework

    </script>


</head>
<body>
</body>
</html>
```

10-   Add, commit, push

11-   Go to GitHub to the second commit copy the hash
        The hash looks like:
            "85c0360ab1939c2a71f33b03081fb1bcbd3ba153"

Copy the hash
  run in "Cli" or "cmd" or "Git bash ":

```
git reset --hard 85c0360ab1939c2a71f33b03081fb1bcbd3ba153
```


open files and check index.html :)