DOM Manipulation Methods

Content Manipulation Method

innerHTML:

It is used to gets or sets the HTML content within an element.

```javascript
let element = document.getElementById("myElement");
element.innerHTML = "New content";
```

Content Manipulation Method

innerText:

It is used to gets or sets the text content within an element.

```javascript
let paragraph = document.getElementById("myParagraph");
paragraph.innerText = "New text";
```

Content Manipulation Method

textContent:

It is similar to innerText, gets or sets the text content within an element.

```javascript
let paragraph = document.getElementById("myParagraph");
paragraph.textContent = "New text";
```

Attribute Manipulation Method

setAttribute(name, value):

It is used to sets the value of an attribute on an element.

```
let image = document.getElementById("myImage");
image.setAttribute("src", "new.jpg");
```

Attribute Manipulation Method

removeAttribute(name):

It is used to removes a specified attribute from an element.

```javascript
let image = document.getElementById("myImage");
image.removeAttribute("src");
```

Style Manipulation Method

style:

It is used to access or modifies the inline styles of an element.

```javascript
let element = document.getElementById("myElement");
element.style.color = "blue";
```

Style Manipulation Method

classList:

It is used to manipulates the classes of an element.

```
let element = document.getElementById("myElement");
element.classList.add("newClass");
element.classList.remove("oldClass");
```

Did you find it
Useful?

Leave a **comment!**

Alamin CodePapa
@CodePapa360

FOLLOW FOR MORE

Like

Comment

Repost