

Cucumber Report

Sep 30, 2023 1:46:45 AM

Start : Sep 30, 1:37:51.157 AM

End : Sep 30, 1:46:44.959 AM

Duration : 8 m 53.802 s

Features

Scenarios

Steps

PASSED - 5

FAILED - 3

SKIPPED - 0

PASSED - 11




FAILED - 3

SKIPPED - 0


PASSED - 75

FAILED - 3


SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Register Functionality</u>	45.707 s	1	0	1	0	7	4	1	2
<u>Login functionality</u>	3 m 19.004 s	7	7	0	0	21	21	0	0
<u>Adress functionality</u>	1 m 20.049 s	1	0	1	0	10	9	1	0
<u>Summer Dress functionality</u>	27.800 s	1	1	0	0	3	3	0	0
<u>Items Functionality</u>	19.435 s	1	1	0	0	5	5	0	0
<u>Choose dresses functionality</u>	35.195 s	1	0	1	0	3	2	1	0
<u>Online Shopping</u>	1 m 12.861 s	1	1	0	0	21	21	0	0
<u>Customer Service functionality</u>	53.598 s	1	1	0	0	10	10	0	0



#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Register Functionality</u>	1	0	1	0	45.707 s
2	<u>Login functionality</u>	7	7	0	0	3 m 19.004 s
3	<u>Adress functionality</u>	1	0	1	0	1 m 20.049 s
4	<u>Summer Dress functionality</u>	1	1	0	0	27.800 s
5	<u>Items Functionality</u>	1	1	0	0	19.435 s
6	<u>Choose dresses functionality</u>	1	0	1	0	35.195 s
7	<u>Online Shopping</u>	1	1	0	0	1 m 12.861 s
8	<u>Customer Service functionality</u>	1	1	0	0	53.598 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Register Functionality</u>	<u>Register with user information</u>	7	4	1	2	45.704 s
2	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	27.469 s
3	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	28.329 s
4	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	30.050 s
5	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	28.827 s
6	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	27.862 s
7	<u>Login functionality</u>	<u>Login with invalid username and password</u>	3	3	0	0	28.512 s
8	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	27.886 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Adress functionality</u>	<u>Create Addresses</u>	10	9	1	0	1 m 20.048 s
10	<u>Summer Dress functionality</u>	<u>SummerDress add to cart</u>	3	3	0	0	27.799 s
11	<u>Items Functionality</u>	<u>Confirming items count</u>	5	5	0	0	19.435 s
12	<u>Choose dresses functionality</u>	<u>Dresses add to cart</u>	3	2	1	0	35.194 s
13	<u>Online Shopping</u>	<u>Order and Checkout</u>	21	21	0	0	1 m 12.861 s
14	<u>Customer Service functionality</u>	<u>Contact customer service and share a payment receipt</u>	10	10	0	0	53.598 s

Register Functionality

FAILED	DURATION - 45.707 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 1:37:51.157 AM // 1:38:36.864 AM /					


Register with user information

<div>FAILED</div> <div>DURATION - 45.704 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:37:51.160 AM // 1:38:36.864 AM /				
Register Functionality				



#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	7.237 s
2	When Click on the element in DialogContent signInButton	PASSED	3.066 s
3	And User sending the keys in DialogContent emailCreateInput cekk7@gmail.com	PASSED	2.186 s
4	When Click on the element in DialogContent createAccountButton	PASSED	2.126 s
5	And User sending the keys in DialogContent firstNameInput far lastNameInput far passwordInput far123 org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: customer_firstname' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)	FAILED	20.049 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at Pages.Parent.mySendKeyes(Parent.java:38) at StepDefinitions.US_01_Register_Faruk.userSendingTheKeysInDialogContent(US_01_Register_Faruk.java:37) at ?.User sending the keys in DialogContent(file:///C:/Users/LENOVO%20V15%20Gen2/IdeaProjects/CleverPPC/src/test/java/FeatureFiles/US_01_Register_Faruk.feature:18)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#customer_firstname"} (Session info: chrome=117.0.5938.132) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f73800c76d224640b3c4fcd2a6b73e8a, findElement {using=id, value=customer_firstname}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\LENOVO~1\AppData\Local\Temp\chrome-remote-interface-117.0.5938.92}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61287}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61287/devtools, se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f73800c76d224640b3c4fcd2a6b73e8a</p> <p>at sun.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at Pages.Parent.mySendKeyes(Parent.java:38) at StepDefinitions.US_01_Register_Faruk.userSendingTheKeysInDialogContent(US_01_Register_Faruk.java:37) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		



#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
6	When Click on the element in DialogContent registerButton	SKIPPED	0.000 s
7	Then User should registered successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name	PASSED	11.021 s
			

Login functionality



PASSED	DURATION - 3 m 19.004 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 1:38:36.912 AM // 1:41:55.916 AM /					

Login with invalid username and password

PASSED	DURATION - 27.469 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:38:36.914 AM // 1:39:04.383 AM /				
Login functionality				



#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	5.661 s
2	When Click sign-in button and enter "null_1@example.com" and "null_pass_1" and click sign-in button	PASSED	9.941 s
3	Then User should not be able to login	PASSED	1.055 s

Login with invalid username and password

PASSED	DURATION - 28.329 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 1:39:04.394 AM // 1:39:32.723 AM /							
Login functionality							



#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.440 s
2	When Click sign-in button and enter "null_2@example.com" and "null_pass_2" and click sign-in button	PASSED	10.061 s
3	Then User should not be able to login	PASSED	1.059 s

Login with invalid username and password

PASSED	DURATION - 30.050 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:39:32.745 AM // 1:40:02.795 AM /				
Login functionality				



#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	8.124 s
2	When Click sign-in button and enter "null_3@example.com" and "null_pass_3" and click sign-in button	PASSED	10.096 s
3	Then User should not be able to login	PASSED	1.053 s

Login with invalid username and password

<div>PASSED</div>	<div>DURATION - 28.827 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:40:02.807 AM // 1:40:31.634 AM /</div>				
<div>Login functionality</div>				


#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.839 s
2	When Click sign-in button and enter "null_4@example.com" and "null_pass_4" and click sign-in button	PASSED	10.172 s
3	Then User should not be able to login	PASSED	1.047 s

Login with invalid username and password

<div>PASSED</div>	<div>DURATION - 27.862 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:40:31.642 AM // 1:40:59.504 AM /</div>				
<div>Login functionality</div>				


#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.160 s
2	When Click sign-in button and enter "null_5@example.com" and "null_pass_5" and click sign-in button	PASSED	9.891 s
3	Then User should not be able to login	PASSED	1.050 s

Login with invalid username and password





#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.860 s
2	When Click sign-in button and enter "null_6@example.com" and "null_pass_6" and click sign-in button	PASSED	9.880 s
3	Then User should not be able to login	PASSED	1.046 s

Login with valid username and password





#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	5.567 s
2	When Click sign-in button and enter valid email and password and click sign-in button	PASSED	10.458 s
3	Then User should be able to login successfully	PASSED	1.051 s

Adress functionality

FAILED	DURATION - 1 m 20.049 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 1:41:55.928 AM // 1:43:15.977 AM /					


Create Addresses

<div><div>FAILED</div><div>DURATION - 1 m 20.048 s</div></div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:41:55.929 AM // 1:43:15.977 AM /				
Adress functionality				



#	Step / Hook Details	Status	Duration																
1	Given Navigate to CleverPPC	PASSED	5.548 s																
2	When Click the SiteMap	PASSED	3.198 s																
3	When User enters username and password and click login button	PASSED	7.377 s																
4	And Click the Address	PASSED	6.172 s																
5	Then User should be able to login positively	PASSED	1.053 s																
6	When Click on the element in DialogContent	PASSED	3.399 s																
	<div>adanewaddress</div>																		
7	And User send the keys in DialogContent	PASSED	17.303 s																
	<table><tr><td>firstNameInputET</td><td>Eto</td></tr><tr><td>lastNameInputET</td><td>etoea</td></tr><tr><td>address</td><td>Techno</td></tr><tr><td>city</td><td>Los Angeles</td></tr><tr><td>zip</td><td>12356</td></tr><tr><td>homephone</td><td>12345</td></tr><tr><td>mobilephone</td><td>05546</td></tr><tr><td>reference</td><td>Technoo</td></tr></table>			firstNameInputET	Eto	lastNameInputET	etoea	address	Techno	city	Los Angeles	zip	12356	homephone	12345	mobilephone	05546	reference	Technoo
firstNameInputET	Eto																		
lastNameInputET	etoea																		
address	Techno																		
city	Los Angeles																		
zip	12356																		
homephone	12345																		
mobilephone	05546																		
reference	Technoo																		
8	And select state	PASSED	2.113 s																

#	Step / Hook Details	Status	Duration
9	When Clicks on the element in DialogContent	PASSED	2.889 s
	saveButton		
10	Then Success message should be displayed	FAILED	20.034 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Your addresses are listed below.') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='addresses']' (tried for 20 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at Pages.Parent.verifyContainsText(Parent.java:54)</p> <p>at StepDefinitions.US_03_Address_Ethem.successMessageShouldBeDisplayed(US_03_Address_Ethem.java:79)</p> <p>at ?.Success message should be displayed(file:///C:/Users/LENOVO%20V15%20Gen2/IdeaProjects/CleverPPC/src/test/java/FeatureFiles/US_03_Address_Ethem.feature:28)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='addresses']"} (Session info: chrome=117.0.5938.132) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee0c24486f61f3ba4df07c5258067ff2, findElement {using=xpath, value=//*[@class='addresses']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.132, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\LENOVO~1\AppData\Local\Temp\scoped_dir1170_5938_92_67649b10b92b...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61602/devtools..., se:cdpVersion: 117.0.5938.132, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ee0c24486f61f3ba4df07c5258067ff2</p> <p>at sun.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy26.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at Pages.Parent.verifyContainsText(Parent.java:54) at StepDefinitions.US_03_Address_Ethem.successMessageShouldBeDisplayed(US_03_Address_Ethem.java:79) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	10.959 s
	screenshot name		
			

Summer Dress functionality



PASSED	DURATION - 27.800 s	Scenarios		Steps	
/ 1:43:16.021 AM // 1:43:43.821 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

SummerDress add to cart



PASSED	DURATION - 27.799 s		Steps	
/ 1:43:16.022 AM // 1:43:43.821 AM /			Total - 3	
Summer Dress functionality			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.275 s
2	When Choose the dress	PASSED	9.164 s
3	Then User should add successfully	PASSED	1.583 s

Items Functionality



PASSED	DURATION - 19.435 s	Scenarios		Steps	
/ 1:43:43.827 AM // 1:44:03.262 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Confirming items count



PASSED		DURATION - 19.435 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:43:43.827 AM // 1:44:03.262 AM /						
Items Functionality						


#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	5.185 s
2	When Click on the dresses in DialogContent	PASSED	3.468 s
3	And User should confirm the shown total numbers in DialogContent	PASSED	0.036 s
4	And User creates a list of all items in DialogContent	PASSED	0.000 s
5	Then User should confirm the list size is equal with shown total numbers DialogContent	PASSED	0.026 s

Choose dresses functionality



FAILED	DURATION - 35.195 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 1:44:03.272 AM // 1:44:38.467 AM /					

Dresses add to cart



FAILED	DURATION - 35.194 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 1:44:03.273 AM // 1:44:38.467 AM /				
Choose dresses functionality				

#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	5.507 s
2	When Choose the dresses	PASSED	13.777 s
3	Then Confirm cart java.lang.AssertionError: seçilen ürün 3 adetden farklıdır. expected [true] but found [false] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertTrue(Assert.java:44) at StepDefinitions.US_06_AddToCartList_Cansu.confirmCart(US_06_AddToCartList_Cansu.java:39) at ?.Confirm cart(file:///C:/Users/LENOVO%20V15%20Gen2/IdeaProjects/CleverPPC/src/test/java/FeatureFiles/US_06_AddToCartList_Cansu.feature:7) * Not displayable characters are replaced by '?'. AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	4.868 s
	screenshot name	PASSED	11.041 s
			

Online Shopping

PASSED	DURATION - 1 m 12.861 s	Scenarios		Steps	
/ 1:44:38.495 AM // 1:45:51.356 AM /		Total - 1	1	Total - 21	21
		Pass - 1		Pass - 21	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



Order and Checkout

<div>PASSED</div>	<div>DURATION - 1 m 12.861 s</div>	<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:44:38.495 AM // 1:45:51.356 AM /</div>				
<div>Online Shopping</div>				



#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	6.379 s
2	And Click sign in button	PASSED	3.004 s
3	When Enter username and password and click login button	PASSED	7.439 s
4	Then User should login successfully	PASSED	1.052 s
5	And the user can click on the shopping cart icon (Cart)	PASSED	11.968 s
6	When the user clicks on the Checkout button	PASSED	4.023 s
7	Then Selected address should be displayed	PASSED	4.590 s
8	And the Shipment method is selected by default	PASSED	1.065 s
9	And the Terms and Conditions Agreement is accepted by clicking I Agree...	PASSED	3.146 s
10	And the user can click on the Proceed to checkout button	PASSED	2.706 s
11	And the user clicks on the Pay with PayPal button	PASSED	3.081 s
12	Then the negative message should be displayed	PASSED	1.049 s
13	And the user navigates back	PASSED	0.242 s
14	And the user clicks on the Pay with Credit Card button	PASSED	2.884 s
15	Then the credit card negative message should be displayed	PASSED	1.063 s

#	Step / Hook Details	Status	Duration
16	And the user navigates back	PASSED	0.257 s
17	And the user can click on the Pay with Bank Transfer button	PASSED	2.696 s
18	Then it should be verified that the total amount shown in the message matches the sum of the product cost including tax and shipping cost	PASSED	0.032 s
19	And the user can click on the I confirm my order button	PASSED	3.296 s
20	And it should be displayed that the message indicates the payment has been processed	PASSED	1.044 s
21	And the order number from the displayed message should be verified	PASSED	1.051 s

Customer Service functionality

PASSED	DURATION - 53.598 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 1:45:51.361 AM // 1:46:44.959 AM /					

Contact customer service and share a payment receipt

PASSED	DURATION - 53.598 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 1:45:51.361 AM // 1:46:44.959 AM /				
Customer Service functionality				

#	Step / Hook Details	Status	Duration
1	Given Navigate to CleverPPC	PASSED	21.023 s
2	When The user click on the contact us button	PASSED	3.709 s
3	And select a subject heading	PASSED	2.107 s
4	And enters their email address	PASSED	2.203 s
5	And choose an order reference	PASSED	2.166 s
6	And write down a message	PASSED	2.255 s
7	When choose a file from the computer	PASSED	2.111 s

#	Step / Hook Details	Status	Duration
8	And attach a payment receipt file	PASSED	3.079 s
9	And Click on the Send button	PASSED	3.090 s
10	Then the user should successfully send the payment receipt to customer service	PASSED	1.045 s