

Cucumber Report

Sep 21, 2023 9:34:26 PM

Start : Sep 21, 9:32:45.110 PM

End : Sep 21, 9:34:24.737 PM

Duration : 1 m 39.627 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 1

SKIPPED - 0

PASSED - 3



FAILED - 1

SKIPPED - 0

PASSED - 20


FAILED - 1

SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login functionality</u>	17.564 s	1	1	0	0	3	3	0	0
<u>Country Functionality</u>	20.690 s	1	1	0	0	6	6	0	0
<u>Country Multi Scenario</u>	1 m 1.324 s	2	1	1	0	12	11	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	2	2	0	0	2	2	0	0
@Regression	3	2	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login functionality</u>	1	1	0	0	17.564 s
2	<u>Country Functionality</u>	1	1	0	0	20.690 s
3	<u>Country Multi Scenario</u>	2	1	1	0	1 m 1.324 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	17.560 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	6	0	0	20.690 s
3	<u>Country Multi Scenario</u>	<u>Create country</u>	6	6	0	0	20.340 s
4	<u>Country Multi Scenario</u>	<u>Create country 2</u>	6	5	1	0	40.964 s

Login functionality



PASSED	DURATION - 17.564 s	Scenarios		Steps	
/ 9:32:45.110 PM // 9:33:02.674 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password


<div>PASSED</div> <div>DURATION - 17.560 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:32:45.114 PM // 9:33:02.674 PM /</div>			
<div>Login functionality</div>			
<div>@SmokeTest</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	4.218 s
2	When Enter username and password and click login button	PASSED	0.974 s
3	Then User should login successfully	PASSED	1.641 s

Country Functionality


PASSED	DURATION - 20.690 s	Scenarios		Steps	
/ 9:33:02.703 PM // 9:33:23.393 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create a country




#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	4.069 s
2	When Enter username and password and click login button	PASSED	1.086 s
3	Then User should login successfully	PASSED	1.382 s
4	And Navigate to country	PASSED	1.166 s
5	When Create a country	PASSED	1.664 s
6	Then Success message should be displayed	PASSED	0.649 s

Country Multi Scenario





Create country



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	3.652 s
2	When Enter username and password and click login button	PASSED	0.970 s
3	Then User should login successfully	PASSED	1.646 s
4	And Navigate to country	PASSED	0.914 s
5	When Create a country	PASSED	1.835 s
6	Then Success message should be displayed	PASSED	0.617 s

Create country 2

<div>FAILED</div> <div>DURATION - 40.964 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:33:43.773 PM // 9:34:24.737 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	3.872 s
2	When Enter username and password and click login button	PASSED	0.907 s
3	Then User should login successfully	PASSED	1.666 s
4	And Navigate to country	PASSED	1.323 s
5	When Create a country name as "USM" code as "USM1"	PASSED	1.665 s
6	Then Success message should be displayed org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at Pages.Parent.verifyContainsText(Parent.java:38) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:40) at ?.Success message should be displayed(file:///C:/Users/LENOVO%20V15%20Gen2/IdeaProjects/Cucumber6Org/src/test/java/FeatureFiles/_03_CountryMultipleScenarios.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: org.	FAILED	20.476 s

#	Step / Hook Details	Status	Duration
	<p>openqa.selenium.chrome.ChromeDriver Command: [89ef2de78d3da56a12767e958a7f7700, findElement {using=xpath, value=//div[contains(text(),'successfully')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\LENOVO~1\AppData\Local\Temp\chrome-remote-debugging-keyring\chrome-remote-debugging-keyring.p12}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56111}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56111/devtools, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 89ef2de78d3da56a12767e958a7f7700</p> <p>at sun.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy26.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p> <p>at Pages.Parent.verifyContainsText(Parent.java:38)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:40)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	11.051 s
	screenshot name		

#	Step / Hook Details	Status	Duration
			