



Managed by IHRD, a Govt. of Kerala undertaking

COLLEGE OF ENGINEERING
POONJAR

GROUP 1

PROJECT

SYNAPSE

PREPARED BY

Ihsana Ilyas

Albert Jossy

Abhishek TP

Adinan Azeez KT



PROJECT PROPOSAL

CONTENTS

• Introduction.....	2
• Baground and Motivation.....	2
• Problem Statement.....	2
• Objectives.....	3
• Literature Review.....	3
• Innovation.....	4
• Proposed Methodology.....	4
• Technology Stack.....	5
• Implementation plan / Module.....	6
• Implementation timeline.....	7
• Expected outcomes.....	7
• Future Scope.....	8
• References.....	8

INTRODUCTION

Railway transportation is one of the most widely used modes of travel in India, serving millions of passengers every day. However, train delays remain a persistent challenge due to factors such as adverse weather conditions, heavy rail traffic, festivals, operational constraints, and seasonal passenger demand. These delays often disrupt travel plans and make it difficult for passengers to manage connecting transportation and schedules.

This project, "Synapse" aims to develop an intelligent predictive system that estimates train delays before a journey begins. By analyzing historical railway data together with contextual information such as weather forecasts, weekends, public holidays, religious festivals, and previous delay patterns, the system provides accurate delay predictions for selected stations along a train's route. In addition to predicting expected delays, the system also provides confidence scores and highlights the key factors influencing each prediction, improving transparency and user trust.

Initially focusing on a small number of selected trains, the Synapse demonstrates the practical application of machine learning in railway transportation while maintaining high prediction accuracy. The model is also designed for continuous improvement through periodic retraining with newly collected data, enabling it to adapt to changing railway conditions over time. By helping passengers make informed travel decisions, this project showcases how artificial intelligence can enhance the efficiency, reliability, and convenience of modern railway transportation.

BANGROUND AND MOTIVATION

Railways are the backbone of public transport in India, carrying millions daily across thousands of routes. Yet, train delays remain frequent due to weather, traffic congestion, maintenance, operational limits, seasonal demand, and public festivals. These disruptions inconvenience passengers by affecting schedules, connections, and appointments. Existing apps like Where is My Train, NTES, and IRCTC Rail Connect provide live train status and estimated arrival times but rely mainly on current operational data. They do not predict delays before journeys begin, leaving passengers with limited foresight for planning.

Synapse aims to address that gap by developing an AI-powered train delay prediction system. Using machine learning, it analyzes historical railway data alongside contextual factors such as weather, holidays, festivals, seasonal travel patterns, and past delay records. Unlike conventional tracking, the system proactively predicts delays, provides confidence scores, and highlights key contributing factors. It continuously improves through retraining with new data. By offering reliable advance predictions, the system empowers passengers to plan better, reduces uncertainty, and demonstrates the practical value of AI in railway transportation.

PROBLEM STATEMENT

Train delays are a persistent issue in India's railway network, disrupting passenger schedules, connections, and travel planning. Current apps like Where is My Train and NTES mainly report live status or location-based estimates, but they cannot predict delays before a journey begins by factoring in broader influences.

This project proposes an AI-powered delay prediction system that uses machine learning to forecast delays at upcoming stations in advance. It integrates historical train data with contextual factors such as weather, weekends, holidays, festivals, seasonal demand, and past delay patterns. The system provides predicted delays, confidence scores, and highlights key contributing factors, enabling passengers to plan better and showcasing the practical use of machine learning in railway transportation.

OBJECTIVES

General Objective

To develop an AI-powered train delay prediction system using machine learning that predicts train delays at different stations by analyzing historical railway data and contextual factors such as weather, holidays, festivals, and seasonal travel patterns at upcoming stations or even before the journey begins.

Specific Objective

- To develop an AI-powered train delay prediction system using machine learning that predicts train delays at different stations by analyzing historical railway data and contextual factors such as weather, holidays, festivals, and seasonal travel patterns at upcoming stations or even before the journey begins.
- Specific Objectives To collect and process historical train operation data for selected trains. To identify the major factors influencing train delays, including weather conditions, weekends, holidays, festivals, and previous station delays.
- To compare multiple machine learning algorithms and select the model with the highest prediction accuracy in Indian rail networks.
- To provide prediction confidence scores and the key factors contributing to each predicted delay using explainable AI techniques for every estimated delay. To design and develop a user friendly interface that allows passengers to obtain predictions by entering journey details. To develop an intelligent machine learning model that automatically retrains itself with newly collected railway data to continuously improve prediction accuracy without manual intervention.

LITERATURE REVIEW

Train delay prediction is a key area in intelligent transportation, improving scheduling, route management, and passenger planning. Yet, many systems still depend on historical trends and limited computation, highlighting the need for machine learning-based solutions.

Delays are interconnected, with one station's delay propagating across the network. Traditional statistical and stochastic models struggle to capture complex nonlinear relationships, making machine learning the preferred approach. Algorithms such as Random Forest, ANN, Gradient Boosting, XGBoost, SVR, and Deep Learning have been applied successfully, with ensemble methods like Random Forest and XGBoost showing superior performance. Comparative studies emphasize evaluating multiple models using metrics like R^2 and RMSE rather than relying on a single algorithm.

Prediction accuracy depends heavily on data quality and feature engineering. Preprocessing, selection, and cleaning are essential, while Explainable AI (XAI) helps identify key factors and supports continuous retraining to adapt to changing conditions.

Despite progress, most research predicts delays only after journeys begin, relying on operational data and prior station delays. Limited work addresses proactive prediction using contextual factors such as weather, holidays, festivals, and seasonal demand. Moreover, many studies focus on networks outside India, which differ from the complexity of Indian Railways.

Thus, there is a need for a context-aware machine learning system tailored to Indian Railways that predicts station-wise delays before journeys start, integrates historical and contextual data, and continuously improves through retraining. Would you like me to condense this even further into a bullet-point exam summary so it's easier to revise quickly?

INNOVATION

1. Predictive Rather Than Reactive

Most existing railway applications display the current running status of a train or estimate future delays based primarily on its present delay. In contrast, the proposed system predicts delays before the journey begins, enabling passengers to plan their travel in advance.

2. Multi-Factor Machine Learning Prediction

The proposed model analyzes multiple influencing factors, including:

Historical delay patterns
Weather conditions
Weekends
Public holidays
Religious festivals
Seasonal passenger demand
Time of travel
Previous station delays

3. Designed for Indian Railway Conditions

Unlike many existing studies developed for railway systems with relatively stable operating conditions, this project specifically addresses the complexity of Indian Railways, where delays are influenced by diverse operational, environmental, and passenger-related factors.

4. Explainable Predictions

Rather than only displaying the predicted delay, the system also provides the major reasons influencing the prediction along with a confidence score, improving transparency and user trust.

5. Intelligent model.

Model that automatically retrains itself with newly collected railway data to continuously improve prediction accuracy without manual intervention.

PROPOSED METHODOLOGY

Synapse is built using a supervised machine learning pipeline that transforms raw historical train-running data, along with external contextual information such as weather and calendar events, into station-wise delay predictions. The methodology is organized into the following sequential stages, each of which feeds into the next to form a complete, retrainable prediction pipeline.

1. Data Collection

Historical running data for the selected trains is collected, including scheduled and actual arrival/departure timings at each station, along with the corresponding date. This is supplemented with external data sources: daily weather and rainfall records for the relevant stations, a calendar of public holidays and religious festivals, and information identifying weekends and peak travel seasons. Where live data is unavailable, publicly available railway datasets and weather APIs are used to construct an initial dataset.

2. Data Preprocessing

- Handling missing values in arrival/departure timestamps and weather records.
- Removing duplicate or inconsistent records and correcting station-code mismatches.
- Converting scheduled and actual times into a standard format and computing the delay (in minutes) for each station as the target variable.

- Encoding categorical variables such as station name, day of week, and weather condition using label or one-hot encoding.
- Normalizing/scaling numeric features so that the model treats all inputs on a comparable scale.

3. Feature Engineering

New features are derived from the raw data to help the model capture patterns more effectively:

- Previous-station delay (propagated delay), used as a strong predictor of downstream delay.
- Day-type flags: weekend, public holiday, and religious-festival indicators.
- Seasonal indicators such as monsoon period or peak-travel-season flags.
- Rolling/historical average delay for the same train and station over past occurrences of the same day type.

4. Model Selection and Training

The processed dataset is split into training and testing sets (e.g., 80:20) using time-aware splitting so that the model is always tested on more recent data than it was trained on. Multiple regression algorithms are trained and compared, including Random Forest Regressor, Gradient Boosting, XGBoost, and LightGBM, with a Neural Network model evaluated as an optional extension. Hyperparameter tuning is carried out using techniques such as Grid Search or Randomized Search with cross validation.

5. Model Evaluation

Model performance is evaluated using standard regression metrics: Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), and R^2 score. The model producing the lowest error and most stable performance across cross-validation folds is selected as the final production model. Prediction confidence is derived from the variance across ensemble estimators (for tree-based models) and expressed as a percentage.

6. Prediction and Explanation

Once trained, the model accepts a train number, journey date, and route as input, automatically fetches the relevant weather and calendar context, and outputs the predicted delay at each upcoming station along with a confidence score. Feature-importance values from the trained model are used to generate the human-readable list of contributing factors (e.g., heavy rainfall, weekend rush, festival crowd, historical trend) shown to the user.

7. Continuous Learning (Retraining)

As new journey records become available, they are appended to the dataset. The pipeline supports periodic retraining (e.g., weekly or monthly, or after a set number of new records) so that the model adapts to changing seasonal patterns, infrastructure changes, or shifts in traffic density, rather than remaining static after the initial training run.

TECHNOLOGY STACK

Category	Technology/Tool
Programming language	Python 3
Data Handling	Pandas, NumPy
Machine Learning	Scikit-learn, XGBoost, LightGBM
Model Persistence	Joblib / Pickle
Visualization	Matplotlib, Plotly

Database	SQLite (development) / PostgreSQL (production)
External Data Sources	Weather API (e.g., OpenWeatherMap), public holiday/festival calendar data
Version Control	Git and GitHub
Development Environment	Jupyter Notebook / VS Code
Deployment (future scope)	Docker, cloud hosting (e.g., Render, AWS, or Heroku)

IMPLEMENTATION PLAN / MODULES


Synapse is implemented as a set of independent, integrable modules. This modular structure allows development and testing to proceed in parallel and makes the retraining pipeline easy to maintain.

Module	Module Name	Description
M1	Data Collection Module	Gathers historical train running data, weather records, and holiday/festival calendars from available sources and stores them in raw form.
M2	Data Preprocessing Module	Cleans the raw data, handles missing values, encodes categorical fields, and computes the delay target variable for each station record.
M3	Feature Engineering Module	Derives additional predictive features such as previous-station delay, day-type flags, and historical average delay trends.
M4	Prediction Engine	Loads the trained model to generate station-wise delay predictions, confidence scores, and explanatory factors for a given train and date.
M5	Backend API module	Exposes REST endpoints (built with Flask/FastAPI) that accept user input and return prediction results in JSON format.
M6	Frontend / UI module	Provides a web interface where users enter train number, date, and stations, and view the predicted delays and reasons in a readable format.

M8	Database Module	Stores historical records, user queries, and prediction logs to support analytics and future retraining.
M9	Continuous Learning Module	Periodically merges newly collected data into the training set and retrains the model to keep predictions up to date.

IMPLEMENTATION TIMELINE

- Weeks 1–2: Data collection, cleaning, and preprocessing pipeline (M1, M2).
- Weeks 3–4: Feature engineering and initial model training/evaluation (M3, M4).
- Weeks 5–6: Prediction engine and backend API development (M5, M6).
- Weeks 7–8: Frontend interface, database integration, and end-to-end testing (M7, M8).
- Weeks 9–10: Continuous learning pipeline, final evaluation, and documentation (M9).



EXPECTED OUTCOMES

- Develop an AI-based model to accurately predict train delays before the journey using historical and contextual data.
- Help passengers plan their travel better by providing advance delay predictions.
- Analyze the impact of factors such as weather, holidays, festivals, seasonal demand, and previous station delays on train punctuality.
- Compare different machine learning models to identify the best-performing algorithm based on evaluation metrics.
- Provide explainable predictions with confidence scores to improve transparency and user trust.
- Develop a user-friendly web or mobile interface for delay prediction.
- Enable periodic model updates using new railway data to improve prediction accuracy over time.
- Demonstrate the potential of AI for smarter railway management and intelligent transportation systems.

FUTURE SCOP

1. Integrate real-time train, GPS, and weather data to improve prediction accuracy.
2. Expand the system to cover all Indian Railways trains and stations.
3. Develop a mobile app with real-time delay alerts and journey updates.
4. Explore advanced deep learning models such as LSTM, GRU, and Transformers.
5. Support railway operations through timetable optimization and congestion management.
6. Recommend alternative trains or routes during significant delays.
7. Integrate with Indian Railways reservation and enquiry systems.
8. Enable cloud-based continuous learning through automatic model updates.
9. Predict passenger demand to estimate crowd levels and optimize coach allocation.

REFERENCES

- Where is My Train, "Where is My Train – Live Train Running Status." Available: <https://whereismytrain.in/>
- RailYatri, "RailYatri – Train Tickets & Railway Information." Available: <https://www.railyatri.in/>
- NTES, "National Train Enquiry System (NTES)." Available: <https://enquiry.indianrail.gov.in/>
- Centre for Railway Information Systems, "CRIS – Centre for Railway Information Systems." Available: <https://cris.org.in/>
- OpenAI, "ChatGPT." Available: <https://chatgpt.com/>
- Machine Learning Systems and Intelligent Applications, William C. Benton, Red Hat.
- Heterogeneous Machine Learning Ensembles for Predicting Train Delays, Mostafa Al Ghamdi, Gerard Parr, and Wenjia Wang.
- Online Prediction of Arrival and Departure Times in Each Station for Passenger Trains Using Machine Learning Methods, Shekoofeh Vafaei and Masoud Yaghini.
- IEEE Power & Energy Society, IEEE PES EPM Guidelines for Project Proposal Submission, Revision Date: May 19, 2025.
- Institute of Electrical and Electronics Engineers, IEEE Conference Paper Template. Available: <https://www.ieee.org/conferences/publishing/templates.html>
- Expert Consultation (instead of References)
- Ms. Reshma T. P. – Software Engineer (Technical Consultation)
- Mr. Robin Samuelkutty – Software Engineer (Technical Consultation)
- Pedregosa, F. et al., "Scikit-learn: Machine Learning in Python," Journal of Machine Learning Research, vol. 12, pp. 2825–2830, 2011.
- Chen, T. and Guestrin, C., "XGBoost: A Scalable Tree Boosting System," Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 2016.
- Ke, G. et al., "LightGBM: A Highly Efficient Gradient Boosting Decision Tree," Advances in Neural Information Processing Systems (NeurIPS), 2017.
- Breiman, L., "Random Forests," Machine Learning, vol. 45, no. 1, pp. 5–32, 2001.
- Indian Railways, Ministry of Railways, Government of India — official railway data and running status resources, <https://indianrailways.gov.in>
- OpenWeatherMap API Documentation, <https://openweathermap.org/api>
- Kaggle, "Indian Railways Train Delay / Punctuality Datasets," <https://www.kaggle.com>
- Flask Documentation, Pallets Projects, <https://flask.palletsprojects.com>
- FastAPI Documentation, <https://fastapi.tiangolo.com>
- Pandas Development Team, "pandas: Powerful Python Data Analysis Toolkit," <https://pandas.pydata.org>
- Ministry of Railways, Government of India, official reports and railway performance statistics.
- A Unified Approach to Interpreting Model Predictions, Scott M. Lundberg and Su-In Lee, Advances in Neural Information Processing Systems (NeurIPS), 2017.
- Centre for Railway Information Systems (CRIS), official railway information and operational resources.
- India Meteorological Department (IMD), Weather and Climate Data Services.