

The spec didn't say. One skill decided.

Both branches were built from the byte-identical `SPEC.md` with the same one-line prompt, `Read SPEC.md and build it.` The only thing that changed between them is `.claude/skills/api-boundary/SKILL.md` — the one rule the spec itself left open: should the UI reach data directly, or only through HTTP?

cp1 `321a0bb` — reviewer skill only cp2 `825a84d` — + api-boundary diff scope `AssetDesk/`, 21 files

What one skill changed

counted directly from the diff, not estimated

COMPONENTS INJECTING ASSETREPOSITORY

2 → 0

Home.razor + AddAssetDrawer.razor talked straight to Dapper

DOMAIN RECORDS IN COMPONENT SIGNATURES

11 → 0

Asset / Employee / AppState as [Parameter] or EventCallback<T>

DATA-ACCESS PATHS IN THE APP

2 → 1

In-process calls + unused HTTP API → one HTTP path for everyone


LINES TOUCHED, 21 OF 21 FILES

+976 -846

+2 new boundary files: AssetDeskClient.cs, Dtos.cs

Where data actually flows

every arrow below is a real `@inject` / call site in the diff



```
cp1 Components/Pages/Home.razor

@inject AssetRepository Repo

@code {
    private AppState _state = new([], []);

    protected override void OnInitialized()
    {
        _state = Repo.GetState();
    }

    private void HandleReturn(Asset asset)
    {
        Repo.Return(asset.Id);
        Refresh();
    }
}
```

```
cp2 Components/Pages/Home.razor

/* AssetRepository is unreachable from here -
   it's constructed once, in Program.cs */

@code {
    [Inject] AssetDeskClient Client { get; set; }
    private AppStateDto? _state;

    protected override async Task
    OnInitializedAsync()
        => await RefreshAsync();

    private async Task RefreshAsync()
    {
        _state = await
        Client.GetStateAsync(_cts.Token);
        StateHasChanged();
    }
}
```

What crossed the component boundary

the 4 clearest sites, of 11 total in cp1

COMPONENT	CP1 — REVIEWER ONLY	CP2 — + API-BOUNDARY
AssetsTable.razor	[Parameter] List<Asset> AssetList [Parameter] List<Employee> Employees	[Parameter] AppStateDto State
AssetsTable.razor	EventCallback<(Asset, Status)> OnSetStatusClick	EventCallback OnChanged — component calls Client.SetStatusAsync itself
AssignDialog.razor	[Parameter] Asset? Asset [Parameter] List<Employee> Employees	[Parameter] AssetDto? Asset [Parameter] List<EmployeeDto> Employees
Dashboard.razor / People.razor	[Parameter] AppState State — the raw domain record	[Parameter] AppStateDto State — Data/Dtos.cs, mirrors it 1:1

Where the diff lands

total lines changed per file, cp1 → cp2, sorted descending

■ modified ■ new file

AddAssetDrawer.razor		+147 -143
wwwroot/app.css		+121 -144
Data/AssetRepository		+110 -134
AssetsTable.razor		+122 -64
Home.razor		+38 -93
Data/Db.cs		+41 -76
Data/Format.cs		+54 -38
AssignDialog.razor		+47 -40
Dashboard.razor		+38 -40
People.razor		+47 -28
Program.cs		+43 -22
Data/AssetDeskClient		+57
Data/Dtos.cs	NEW	+45
Pages/Error.razor	NE	+36
Layout/Sidebar.razor		+5 -10
Layout/MainLayout.ra:		+9 -5
_Imports.razor		+5 -2
Routes.razor		+1 -4
Pages/NotFound.razor		+5
launchSettings.json		+2 -2
StatusPill.razor		+3 -1

New — the boundary layer (2 + 2 framework pages)

Didn't exist on cp1 at all. This is what "one typed client, DTOs at the boundary" costs in files.

- Data/AssetDeskClient.cs
- Data/Dtos.cs
- Components/Pages/Error.razor
- Components/Pages/NotFound.razor

Modified — every other file (17)

Every component, the repository, the schema helper, and the stylesheet all shifted — rerouting the boundary touches the whole app, not just the two offending files.

- Program.cs, Data/AssetRepository.cs, Data/Db.cs, Data/Format.cs
- All 6 Components/Shared/*.razor
- Home.razor, Sidebar.razor, MainLayout.razor, Routes.razor, _Imports.razor
- wwwroot/app.css, Properties/launchSettings.json

Reproduce: `git diff --stat work/cp1 work/cp2 -- AssetDesk`

cp1 321a0bb · 2026-08-12 03:55 · **cp2** 825a84d · 2026-08-12 16:20