

**UJIAN TENGAH SEMESTER  
PEMROGRAMAN WEB LANJUT  
S1-SISTEM INFORMASI**

**“CRUD pada Web Dinamis Sederhana”**



**Disusun Oleh :**

<b>Nama</b>	<b>Ika Purwanti</b>
<b>NIM</b>	<b>21.12.2138</b>
<b>Dosen Pengampu</b>	<b>Aditya Rizki Yudiantika, ST, M.Eng</b>
<b>Nama Koordinator Asisten</b>	<b>Megat Abdalla Nasir</b>
<b>Kelas</b>	<b>21 S1SI 05</b>

**S1 – SISTEM INFORMASI  
FAKULTAS ILMU KOMPUTER  
UNIVERSITAS AMIKOM YOGYAKARTA**

**2022**

# UJIAN TENGAH SEMESTER

## Pemrograman Web Lanjut

### A. Peralatan

- XAMPP
- VSCode
- Web Browser
- Komputer / laptop

### B. Hasil dan Pembahasan

Tema : website jual beli hp bekas

#### 1. Database = jualbelihpbekas\_2138

##### a. Struktur table

- Table user\_admin

The screenshot shows the phpMyAdmin interface with the following details:

- Server:** 127.0.0.1
- Database:** jualbelihpbekas\_2138
- Table:** user\_admin

**Table structure:**

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	username	varchar(20)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	password	varchar(8)	utf8mb4_general_ci		Yes	NULL			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	namalengkap	varchar(50)	utf8mb4_general_ci		Yes	NULL			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	nohp	varchar(15)	utf8mb4_general_ci		Yes	NULL			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

**Indexes:**

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
<a href="#">Edit</a> <a href="#">Rename</a> <a href="#">Drop</a>	PRIMARY	BTREE	Yes	No	username	2	A	No	

**Buttons:**

- Print
- Propose table structure
- Move columns
- Normalize
- Add [1] column(s) after nohp
- Go

- Table produk

localhost / 127.0.0.1 / jualbelihpbekas\_2138 / Table: produk

**Table structure**

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)	utf8mb4_general_ci		No	None	AUTO_INCREMENT	Change  Drop  More	
2	judul	varchar(50)	utf8mb4_general_ci		No	None		Change  Drop  More	
3	deskripsi	text	utf8mb4_general_ci		No	None		Change  Drop  More	
4	merek	varchar(20)	utf8mb4_general_ci		No	None		Change  Drop  More	
5	kondisi	varchar(5)	utf8mb4_general_ci		No	None		Change  Drop  More	
6	harga	int(11)			No	None		Change  Drop  More	
7	tanggal_upload	date			No	None		Change  Drop  More	
8	gambar	varchar(50)	utf8mb4_general_ci		No	None		Change  Drop  More	
9	username	varchar(20)	utf8mb4_general_ci		No	None		Change  Drop  More	

## b. Relasi antar table

localhost / 127.0.0.1 / jualbelihpbekas\_2138

**Structure**

**Untitled \***

**jualbelihpbekas\_2138 user\_admin**

- username : varchar(20)
- password : varchar(8)
- namalengkap : varchar(50)
- nohp : varchar(15)

**jualbelihpbekas\_2138 produk**

- id : int(11)**
- judul : varchar(50)
- deskripsi : text
- merek : varchar(20)
- kondisi : varchar(5)
- harga : int(11)
- tanggal\_upload : date
- gambar : varchar(50)
- username : varchar(20)

## c. Isi data di table

- Table user\_admin

The screenshot shows the phpMyAdmin interface for the 'user\_admin' table in the 'jualbelihpbekas\_2138' database. The table has columns: username, password, namalengkap, and nohp. Two rows are present:

	username	password	namalengkap	nohp
1	bopuya	bopbop2	Bopu	082134702740
2	ikap	ika2138	Ika Purwanti	089503250312

## - Table produk

The screenshot shows the phpMyAdmin interface for the 'produk' table in the 'jualbelihpbekas\_2138' database. The table has columns: id, judul, deskripsi, merek, kondisi, harga, tanggal\_upload, gambar, and username. Nine rows are listed:

	id	judul	deskripsi	merek	kondisi	harga	tanggal_upload	gambar	username
1	39	Hp Oppo Reno 6	Oppo Reno 6 4G ram 8gb+5	Oppo	Bekas	5100000	2022-11-22	uploads/hp4.jpg	bopuya
2	40	Hp Samsung Galaxy Z Flip 3	Samsung Galaxy Z Flip 3 5G 128gb lila	Samsung	Baru	20000000	2022-11-22	uploads/hp1.jpg	ikap
3	41	Hp Xiaomi Mi 11 Ultra		Xiaomi	Bekas	8999000	2022-11-22	uploads/hp8.jpg	ikap
4	42	Hp Vivo V20 Pro	Vivo V20 Pro ram 8gb	Vivo	Bekas	4575000	2022-11-22	uploads/hp7.jpg	ikap
5	45	Hp iPhone 11		iPhone	Bekas	8000000	2022-11-22	uploads/hp6.jpg	bopuya
6	46	Hp Samsung S10+	Samsung S10+ ram 16gb 256gb	Samsung	Bekas	12000000	2022-11-22	uploads/hp2.jpg	bopuya
7	47	Hp iPhone 13 Pro Max		iPhone	Baru	10500000	2022-11-22	uploads/hp5.jpg	ikap
8	48	Hp Samsung A32	Samsung A32 ram 8gb 12" hd	Samsung	Bekas	4500000	2022-11-22	uploads/hp3.jpg	ikap
9	51	Hp Realme C53		Realme	Baru	8899000	2022-11-22	uploads/hp9.jpg	bopuya

## 2. Screenshot script dan outputnya

- File tampilan font end yang dapat diakses oleh user
- config.php

The screenshot shows the Visual Studio Code interface with the file 'config.php' open. The code connects to a MySQL database using mysqli\_connect. If the connection fails, it outputs an error message. The code editor has syntax highlighting for PHP.

```
<?php
$config = mysqli_connect("localhost", "root", "", "jualbelihpbekas_2138");
if (!$config){
    die('Gagal terhubung ke MySQL : '.mysqli_connect_error());
}
?>
```

## - index.php

### Script

The screenshot shows the Visual Studio Code interface with the file 'index.php' open. The code defines a CSS style for a responsive image, setting its width to 100%. The code editor has syntax highlighting for HTML and CSS.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Dashboard Bapu Cell</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="..."/>
<style>
    body{
        margin: 0;
        padding: 0;
        background-color: white;
        font-family: Arial, Helvetica, sans-serif;
    }

    h1,h2,h3,h4,h5{
        font-family: Georgia, 'Times New Roman', Times, serif;
    }

    .container{
        max-width: 1200px;
        margin: 0 auto;
        padding: 0;
    }
    .d-flex{
        display: flex;
    }
    .img-responsive{
        width: 100%;
    }
</style>
```

index.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

```
File Edit Selection View Go Run Terminal Help index.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER index.php x
21.12.2138.IKA PURWANT... index.php > html > head > style > spacersection
admin uploads config.php halaman_beli.php halaman_produ... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE
TIMELINE
Ln 56, Col 27 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
23:31 22/11/2022
```

index.php

```
29     .img-responsive{
30         width: 100%;
31     }
32     .jc-spacebetween{
33         justify-content: space-between;
34     }
35
36     .hero{
37         margin-top: 30px;
38         display: flex;
39     }
40     .hero p{
41         font-size: 14px;
42         line-height: 180%;
43     }
44     .desc{
45         padding: 35px 10px 0px 20px;
46         float: left;
47         width: 40%;
48     }
49     .bigtitle{
50         font-size: 2.7em;
51     }
52     .spacercontent{
53         margin-bottom: 20px;
54     }
55     .spacersection{
56         padding: 2% 0;
57     }
```

index.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

```
File Edit Selection View Go Run Terminal Help index.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER index.php x
21.12.2138.IKA PURWANT... index.php > html > body > div.container.hero.spacercontent
admin uploads config.php halaman_beli.php halaman_produ... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE
TIMELINE
Ln 83, Col 47 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
23:31 22/11/2022
```

index.php

```
56     padding: 2% 0;
57 }
58     .image{
59         float: right;
60         width: 70%;
61     }
62
63     </style>
64 </head>
65 <body>
66     <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
67         <div class="container">
68             <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
69             <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-c...
70                 <span class="navbar-toggler-icon"></span>
71             </button>
72             <div class="collapse navbar-collapse" id="navbarNav">
73                 <div class="navbar-nav ms-auto">
74                     <form class="container">
75                         <a href="admin/login.php" class="btn btn-sm btn-outline-light" type="button">Login</a>
76                         <a href="admin/register.php" class="btn btn-sm btn-outline-light" type="button">Register</a>
77                     </form>
78                 </div>
79             </div>
80         </div>
81     </nav>
82
83     <div class="container hero spacercontent">
84         <div class="desc">
```

File Edit Selection View Go Run Terminal Help index.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER index.php

21.12.2138.IKA PURWANT... index.php > html > body > div.container.hero.spacercontent > div.image > div.container.corousel-contain > div#carouselExampleIndicators.carousel.slide.col-lg-10 offset-lg-1 " data-bs-ride="true"

```
<div class="container hero spacercontent">
  <div class="desc">
    <h2 class="bigtitle">Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.</h2>
    <div class="spacercontent"></div>
    <p>Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional dan terpercaya di seluruh Indonesia. Jadi, jangan ragu untuk membeli handphone bekas berkualitas dengan harga terjangkau di sini!</p>
  </div>
  <div class="image">
    <div class="container corousel-contain">
      <div id="carouselExampleIndicators" class="carousel slide col-lg-10 offset-lg-1 " data-bs-ride="true">
        <div class="carousel-indicators">
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0" class="active"></button>
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1" aria-label="Slide 1"></button>
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2" aria-label="Slide 2"></button>
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="3" aria-label="Slide 3"></button>
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="4" aria-label="Slide 4"></button>
          <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="5" aria-label="Slide 5"></button>
        </div>
        <div class="carousel-inner">
          <div class="carousel-item active">
            
          </div>
          <div class="carousel-item">
            
          </div>
          <div class="carousel-item">
            
          </div>
          <div class="carousel-item">
            
          </div>
        </div>
        <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="visually-hidden">Previous</span>
        </button>
        <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="visually-hidden">Next</span>
        </button>
      </div>
    </div>
  </div>

```

Ln 111, Col 89 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

26°C Berawan 23:32 22/11/2022

File Edit Selection View Go Run Terminal Help index.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER index.php

21.12.2138.IKA PURWANT... index.php > html > body > div.container.produk.mt-5 > div.container > div.row.row-cols-4

```
<div class="container produk mt-5">
  <div class="row row-cols-4">
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="prev">
      <span class="carousel-control-prev-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="next">
      <span class="carousel-control-next-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Next</span>
    </button>
  </div>
</div>
<div class="container produk mt-5">
  <h1 class="mb-4">Produk</h1>
  <div class="container">
    <div class="row row-cols-4">
      <?php
        include "config.php";
      </?>
    </div>
  </div>

```

Ln 137, Col 22 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

26°C Berawan 23:32 22/11/2022

The screenshot shows the Visual Studio Code interface with the file 'index.php' open. The code displays a PHP script that queries a MySQL database to fetch product information and display it in a grid format using Bootstrap cards. The code includes logic for handling the query result and rendering each product's details.

```
index.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
File Edit Selection View Go Run Terminal Help
index.php X
EXPLORER ...
21.12.2138_IKA PURWANT...
admin uploads config.php halaman_beli.php halaman_produk... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE ...
TIMELINE ...
Ln 163, Col 11 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
26°C Berawan 23:32 22/11/2022
```

```
index.php > html
136     <div class="row row-cols-4">
137         <?php
138             include "config.php";
139             $sql=mysqli_query($config, "SELECT id, gambar, judul, deskripsi, harga FROM produk ORDER BY id ASC");
140             while ($row=mysqli_fetch_array($sql)){
141                 $judul_iklan_produk=$row['judul'];
142             }
143         </?php>
144         <div class="col mb-5">
145             <div class="card" style="width: 18rem;">
146                 <img src='../21.12.2138_Ika Purwanti_SI 05/admin/<?php echo $row['gambar']; ?>' class="card-img-top" alt="Card image cap"/>
147                 <div class="card-body">
148                     <h4><?php echo $row['judul'] ?></h4>
149                     <p><?php echo $row['deskripsi'] ?></p>
150                     <p><?php echo "Rp. ". $row['harga']. "" ?></p>
151                     <?php
152                         echo "
153                             <a class='btn btn-outline-primary' href='admin/login.php?id=".$row['id']."'>B
154                         </a>
155                     <?php
156                     echo "
157                         <a class='btn btn-outline-primary' href='admin/login.php?id=".$row['id']."'>B
158                         </a>
159                     <?php
160                     echo "
161                     </div>
162                 </div>
163             </div>
164         </div>
165     </div>
166     <br><br>
167     <div class="container">
168         <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
169             <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
170             <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
171                 <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
172             </a>
173         </footer>
174     </div>
175     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2E
176     </body>
177 </html>
```

The screenshot shows the Visual Studio Code interface with the file 'index.php' open. The code displays a PHP script that includes a footer section with a copyright notice and a Bootstrap icon. It also includes a script tag for loading Bootstrap JS from a CDN.

```
index.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
File Edit Selection View Go Run Terminal Help
index.php X
EXPLORER ...
21.12.2138_IKA PURWANT...
admin uploads config.php halaman_beli.php halaman_produk... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE ...
TIMELINE ...
Ln 178, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
26°C Berawan 23:33 22/11/2022
```

```
index.php > html
160     </div>
161     </div>
162     </div>
163     <br><br>
164     <div class="container">
165         <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
166             <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
167             <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
168                 <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
169             </a>
170         </footer>
171     </div>
172     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2E
173     </body>
174 </html>
```

Output : index.php

Dashboard Bopu Cell

localhost / 127.0.0.1 / jualbelihp: localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/

Bopu Cell

Login Register

## Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.

Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional.

Galaxy Z Fold3 | Flip3 5G

Produk

26°C Berawan

Search

W

Dashboard Bopu Cell

localhost / 127.0.0.1 / jualbelihp: localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/

## Produk

Hp Oppo Reno 6  
Oppo Reno 6 4G ram 8gb+5  
Rp. 5100000  
[Beli](#)

Hp Samsung Galaxy Z Flip 3  
Samsung Galaxy Z Flip 3 5G 128gb lilla  
Rp. 20000000  
[Beli](#)



Hp Xiaomi Mi 11 Ultra  
Rp. 8999000  
[Beli](#)

Hp Vivo V20 Pro  
Vivo V20 Pro ram 8gb  
Rp. 4575000  
[Beli](#)

26°C Berawan

Search

W



b. File untuk admin

- config.php

The screenshot shows a Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** config.php - 21.12.2138.Ika.Purwanti\_SI\_05 - Visual Studio Code
- Explorer View (Left):** Shows a file tree for a directory named "21.12.2138.IKA\_PURWANT...". The "admin" folder is expanded, showing files like config.php, uploads, index.php, login.php, logout.php, produk.php, produk\_beli.php, produk\_edit.php, produk\_hapus.php, produk\_tambah.php, register.php, register\_action.php, user\_edit.php, user\_hapus.php, user\_tambah.php, and welcome.php. Below "admin" is an "image" folder containing config.php and index.php.
- Editor View (Center):** Displays the content of the config.php file. The code connects to a MySQL database using mysqli\_connect(). It includes a check for a configuration variable \$config and handles errors with die().

```
<?php
$config = mysqli_connect("localhost", "root", "", "jualbelihpbekas_2138");
if (!$config){
    die('Gagal terhubung ke MySQLi : '.mysqli_connect_error());
}
?>
```
- Bottom Status Bar:** Ln 7, Col 3 | Spaces: 4 | UTF-8 | CRLF | PHP | Go Live | Prettier | 23:35 | 22/11/2022
- Bottom Icons:** Cloud icon (26°C), Search icon, File Explorer icon, Task List icon, Terminal icon, Browser icon, Git icon, Debug icon, and others.

- index.php

## Script

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** On the left, it displays a file tree for a project named "21.12.2138\_Ika\_Purwanti\_SI\_05". The "index.php" file is selected. Other files visible include "admin", "uploads", "config.php", "halaman\_beli.php", "halaman\_produk.php", "halaman\_user.php", and various PHP action files like "login\_action.php", "register\_action.php", etc.
- Code Editor:** The main area shows the content of "index.php":

```
<?php  
session_start();  
include("login.php");  
?>
```
- Bottom Status Bar:** Shows "Ln 3, Col 26" and other status indicators.
- Bottom Icons:** Includes icons for Cloud, Search, File, Copy, Paste, Undo, Redo, Go Live, Prettier, and others.
- Bottom Status Bar:** Shows "25°C Berawan" and "00:24 23/11/2022".

- login.php

## Script

File Edit Selection View Go Run Terminal Help login.php - 21.12.2138\_Ika.Purwanti\_SI 05 - Visual Studio Code

EXPLORER login.php

21.12.2138.IKA PURWANT... admin > login.php > html > head > style > .container

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Halaman Login</title>
8      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-qOu+zqK+g5JyJ4Zl0d0JzZPj0yJgkHmIYDqOvXwQfNtqFf+eXuH+Dw==" crossorigin="anonymous">
9      <style type="text/css">
10         body {
11             background-image: url('https://i.pinimg.com/564x/a8/7c/2a/a87c2a8a7d0d407fc8200d576009e56f.jpg');
12             padding: 0;
13             margin: 0;
14         }
15         .login-page {
16             width: 100%;
17             padding: 8% 0 0;
18             margin: auto;
19         }
20         .container {
21             position: relative;
22             z-index: 1;
23             background: #FFF;
24             max-width: 360px;
25             margin: 0 auto 100px;
26             padding: 45px;
27             text-align: center;
28             box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
29             border-radius: 15px;
30         }
31     </style>
32 </head>
33 <body>
34     <div class="login-page">
35         <div class="container">
36             <form action="login_action.php" method="POST" autocomplete="off">
37                 <h5>Selamat Datang di <strong>Bapu</strong> Cell</h5>
38                 <h6>Silakan login terlebih dahulu</h6>
39                 <br>
40                 <div class="col-sm-12">
41                     <div class="form-floating mb-3">
42                         <input type="text" class="form-control" id="Username" name="Username" placeholder="Username" value="User" required="required" data-validation-required-message="Please enter your Username." data-validation-error="Please enter a valid Username." data-validation-type="string">
43                         <label for="floatingInput">Username</label>
44                     </div>
45                 </div>
46                 <div class="col-sm-12">
47                     <div class="form-floating mb-3">
48                         <input type="password" class="form-control" id="Password" name="Password" placeholder="Password" value="User" required="required" data-validation-required-message="Please enter your Password." data-validation-error="Please enter a valid Password." data-validation-type="string">
49                         <label for="floatingInput">Password</label>
50                     </div>
51                 </div>
52                 <br>
53                 <button class="btn btn-outline-primary" type="submit">Login</button>
54             </form>
55         </div>
56     </div>
57 </body>
58 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERca2EoYs2pWvZ0WN7E7s7PdNQFkxhjWBTUzjQVZtWpRlMj6t06Lw5Zl9L" crossorigin="anonymous"></script>
```

Ln 29, Col 33 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

26°C Berawan 23:36 22/11/2022

File Edit Selection View Go Run Terminal Help login.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER login.php

21.12.2138.IKA PURWANT... admin > login.php > html > body

```
29     border-radius: 15px;
30   </style>
31 </head>
32 <body>
33     <div class="login-page">
34         <div class="container">
35             <form action="login_action.php" method="POST" autocomplete="off">
36                 <h5>Selamat Datang di <strong>Bapu</strong> Cell</h5>
37                 <h6>Silakan login terlebih dahulu</h6>
38                 <br>
39                 <div class="col-sm-12">
40                     <div class="form-floating mb-3">
41                         <input type="text" class="form-control" id="Username" name="Username" placeholder="Username" value="User" required="required" data-validation-required-message="Please enter your Username." data-validation-error="Please enter a valid Username." data-validation-type="string">
42                         <label for="floatingInput">Username</label>
43                     </div>
44                 </div>
45                 <div class="col-sm-12">
46                     <div class="form-floating mb-3">
47                         <input type="password" class="form-control" id="Password" name="Password" placeholder="Password" value="User" required="required" data-validation-required-message="Please enter your Password." data-validation-error="Please enter a valid Password." data-validation-type="string">
48                         <label for="floatingInput">Password</label>
49                     </div>
50                 </div>
51                 <br>
52                 <button class="btn btn-outline-primary" type="submit">Login</button>
53             </form>
54         </div>
55     </div>
56 </body>
57 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERca2EoYs2pWvZ0WN7E7s7PdNQFkxhjWBTUzjQVZtWpRlMj6t06Lw5Zl9L" crossorigin="anonymous"></script>
```

Ln 57, Col 4 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

26°C Berawan 23:37 22/11/2022


```
File Edit Selection View Go Run Terminal Help login.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER login.php
21.12.2138.IKA PURWANT... admin > login.php > html
admin uploads config.php halaman_beli.php halaman_produk.. halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE
TIMELINE
Ln 60, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
26°C Berawan 23:38 22/11/2022
```

```
45     </div>
46     <div class="col-sm-12">
47         <div class="form-floating mb-3">
48             <input type="password" class="form-control" id="Password" name="Password" placeholder="Password" form="floatingInput" />
49             <label for="floatingInput">Password</label>
50         </div>
51     <br>
52     <button class="btn btn-outline-primary">Login</button><br><br>
53 </form>
54 </div>
55 </div>
56 </div>
57 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq
58 </body>
59 </html>
```

## login\_action.php

```
File Edit Selection View Go Run Terminal Help login_action.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER login.php login_action.php
21.12.2138.IKA PURWANT... admin > login_action.php > body > div.container
admin uploads config.php halaman_beli.php halaman_produk.. halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE
TIMELINE
Ln 29, Col 66 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
26°C Berawan 23:39 22/11/2022
```


```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Halaman Proses Login</title>
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="
    </head>
    <body>
        <nav class="navbar navbar-dark bg-dark">
            <div class="container">
                <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
            </div>
        </nav>
        <br>
        <div class="container">
            <h4>Keterangan</h4>
            <br> <br>
            <?php
                session_start();
                include "config.php";
                $user = $_POST['Username'];
                $pass = $_POST['Password'];
                $sql = "SELECT username From user_admin
                        WHERE username='$user' AND password='$pass'";
            <?>
        </div>
    </body>
</html>
```



```
File Edit Selection View Go Run Terminal Help login_action.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER login.php login_action.php
21.12.2138.IKA PURWANT... admin > login_action.php > html > body > div.container
29 WHERE username='$user' AND password='$pass'";
30
31 $hasil = mysqli_query($config,$sql) or exit("Error query : <b>$sql.</b>.");
32
33 if(mysqli_num_rows($hasil)>0){
34     $data = mysqli_fetch_array($hasil);
35     $_SESSION['user'] = $data['username'];
36     header("Location:welcome.php");
37     exit();
38 }
39 else { ?>
40     <h3>Maaf...</h3>
41     <p> Username atau password salah.<br><br><br> Klik <a href="login.php" class="btn btn-outline-primary
42     ?>
43
44     </div>
45
46     <div class="container">
47         <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
48             <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
49
50             <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
51                 <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
52             </a>
53         </footer>
54     </div>
55
56     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq
57
58 </body>
59 </html>
60 |
```

Ln 55, Col 1 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier 23:39 22/11/2022




```
File Edit Selection View Go Run Terminal Help login_action.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER login.php login_action.php
21.12.2138.IKA PURWANT... admin > login_action.php > ...
40     <h3>Maaf...</h3>
41     <p> Username atau password salah.<br><br><br> Klik <a href="login.php" class="btn btn-outline-primary
42     ?>
43
44     </div>
45
46     <div class="container">
47         <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
48             <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
49
50             <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
51                 <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
52             </a>
53         </footer>
54     </div>
55
56     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq
57
58 </body>
59 </html>
60 |
```

Ln 60, Col 1 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier 23:39 22/11/2022

Output : login.php



- register.php

### Script

A screenshot of Visual Studio Code showing the code for 'register.php'. The file content is as follows:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Register</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-...
<style type="text/css">
    body {
        background-image: url('https://i.pinimg.com/564x/a8/2a/a87c2a8a7d0d407fcfa200d576009e56f.jpg');
        padding: 0;
        margin: 0;
    }
    .login-page {
        width: 100%;
        padding: 85px 0px 0px 0px;
        margin: auto;
    }
    .container {
        position: relative;
        z-index: 1;
        background: #F7F7F5;
        max-width: 360px;
        margin: 0 auto 100px;
        padding: 35px;
        text-align: center;
        box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
        border-radius: 15px;
    }
</style>
```

The code includes CSS for styling the login page, such as a background image and shadows for the container box.

File Edit Selection View Go Run Terminal Help register.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER login.php login\_action.php register.php

21.12.2138.IKA PURWANT... admin register.php

> uploads config.php halaman\_beli.php halaman\_produ... halaman\_user.php index.php login\_action.php login.php logout.php produk\_beli.php produk\_edit.php produk\_hapus.p... produk\_tambah... register\_action.p... register.php user\_edit.php user\_hapus.php user\_tambah.php welcome.php

image config.php index.php

OUTLINE TIMELINE

```
29     border-radius: 15px;
30   }
31   </head>
32   <body>
33     <div class="login-page">
34       <div class="container">
35         <form action="register_action.php" method="POST" autocomplete="off">
36           <h5>Selamat Datang di <strong>Bopu</strong> Cell</h5>
37           <h6>Silakan buat akun terlebih dahulu</h6>
38           <br>
39           <div class="col-sm-12">
40             <div class="form-floating mb-3">
41               <input type="text" class="form-control" id="Username" name="Username" placeholder="Username">
42               <label for="floatingInput">Username</label>
43             </div>
44           </div>
45           <div class="col-sm-12">
46             <div class="form-floating mb-3">
47               <input type="password" class="form-control" id="Password" name="Password" placeholder="Passwo">
48               <label for="floatingInput">Password</label>
49             </div>
50           </div>
51           <div class="col-sm-12">
52             <div class="form-floating mb-3">
53               <input type="text" class="form-control" id="NamaLengkap" name="NamaLengkap" placeholder="Nama">
54               <label for="floatingInput">Nama Lengkap</label>
55             </div>
56           </div>
57         </div>
58       </div>
59     </div>
60   </div>
61   <div class="col-sm-12">
62     <div class="form-floating mb-3">
63       <input type="tel" class="form-control" id="Nohp" name="Nohp" placeholder="Nomor Handphone">
64       <label for="floatingInput">Nomor Handphone</label>
65     </div>
66   </div>
67   <button class="btn btn-outline-primary">Register</button><br><br>
68 </div>
69 </div>
70 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eo5q4EeBdJQZGnXgDZP+uZl9+LQDfZ9FZjZJyD5Q+QkCkq4KQ=="></script>
71 </body>
72 </html>
```

Ln 56, Col 27 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier 23:41 22/11/2022

File Edit Selection View Go Run Terminal Help register.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER login.php login\_action.php register.php

21.12.2138.IKA PURWANT... admin register.php

> uploads config.php halaman\_beli.php halaman\_produ... halaman\_user.php index.php login\_action.php login.php logout.php produk\_beli.php produk\_edit.php produk\_hapus.p... produk\_tambah... register\_action.p... register.php user\_edit.php user\_hapus.php user\_tambah.php welcome.php


image config.php index.php

OUTLINE TIMELINE


```
52   <div class="col-sm-12">
53     <div class="form-floating mb-3">
54       <input type="text" class="form-control" id="NamaLengkap" name="NamaLengkap" placeholder="Nama">
55       <label for="floatingInput">Nama Lengkap</label>
56     </div>
57   </div>
58   <div class="col-sm-12">
59     <div class="form-floating mb-3">
60       <input type="tel" class="form-control" id="Nohp" name="Nohp" placeholder="Nomor Handphone">
61       <label for="floatingInput">Nomor Handphone</label>
62     </div>
63   </div>
64   <button class="btn btn-outline-primary">Register</button><br><br>
65 </div>
66 </div>
67 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eo5q4EeBdJQZGnXgDZP+uZl9+LQDfZ9FZjZJyD5Q+QkCkq4KQ=="></script>
68 </body>
69 </html>
```

Ln 73, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier 23:41 22/11/2022

## register\_action.php




```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Proses Register</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-...
</head>
<body>
    <nav class="navbar navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
        </div>
    </nav>
    <br>
    <div class="container">
        <h4>Keterangan</h4>
        <br> <br>
        <?php
            session_start();
            include "config.php";
            $username = $_POST['Username'];
            $pass = $_POST['Password'];
            $namaleng = $_POST['NamaLengkap'];
            $nohp = $_POST['Nohp'];
        <?>
    </div>
    <?php
        $sql = "INSERT INTO user_admin VALUES ('$username','$pass','$namaleng','$nohp')";
        $hasil = mysqli_query($config,$sql) or exit("Error query : <b>$sql</b>.");
        echo "<br><h5>Data user dengan username <b>i</b>". $username . "</b> berhasil ditambahkan.</h5>";
        <br><br>
        <p>Klik <a href='login.php' class='btn btn-outline-primary'>Disini</a> untuk login</p>
    </div>
    <div class="container">
        <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
            <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
            <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d...
            <svg class="bi me-2" width="40" height="32" xmlns="http://www.w3.org/2000/svg" href="#bootstrap"/></svg>
        </a>
    </footer>
    </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2E...
</body>
</html>
```



```
<?php
        $sql = "INSERT INTO user_admin VALUES ('$username','$pass','$namaleng','$nohp')";
        $hasil = mysqli_query($config,$sql) or exit("Error query : <b>$sql</b>.");
        echo "<br><h5>Data user dengan username <b>i</b>". $username . "</b> berhasil ditambahkan.</h5>";
        <br><br>
        <p>Klik <a href='login.php' class='btn btn-outline-primary'>Disini</a> untuk login</p>
    </div>
    <div class="container">
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2E...
    </body>
    </html>
```

Output : register.php



## - welcome.php

### Script

A screenshot of Visual Studio Code. The title bar says 'welcome.php - 21.12.2138 Ika Purwanti\_SI\_05 - Visual Studio Code'. The left sidebar shows a file tree with a folder '21.12.2138.IKA PURWANT...' containing several PHP files like 'admin', 'config.php', 'halaman\_beli.php', etc., and some other files like 'image', 'config.php', and 'index.php'. The main editor area shows the content of 'welcome.php'. The code includes HTML, CSS, and JavaScript. The CSS part defines a body with white background and sans-serif font, and a navigation bar with a dark background. The JS part includes a script to handle file uploads.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Welcome</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...>
    <style>
        body{
            margin: 0;
            padding: 0;
            background-color: white;
            font-family: Arial, Helvetica, sans-serif;
        }
        p {
            padding: 0;
            margin: 0;
        }
        h1,h2,h3,h4,h5 {
            font-family: Georgia, 'Times New Roman', Times, serif;
            margin: 0;
            padding: 0;
        }
    </style>
</head>
<body>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
        <div class="container">
            ...
        </div>
    </nav>
    ...
</body>

```



```
File Edit Selection View Go Run Terminal Help welcome.php - 21.12.2138.Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER ... login.php login_action.php register_action.php welcome.php x

21.12.2138.IKA PURWANT... admin > welcome.php > html > body > div.container
admin uploads config.php halaman_beli.php halaman_produ... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php

29      <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
30          <div class="container">
31              <a class="navbar-brand" href="#"><strong>Bopo</strong> Cell</a>
32              <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-c...
33                  <span class="navbar-toggler-icon"></span>
34          </button>
35          <div class="collapse navbar-collapse" id="navbarNav">
36              <div class="navbar-nav ms-auto">
37                  <form class="container">
38                      <a href="login.php" class="btn btn-sm btn btn-outline-danger" type="button">Logout</a>
39                  </form>
40              </div>
41          </div>
42      </nav>
43      <br>
44      <div class="container">
45          <h4>Control Panel</h4>
46          <br>
47          <?php
48              session_start();
49              if(isset($_SESSION['user'])) { ?>
50                  <h3 align="center">Selamat Datang
51                      <?php echo "<b>"; echo $_SESSION['user']; echo "</b>"; ?> </h3>
52                      <br>
53                      <?php
54                          echo "<p align = center> Berikut ini adalah menu navigasi anda</p>";
55                      ?>
56                      <p align = center><a href="halaman_beli.php" class="btn btn-outline-dark"> Halaman Jual Beli </a> | <
57          </?php
58      </div>
```

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** Shows a file tree for a project named "21.12.2138\_IKA\_PURWANTINI\_SI\_05". The "welcome.php" file is open.
- Code Editor:** Displays the PHP code for "welcome.php". The code includes HTML for a navigation menu, a message for unauthorized access, and a footer with a Bootstrap link and icon.
- Status Bar:** Shows the file is at Line 81, Column 8, with 81 spaces, 4 tabs, CRLF line endings, and PHP selected as the language.
- Bottom Icons:** Includes icons for search, file operations, and extensions like Prettier.


```
File Edit Selection View Go Run Terminal Help welcome.php - 21.12.2138_IKA_PURWANTINI_SI_05 - Visual Studio Code

EXPLORER ... login.php login_action.php register_action.php welcome.php

21.12.2138_IKA_PURWANTINI_SI_05 admin > welcome.php > html

admin > welcome.php > html
55     echo "<p align = center> Berikut ini adalah menu navigasi anda</p>";
56     ?>
57     <p align = center><a href="halaman_beli.php" class="btn btn-outline-dark"> Halaman Jual Beli </a> | <
58     <?php
59     }
60     else { ?>
61     <h2>Maaf...</h2>
62     <p>Anda tidak berhak mengakses halaman ini. Silakan <a href="login.php">Login </a>terlebih dahulu. </p>
63   }
64   ?>
65 </div>
66
67 <br><br><br><br><br><br><br><br><br><br>
68 <div class="container">
69   <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
70     <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
71
72     <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
73       <svg class="bi me-2" width="40" height="32">use xlink:href="#bootstrap"/</svg>
74     </a>
75   </div>
76 </div>
77
78 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Ea5q
79 </body>
80 </html>
```

Output : welcome.php



- halaman\_user.php

### Script

```
<?php
    session_start();
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman User</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...>
    <style>
        ...
    </style>
</head>
<body>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="welcome.php">Control Panel</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
    ...
</body>
</html>
```

halaman\_user.php - 21.12.2138 Ika Purwanti, SI 05 - Visual Studio Code

File Edit Selection View Go Run Terminal Help

halaman\_user.php login.php login\_action.php register\_action.php welcome.php halaman\_user.php

EXPLORER 21.12.2138.IKA PURWANTHI admin uploads config.php halaman\_beli.php halaman\_produk.php halaman\_user.php index.php login\_action.php login.php logout.php produk\_beli.php produk\_edit.php produk\_hapus.php produk\_tambah.php register\_action.php register.php user\_edit.php user\_hapus.php user\_tambah.php welcome.php image config.php index.php


OUTLINE

Timeline


Ln 29, Col 41 Spaces: 4 UFT-8 CRLF PHP Go Live Prettier

25°C Berawan

23:50 22/11/2022



```
File Edit Selection View Go Run Terminal Help halaman_user.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER login.php login_action.php register_action.php welcome.php halaman_user.php ...
21.12.2138.IKA PURWANT... admin > halaman_user.php > html > body > div.container > table.table.table-hover > thead > tr
28     </ul>
29     <div class="navbar-nav">
30         <form class="container">
31             <a href="login.php" class="btn btn-sm btn btn-outline-danger" type="button">Logout</a>
32         </form>
33     </div>
34 </div>
35 <br>
36 <div class="container">
37     <p align="left">Anda login sebagai "<?php echo "<b>"; echo $_SESSION['user']; echo "</b>"; ?>"</p>
38     <br>
39     <h4>Data User</h4>
40     <br>
41     <a href="user_tambah.php" class="btn btn-outline-dark">Tambah User</a>
42     <br>
43     <br>
44     <table class="table table-hover">
45         <thead>
46             <tr>
47                 <th scope="col" style='text-align: center;'>No</th>
48                 <th scope="col" style='text-align: center;'>Username</th>
49                 <th scope="col" style='text-align: center;'>Password</th>
50                 <th scope="col" style='text-align: center;'>Nama Lengkap</th>
51                 <th scope="col" style='text-align: center;'>Nomor Handphone</th>
52                 <th scope="col" style='text-align: center;'>Kelola</th>
53             </tr>
54         </thead>
55         <tbody>
56             <tr>
57                 <td><br></td>
58             </tr>
59         </tbody>
60     </table>
61     <br>
62     <br>
63     <br>
64     <br>
65     <br>
66     <br>
67     <br>
68     <br>
69     <br>
70     <br>
71     <br>
72     <br>
73     <br>
74     <br>
75     <br>
76     <br>
77     <br>
78     <br>
79     <br>
80     <br>
81     <br>
82     <br>
83     <br>
84 </div>
Ln 56, Col 22 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
23:51 22/11/2022
```



```
File Edit Selection View Go Run Terminal Help halaman_user.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER login.php login_action.php register_action.php welcome.php halaman_user.php ...
21.12.2138.IKA PURWANT... admin > halaman_user.php > html > body > div.container
56     </tr>
57     </thead>
58     <tbody class="table-group-divider">
59         <?php
60             include "config.php";
61             $sql=mysqli_query($config, "select * from user_admin");
62             $no=1;
63             while ($row=mysqli_fetch_array($sql)){
64                 $username=$row['username'];
65                 echo "
66                     <tr>
67                         <td width='30' style='text-align: center;'>".$no."</td>
68                         <td width='100' style='text-align: center;'>".$row['username']."'".</td>
69                         <td width='100' style='text-align: center;'>".$row['password']."'".</td>
70                         <td width='150' style='text-align: center;'>".$row['namalengkap']."'".</td>
71                         <td width='100' style='text-align: center;'>".$row['nohp']."'".</td>
72                         <td width='110' style='text-align: center;'>
73                             <a class='btn btn-outline-dark' href='user_edit.php?username='".$row['user']."'".</a>
74                             <a class='btn btn-outline-danger' href='user_hapus.php?username='".$row['u']."'".</a>
75                         </td>
76                     </tr>
77                 ";
78             }
79             $no++;
80         };
81     </tbody>
82     </table>
83     </div>
84 </div>
Ln 83, Col 11 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
23:51 22/11/2022
```

```

File Edit Selection View Go Run Terminal Help halaman_user.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER admin > halaman_user.php > html
21.12.2138.IKA PURWANT... admin uploads config.php halaman_beli.php halaman_produ... halaman_user.php index.php login_action.php login.php logout.php produk_beli.php produk_edit.php produk_hapus.p... produk_tambah... register_action.p... register.php user_edit.php user_hapus.php user_tambah.php welcome.php
image config.php index.php
OUTLINE
TIMELINE
Ln 98, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
25°C Berawan 23:51 22/11/2022

```

```

77      $no++;
78      ?>
79      </tbody>
80      </table>
81      </div>
82      <br>
83      <div class="container">
84          <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
85              <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
86              <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d...
87                  <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
88              </a>
89          </footer>
90      </div>
91      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq...
92      </body>
93      </html>
94
95
96
97
98

```


### Output : halaman\_user.php

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbop2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

© Bopu Cell


- user\_tambah.php

### Script




```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Tambah User</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-...
</head>
<body>
    <nav class="navbar navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
        </div>
    </nav>
    <br>
    <div class="container">
        <h4>Menambah Data User</h4>
        <br>
        <form action="user_tambah.php" method="POST" enctype="multipart/form-data" autocomplete="off">
            <div class="row mb-3">
                <label for="inputUsername" class="col-sm-2 col-form-label">Username</label>
                <div class="col-sm-3">
                    <input type="text" class="form-control" id="Username" name="Username" required>
                </div>
            </div>
            <div class="row mb-3">
                <label for="inputPassword" class="col-sm-2 col-form-label">Password</label>
                <div class="col-sm-3">
                    <input type="password" class="form-control" id="Password" name="Password" required minlength="4" maxl...
            </div>
            <div class="row mb-3">
                <label for="inputNamaLengkap" class="col-sm-2 col-form-label">Nama Lengkap</label>
                <div class="col-sm-3">
                    <input type="text" class="form-control" id="NamaLengkap" name="NamaLengkap" required>
                </div>
            </div>
            <div class="row mb-3">
                <label for="inputNohp" class="col-sm-2 col-form-label">Nomor Handphone</label>
                <div class="col-sm-3">
                    <input type="text" class="form-control" id="Nohp" name="Nohp" required>
                </div>
            </div>
            <br> <br>
            <button type="submit" class="btn btn-outline-dark" name="simpan" value="Simpan">Tambahkan</button>
        </form>
    <?php
        if (isset ($_POST['simpan'])) {
            include "config.php";
            $username = $_POST['Username'];
            $pass = $_POST['Password'];
            $namaleng = $_POST['NamaLengkap'];
            $nohp = $_POST['Nohp'];
        }
    </?php

```



```
<?php
        if (isset ($_POST['simpan'])) {
            include "config.php";
            $username = $_POST['Username'];
            $pass = $_POST['Password'];
            $namaleng = $_POST['NamaLengkap'];
            $nohp = $_POST['Nohp'];
        }
    </?php

```



```

File Edit Selection View Go Run Terminal Help user_tambah.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER admin > user_tambah.php > ...
admin
> uploads
config.php
halaman_beli.php
halaman_produk...
halaman_user.php
index.php
login_action.php
login.php
logout.php
produk_beli.php
produk_edit.php
produk_hapus.p...
produk_tambah...
register_action.p...
register.php
user_edit.php
user_hapus.php
user_tambah.php
> image
config.php
index.php
OUTLINE
TIMELINE
Ln 79, Col 1 Spaces: 2 UTF-8 CRLF PHP Go Live Prettier
25°C Berawan 23:54 22/11/2022


```

```

1 admin > user_tambah.php > ...
2 <?php
3
4     $namaleng = $_POST['NamaLengkap'];
5     $nohp = $_POST['Nohp'];
6
7     $sql=mysqli_query ($config, "INSERT INTO user_admin VALUES ('$username','$pass','$namaleng','$nohp')");
8
9     echo "<br><h5>Data user dengan username <b><i>$username.</i></b></i> berhasil ditambahkan.</h5>";
10
11 }
12 ?>
13 <br>
14     <a href="halaman_user.php" class="btn btn-outline-dark">Kembali ke Halaman User</a>
15 </div>
16
17     <div class="container">
18         <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
19             <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
20
21             <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d...
22                 <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
23             </a>
24         </footer>
25     </div>
26
27     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eg...
28 </body>
29 </html>
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80

```

### Output : user\_tambah.php



Halaman Tambah User | localhost / 127.0.0.1 / jualbelihp: +

Bopu Cell

Menambah Data User

Username

Password

Nama Lengkap

Nomor Handphone

© Bopu Cell

25°C Berawan 23:55 22/11/2022

- user\_edit.php

### Script

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** On the left, it lists files and folders related to a project named "21.12.2138.IKA PURWANTARA". The "user\_edit.php" file is currently selected.
- Code Editor:** The main area displays the source code for "user\_edit.php". The code includes HTML, CSS links, and PHP logic for editing user data from a MySQL database.
- Status Bar:** At the bottom, it shows "Ln 29, Col 41" and other standard status bar information.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Edit User</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...</link>
</head>
<body>
    <nav class="navbar navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bapu</strong> Cell</a>
        </div>
    </nav>
    <br>
    <div class="container">
        <h4>Edit Data User</h4>
        <br>
        <?php
            include "config.php";
            if (isset($_GET['username'])){
                $username=$_GET['username'];
                $sql_edit=mysqli_query($config,"SELECT * FROM user_admin WHERE username='$username'");
                while ($data=mysqli_fetch_array($sql_edit)){
                    $pass=$data['password'];
                    $namalengkап=$data['namalengkap'];
                    $nohp=$data['nohp'];
                }
            }
        </?php
    </div>

```

```
File Edit Selection View Go Run Terminal Help user_edit.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code

EXPLORER ... gin.php login_action.php register_action.php welcome.php halaman_user.php user_tambah.php user_edit.php

21.12.2138_IKA PURWANT... admin > user_edit.php > html > body > div.container > form > div.row.mb-3 > div.col-sm-3
admin 29
uploads 30
config.php 31
halaman_beli.php 32
halaman_produk... 33
halaman_user.php 34
index.php 35
login_action.php 36
login.php 37
logout.php 38
produk_beli.php 39
produk_edit.php 40
produk_hapus.p... 41
produk_tambah... 42
register_action.p... 43
register.php 44
user_edit.php 45
user_hapus.php 46
user_tambah.php 47
welcome.php 48
image 49
config.php 50
index.php 51
outline 52
timeline 53
25°C Berawan 54
21/12/2022 55
23:57 56
22/12/2022 57
23:57 58

$nohp=$data['nohp'];

    }

<form action="user_edit.php" method="POST" autocomplete="off">
    <div class="row mb-3">
        <label for="inputUsername" class="col-sm-2 col-form-label">Username</label>
        <div class="col-sm-3">
            <input type="text" class="form-control" id="Username" name="Username" value=<?php echo $username
        </div>
    <div class="row mb-3">
        <label for="inputPassword" class="col-sm-2 col-form-label">Password</label>
        <div class="col-sm-3">
            <input type="password" class="form-control" id="Password" name="Password" value=<?php echo $pass
        </div>
    <div class="row mb-3">
        <label for="inputNamaLengkap" class="col-sm-2 col-form-label">Nama Lengkap</label>
        <div class="col-sm-3">
            <input type="text" class="form-control" id="NamaLengkap" name="NamaLengkap" value=<?php echo $na
        </div>
    <div class="row mb-3">
        <label for="inputNohp" class="col-sm-2 col-form-label">Nomor Handphone</label>
        <div class="col-sm-3">
            <input type="text" class="form-control" id="Nohp" name="Nohp" value=<?php echo $nohp ?>
        </div>
    </div>
```

File Edit Selection View Go Run Terminal Help user\_edit.php - 21.12.2138\_Ika Purwanti\_SI\_05 - Visual Studio Code

EXPLORER ... gin.php login\_action.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php ...

21.12.2138.IKA PURWANTI... admin > user\_edit.php > html > body

```
</div>
<br> <br>
<button type="submit" class="btn btn-outline-dark" name="simpan" value="Simpan">Simpan Perubahan</button>
</form>
<?php
}
if (isset ($_POST['simpan'])) {
    $username = $_POST['Username'];
    $pass = $_POST['Password'];
    $namaleng = $_POST['NamaLengkap'];
    $nohp = $_POST['Nohp'];
    $sql=mysqli_query ($config, "UPDATE user_admin SET password='$pass', namalengkap='$namaleng', nohp='$nohp' WHERE id=$id");
    echo "<br><h5>Data user dengan username <b><i>". $username . "</i></b> berhasil diubah.</h5>";
}
?>
<br>
<a href="halaman_user.php" class="btn btn-outline-dark">Kembali ke Halaman User</a>
</div>
<div class="container">
<footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
```

Ln 82, Col 1 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 23:58 22/11/2022

File Edit Selection View Go Run Terminal Help user\_edit.php - 21.12.2138\_Ika Purwanti\_SI\_05 - Visual Studio Code

EXPLORER ... gin.php login\_action.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php ...


21.12.2138.IKA PURWANTI... admin > user\_edit.php > html

```
</div>
<a href="halaman_user.php" class="btn btn-outline-dark">Kembali ke Halaman User</a>
</div>
<div class="container">
<footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
<p class="col-md-4 mb-0 text-muted">&copy; Bopu Cell</p>
<a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link"
    <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
</a>
</footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERCa2Eq
    ...
</body>
</html>
```

Ln 95, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 23:58 22/11/2022

Output : user\_edit.php



- user\_hapus.php

### Script

```
<?php
include "config.php";
$username = $_GET['username'];
$sql = "DELETE FROM user_admin WHERE username='$username'";
$hasil = mysqli_query($config, $sql);
echo "<script> alert ('Data berhasil dihapus') </script>";
header("location:halaman_user.php");
?>
```

- halaman\_beli.php

### Script

File Edit Selection View Go Run Terminal Help halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... .on.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php X ...

21.12.2138.IKA PURWANT... admin > halaman\_beli.php > html > head > style > img-responsiv

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Dashboard Bapu Cell</title>
8   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...>
9   <style>
10     body{
11       margin: 0;
12       padding: 0;
13       background-color: white;
14       font-family: Arial, Helvetica, sans-serif;
15     }
16     h1,h2,h3,h4,h5 {
17       font-family: Georgia, 'Times New Roman', Times, serif;
18     }
19     .container{
20       max-width: 1200px;
21       margin: 0 auto;
22       padding: 0;
23     }
24     .d-flex{
25       display: flex;
26     }
27     .img-responsiv{
28       width: 100%;
```

Ln 29, Col 25 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:00 23/11/2022

File Edit Selection View Go Run Terminal Help halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... .on.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php X ...

21.12.2138.IKA PURWANT... admin > halaman\_beli.php > html > head > style > spacersection

```
29   .spacersection{
30     width: 100%;
31   }
32   .jc-spacebetween{
33     justify-content: space-between;
34   }
35   .hero{
36     margin-top: 30px;
37     display: flex;
38   }
39   .hero p{
40     font-size: 14px;
41     line-height: 180%;
42   }
43   .desc{
44     padding: 35px 10px 0px 20px;
45     float: left;
46     width: 40%;
47   }
48   .bigtitle{
49     font-size: 2.7em;
50   }
51   .spacercontent{
52     margin-bottom: 20px;
53   }
54   .spacersection{
55     padding: 2% 0;
56   }
57   .image{
```

Ln 56, Col 10 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:01 23/11/2022

File Edit Selection View Go Run Terminal Help halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... on.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php

21.12.2138.IKA PURWANT... admin > halaman\_beli.php > html > body > nav.navbar.navbar-expand-lg.navbar-dark.bg-dark > div.container > div.navbarNav.navbar-collapse.navbar-collapse > div

```
<head>
  <style>
    .image{
      float: right;
      width: 70%;
    }
  </style>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <a class="navbar-brand" href="#">Bopu Cell
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a class="nav-link" href="halaman_produk.php">Jual Produk</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="welcome.php">Control Panel</a>
          </li>
        </ul>
        <div class="navbar-nav">
          <form class="container">
            <input type="button" value="Logout" href="login.php" class="btn btn-sm btn btn-outline-danger" type="button" />
          </form>
        </div>
      </div>
    </div>
  </nav>
```

Ln 83, Col 28 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:01 23/11/2022

File Edit Selection View Go Run Terminal Help halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... on.php register\_action.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php

21.12.2138.IKA PURWANT... admin > html > body > div.container.hero.spacercontent > div.image > div.container.carousel-contain > div#carouselExampleIndicators.carousel.slide.col-lg-10.offset-lg-1 > div

```
<div class="desc">
  <h2 class="bigtitle">Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.</h2>
  <div class="spacercontent"></div>
  <p>Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional dan terpercaya di seluruh Indonesia.</p>
</div>
<div class="image">
  <div class="container carousel-contain">
    <div id="carouselExampleIndicators" class="carousel slide col-lg-10 offset-lg-1" data-bs-ride="true">
      <div class="carousel-indicators">
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0" class="active"></button>
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1" aria-label="Slide 1"></button>
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2" aria-label="Slide 2"></button>
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="3" aria-label="Slide 3"></button>
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="4" aria-label="Slide 4"></button>
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="5" aria-label="Slide 5"></button>
      </div>
      <div class="carousel-inner">
        <div class="carousel-item active">
          
        </div>
        <div class="carousel-item">
          
        </div>
        <div class="carousel-item">
          
        </div>
        <div class="carousel-item">
          
        </div>
        <div class="carousel-item">
          
        </div>
      </div>
    </div>
  </div>
</div>
```

Ln 109, Col 31 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:01 23/11/2022

halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

```
<div class="carousel-item">
    
</div>
<button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>

<button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>


Ln 136, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier


```

halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

```
<div class="container produk mt-5">
    <h2 class="mb-4">Produk</h2>
    <div class="container">
        <div class="row row-cols-4">
            <?php
                include "config.php";
                $sql=mysqli_query($config, "SELECT id, gambar, judul, deskripsi, harga FROM produk order by id ASC");
                while ($row=mysqli_fetch_array($sql)){
                    $judul_iklan_produk=$row['judul'];
                }
            <div class="col mb-5">
                <div class="card" style="width: 18rem;">
                    <img src='<?php echo $row['gambar']; ?>' class="card-img-top" alt="..."/>
                    <div class="card-body">
                        <h5><?php echo $row['judul'] ?></h5>
                        <p><?php echo $row['deskripsi'] ?></p>
                        <p class="mb-3"><?php echo "Rp. ". $row['harga'] . "?></p>
                        <?php
                            echo "
                                <a class='btn btn-outline-primary' href='produk_beli.php?id=".$row['id']."'>B
                            </a>
                        <?>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

Ln 163, Col 29 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

File Edit Selection View Go Run Terminal Help halaman\_beli.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER    ... on.php    register\_action.php    welcome.php    halaman\_user.php    user\_tambah.php    user\_edit.php    halaman\_beli.php

```

21.12.2138.IKA PURWANT... admin > halaman_beli.php > html
    <?php
        } ?>
    </div>
</div>
</div>
<br><br>
<div class="container">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
        <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d...
            <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
        </a>
    </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq...
</body>
</html>

```

Ln 183, Col 8    Spaces: 4    UTF-8    CRLF    PHP    Go Live    Prettier

25°C Berawan    Search    Icons    Windows Taskbar    00:02    23/11/2022

### Output : halaman\_beli.php

Dashboard Bopu Cell    localhost / 127.0.0.1 / jualbelihp: +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_beli.php

Bopu Cell    Jual Produk    Control Panel    Logout

Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.

Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional.



Galaxy Z Fold3 | Flip3 5G

Produk



25°C Berawan    Search    Icons    Windows Taskbar    00:02    23/11/2022

Dashboard Bopu Cell

localhost / 127.0.0.1 / jualbelihp: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_beli.php

## Produk



Hp Oppo Reno 6  
Oppo Reno 6 4G ram 8gb+5  
Rp. 5100000

[Beli](#)



Hp Samsung Galaxy Z Flip 3  
Samsung Galaxy Z Flip 3 5G  
128gb lilla  
Rp. 20000000

[Beli](#)



Hp Xiaomi Mi 11 Ultra  
Rp. 8999000

[Beli](#)



Hp Vivo V20 Pro  
Vivo V20 Pro ram 8gb  
Rp. 4575000

[Beli](#)

25°C Berawan

Search

00:02 23/11/2022

Dashboard Bopu Cell

localhost / 127.0.0.1 / jualbelihp: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_beli.php



Hp iPhone 11  
Rp. 8000000

[Beli](#)



Hp Samsung S10+  
Samsung S10+ ram 16gb 256gb  
Rp. 12000000

[Beli](#)




Hp iPhone 13 Pro Max  
Rp. 10500000

[Beli](#)



Hp Samsung A32  
Samsung A32 ram 8gb 12" hd  
Rp. 4500000

[Beli](#)



## - halaman\_produk.php

### Script

```

File Edit Selection View Go Run Terminal Help halaman_produk.php - 21.12.2138 Ika Purwanti SI 05 - Visual Studio Code
EXPLORER ... i.php welcome.php halaman_user.php user_tambah.php user_edit.php halaman_beli.php halaman_produk.php ...
21.12.2138.IKA PURWANT...> html > body > nav.navbar.navbar-expand-lg.navbar-dark.bg-dark > div.container > div#navbarNav.collapse.navbar-collapse > div.navbar-nav > form.container
admin
> uploads
config.php
halaman_beli.php
halaman_produk...
halaman_user.php
index.php
login_action.php
login.php
logout.php
produk_beli.php
produk_edit.php
produk_hapus.p...
produk_tambah...
register_action.p...
register.php
user_edit.php
user_hapus.php
user_tambah.php
welcome.php
image
config.php
index.php
> OUTLINE
> TIMELINE
Ln 29, Col 28 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
25°C Berawan 00:04 23/11/2022

```

The screenshot shows the Visual Studio Code interface with the file 'halaman\_produk.php' open. The code is a PHP script for a product listing page. It includes HTML for a navigation bar, a main container, and a form. The PHP code handles session start and includes Bootstrap CSS and JS. The code is well-formatted with syntax highlighting.

File Edit Selection View Go Run Terminal Help halaman\_produk.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... i.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php halaman\_produk.php

21.12.2138.IKA PURWANT... admin > halaman\_produk.php > html > body > div.container > table.table.table-hover > thead

```
</form>
</div>
</div>
<br>
<div class="container">
    <p align="left">Anda login sebagai "<?php echo "<b>"; echo $_SESSION['user']; echo "</b>"; ?>"</p>
    <br>
    <h4>Data Produk</h4>
    <br>
    <a href="produk_tambah.php" class="btn btn-outline-dark">Tambah Produk</a>
    <br>
    <br>
    <table class="table table-hover">
        <thead>
            <tr>
                <th scope="col" style='text-align: center;'>No</th>
                <th scope="col" style='text-align: center;'>Judul</th>
                <th scope="col" style='text-align: center;'>Deskripsi</th>
                <th scope="col" style='text-align: center;'>Merek</th>
                <th scope="col" style='text-align: center;'>Kondisi</th>
                <th scope="col" style='text-align: center;'>Harga</th>
                <th scope="col" style='text-align: center;'>Tanggal Upload</th>
                <th scope="col" style='text-align: center;'>Foto Produk</th>
                <th scope="col" style='text-align: center;'>Penjual</th>
                <th scope="col" style='text-align: center;'>Kelola</th>
            </tr>
        </thead>
        <tbody>
```

Ln 57, Col 21 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:04 23/11/2022

File Edit Selection View Go Run Terminal Help halaman\_produk.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... i.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php halaman\_produk.php

21.12.2138.IKA PURWANT... admin > halaman\_produk.php > html > body > div.container > table.table.table-hover > tbody.table-group-divider

```
</thead>
<tbody class="table-group-divider">
    <?php
        include "config.php";
        $sql=mysqli_query($config, "select * from produk order by id ASC");
        $no=1;
        while ($row=mysqli_fetch_array($sql)){
            $judul_iklan_produk=$row['judul'];
            echo "
                <tr>
                    <td width='30' style='text-align: center;'>".$no."</td>
                    <td width='80' style='text-align: center;'>".$row['judul']."</td>
                    <td width='100' style='text-align: center;'>".$row['deskripsi']."</td>
                    <td width='50' style='text-align: center;'>".$row['merek']."</td>
                    <td width='60' style='text-align: center;'>".$row['kondisi']."</td>
                    <td width='50' style='text-align: center;'>".$row['harga']."</td>
                    <td width='110' style='text-align: center;'>".$row['tanggal_upload']."</td>
                    <td width='150' style='text-align: center;'><img width='100%' src='".$row['gambar']."'></td>
                    <td width='100' style='text-align: center;'>
                        <a class='btn btn-outline-dark' href='produk_edit.php?id='".$row['id']."'>
                            <a class='btn btn-outline-danger' href='produk_hapus.php?id='".$row['id']."'>
                    </td>
                </tr>
            ";
            $no++;
        }
    </tbody>
```

Ln 84, Col 19 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:04 23/11/2022

halaman\_produk.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
halaman_produk.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER ... i.php welcome.php halaman_user.php user_tambah.php halaman_beli.php halaman_produk.php ...
21.12.2138.IKA PURWANT... admin > halaman_produk.php > html
    <tbody>
        <tr>
            <td>1</td>
            <td>Hp Oppo Reno 6</td>
            <td>Oppo Reno 6 4G ram 8gb+5</td>
            <td>Oppo</td>
            <td>Bekas</td>
            <td>5100000</td>
            <td>2022-11-22</td>
            <td></td>
            <td>bopuya</td>
            <td>Edit Hapus</td>
        </tr>
    </tbody>
</table>
</div>
<br>
<div class="container">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <p class="col-md-4 mb-0 text-muted">&copy; Bopu Cell</p>
        <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d...</a>
    </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Ec...
</body>
</html>

```

Ln 102, Col 8 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan

### Output : halaman\_produk.php

Halaman Produk | localhost / 127.0.0.1 / jualbelihpl: +

localhost/kuliah\_pwl/21.12.2138.Ika%20Purwanti\_SI%2005/admin/halaman\_produk.php

**Bopu Cell**

Home Logout

Anda login sebagai "ikap"

**Data Produk**

[Tambah Produk](#)

No	Judul	Deskripsi	Merek	Kondisi	Harga	Tanggal Upload	Foto Produk	Penjual	Kelola
1	Hp Oppo Reno 6	Oppo Reno 6 4G ram 8gb+5	Oppo	Bekas	5100000	2022-11-22		bopuya	<a href="#">Edit</a> <a href="#">Hapus</a>
2	Hp Samsung Galaxy Z Flip 3	Samsung Galaxy Z Flip 3 5G 128gb lila	Samsung	Baru	20000000	2022-11-22		ikap	<a href="#">Edit</a> <a href="#">Hapus</a>

25°C Berawan

2	Hp Samsung Galaxy Z Flip 3	Samsung Galaxy Z Flip 3 5G 128gb lilla	Samsung	Baru	20000000	2022-11-22		ikap <a href="#">Edit</a> <a href="#">Hapus</a>
3	Hp Xiaomi Mi 11 Ultra		Xiaomi	Bekas	8999000	2022-11-22		ikap <a href="#">Edit</a> <a href="#">Hapus</a>
4	Hp Vivo V20 Pro	Vivo V20 Pro ram 8gb	Vivo	Bekas	4575000	2022-11-22		ikap <a href="#">Edit</a> <a href="#">Hapus</a>

Windows Taskbar: Weather (25°C), Search, File Explorer, Edge, Google Chrome, File Manager, FileZilla, Notepad, Paint, Word, 00:05, 23/11/2022

5	Hp iPhone 11		iPhone	Bekas	8000000	2022-11-22		bopuya <a href="#">Edit</a> <a href="#">Hapus</a>
6	Hp Samsung S10+	Samsung S10+ ram 16gb 256gb	Samsung	Bekas	12000000	2022-11-22		bopuya <a href="#">Edit</a> <a href="#">Hapus</a>
7	Hp iPhone 13 Pro Max		iPhone	Baru	10500000	2022-11-22		ikap <a href="#">Edit</a> <a href="#">Hapus</a>

Windows Taskbar: Weather (25°C), Search, File Explorer, Edge, Google Chrome, File Manager, FileZilla, Notepad, Paint, Word, 00:06, 23/11/2022

Halaman Produk							localhost / 127.0.0.1 / jualbelihp:   +	
8	Hp Samsung A32	Samsung A32 ram 8gb 12" hd	Samsung	Bekas	4500000	2022-11-22		ikap
9	Hp Realme C53		Realme	Baru	8899000	2022-11-22		bopuya
								

- produk\_tambah.php

## Script

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows the project structure with files like `produk_tambah.php`, `welcome.php`, `halaman_user.php`, `user_tambah.php`, `user_edit.php`, `halaman_beli.php`, and `produk_tambah.php`.
- Code Editor:** Displays the `produk_tambah.php` file content. The code includes session start, meta tags, a dark navbar, and a form for adding products.
- Bottom Status Bar:** Shows the current file is `produk_tambah.php`, line 29, column 19, with 4 spaces, using UTF-8 encoding, and PHP as the language.
- Bottom Icons:** Includes icons for file operations, search, navigation, and extensions.
- Bottom Right:** Shows the date (23/11/2022) and a small notification icon.

File Edit Selection View Go Run Terminal Help produk\_tambah.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code

EXPLORER ... in.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php produk\_tambah.php

21.12.2138.IKA PURWANT... admin > produk\_tambah.php > html > body > div.container > form > fieldset.row.mb-3 > div.col-sm-10 > div.form-check

```
</div>
<div class="row mb-3">
    <label for="inputDes" class="col-sm-2 col-form-label">Deskripsi</label>
    <div class="col-sm-3">
        <textarea class="form-control" id="Des" name="Des" rows="3"></textarea>
    </div>
</div>
<div class="row mb-3">
    <label for="inputMerek" class="col-sm-2 col-form-label">Merek Produk</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="Merek" name="Merek" required>
    </div>
</div>
<fieldset class="row mb-3">
    <legend class="col-form-label col-sm-2 pt-0">Kondisi</legend>
    <div class="col-sm-10">
        <div class="form-check">
            <input class="form-check-input" type="radio" name="Kondisi" id="gridRadios1" value="Baru" checked>
            <label class="form-check-label" for="gridRadios1">
                Baru
            </label>
        </div>
        <div class="form-check">
            <input class="form-check-input" type="radio" name="Kondisi" id="gridRadios2" value="Bekas">
            <label class="form-check-label" for="gridRadios2">
                Bekas
            </label>
        </div>
    </div>
</div>
```

Ln 56, Col 23 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:07 23/11/2022

File Edit Selection View Go Run Terminal Help produk\_tambah.php - 21.12.2138\_Ika Purwanti\_SI 05 - Visual Studio Code


EXPLORER ... in.php welcome.php halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php produk\_tambah.php

21.12.2138.IKA PURWANT... admin > produk\_tambah.php > html > body > div.container > form > br

```
>>> <br>
</div>
</fieldset>
<div class="row mb-3">
    <label for="inputHarga" class="col-sm-2 col-form-label">Harga</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="Harga" name="Harga" required>
    </div>
</div>
<div class="row mb-3">
    <label for="inputTgl" class="col-sm-2 col-form-label">Tanggal Upload</label>
    <div class="col-sm-3">
        <input type="date" class="form-control" id="Tgl" name="Tgl" required>
    </div>
</div>
<div class="row mb-3">
    <label for="inputGambar" class="col-sm-2 col-form-label">Foto Produk</label>
    <div class="col-sm-3">
        <input type="file" class="form-control" id="Gambar" name="Gambar" required>
    </div>
</div>
<div class="row mb-3">
    <label for="inputUser" class="col-sm-2 col-form-label">User / Admin</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="User" name="User" value="php echo $_SESSION['user']?">
    </div>
</div>
<br> <br>
<button type="submit" class="btn btn-outline-dark" name="simpan" value="Simpan">Tambahkan</button>
```

Ln 83, Col 22 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

25°C Berawan 00:07 23/11/2022



```
produk_tambah.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
File Edit Selection View Go Run Terminal Help
produk_tambah.php > html > body > div.container
admin
uploads
config.php
halaman_beli.php
halaman_produk...
halaman_user.php
index.php
login_action.php
login.php
logout.php
produk_beli.php
produk_edit.php
produk_hapus.p...
produk_tambah...
register_action.p...
register.php
user_edit.php
user_hapus.php
user_tambah.php
welcome.php
image
config.php
index.php
Ln 110, Col 33 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
25°C Berawan 00:08 23/11/2022
```

```
<br> <br>
<button type="submit" class="btn btn-outline-dark" name="simpan" value="Simpan">Tambahkan</button>
</form>
<?php
if (isset ($_POST['simpan'])) {
    include "config.php";


    $judul_iklan_produk = $_POST['Judul'];
    $des_produk = $_POST['Des'];
    $merk_produk = $_POST['Merek'];
    $kondisi_produk = $_POST['Kondisi'];
    $harga_produk = $_POST['Harga'];
    $tgl_produk = $_POST['Tgl'];
    $gambar_produk = basename($_FILES["Gambar"]["name"]);
    $user = $_POST['User'];

    $lokasi_file = $_FILES["Gambar"]["tmp_name"];
    $target_dir = "uploads/";
    $target_file = $target_dir.$gambar_produk;

    $uploadOk = 1;
    $imageFileType = strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

    if($imageFileType != "jpg" && $imageFileType != "png" && $imageFileType != "jpeg"
    && $imageFileType != "gif" ) {
        echo "Sorry, only JPG, JPEG, PNG & GIF files are allowed. <br>";
        $uploadOk = 0;
    }
}
$uploadOk = 0;
}

if ($uploadOk == 0) {
    echo "Maaf, file Anda gagal diupload.";
}
else {
    if (move_uploaded_file($lokasi_file, $target_file)){
        echo "File ". htmlspecialchars($gambar_produk). " berhasil diupload.";
        $sql="INSERT INTO produk VALUES (NULL,'$judul_iklan_produk','$des_produk','$merk_produk','$kondisi_produk','$harga_produk','$tgl_produk','$user')";
        $hasil = mysqli_query($config, $sql);
    }
    else {
        echo "Maaf, ada error ketika mengupload file Anda.";
    }
}
?>
<br>
<a href="halaman_produk.php" class="btn btn-outline-dark">Kembali ke Halaman Data Produk</a>
</div>
<div class="container">
<footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
<p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
<a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
<svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
```



```
produk_tambah.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
File Edit Selection View Go Run Terminal Help
produk_tambah.php > html > body > div.footer.d-flex.flex-wrap.justify-content-between.align-items-center.py-3.my-4.border-top > a.col-md-4.d-flex.align-items-center
admin
uploads
config.php
halaman_beli.php
halaman_produk...
halaman_user.php
index.php
login_action.php
login.php
logout.php
produk_beli.php
produk_edit.php
produk_hapus.p...
produk_tambah...
register_action.p...
register.php
user_edit.php
user_hapus.php
user_tambah.php
welcome.php
image
config.php
index.php
Ln 138, Col 93 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
25°C Berawan 00:08 23/11/2022
```

```
$uploadOk = 0;
}

if ($uploadOk == 0) {
    echo "Maaf, file Anda gagal diupload.";
}
else {
    if (move_uploaded_file($lokasi_file, $target_file)){
        echo "File ". htmlspecialchars($gambar_produk). " berhasil diupload.";
        $sql="INSERT INTO produk VALUES (NULL,'$judul_iklan_produk','$des_produk','$merk_produk','$kondisi_produk','$harga_produk','$tgl_produk','$user')";
        $hasil = mysqli_query($config, $sql);
    }
    else {
        echo "Maaf, ada error ketika mengupload file Anda.";
    }
}
?>
<br>
<a href="halaman_produk.php" class="btn btn-outline-dark">Kembali ke Halaman Data Produk</a>
</div>
<div class="container">
<footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
<p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
<a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-d
<svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
```

The screenshot shows the Visual Studio Code interface with the file 'produk\_tambah.php' open. The code is a PHP script with some CSS and JavaScript included. The code includes a footer with a link to 'Bopu Cell' and a script tag for Bootstrap.

```
<div class="container">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
        <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-decoration-0">
            <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
        </a>
    </div>
</body>
</html>
```

## Output : produk\_tambah.php

The screenshot shows a web browser window with the URL 'localhost/kuliah\_pwl/21.12.2138.Ika%20Purwanti\_SI%2005/admin/produk\_tambah.php'. The page title is 'Bopu Cell' and the heading is 'Menambah Data Produk'. The form fields include:

- Judul Iklan: [Input field]
- Deskripsi: [Text area]
- Merek Produk: [Input field]
- Kondisi:
  - Baru
  - Bekas
- Harga: [Input field]
- Tanggal Upload: [Input field] dd/mm/yyyy
- Foto Produk: [Choose File button] No file chosen
- User / Admin: [Input field] ikap

A save icon is visible on the left side of the form.

Merek Produk

Kondisi

Baru

Bekas

Harga

Tanggal Upload dd/mm/yyyy

Foto Produk Choose File No file chosen

User / Admin ikap

**Tambahkan**

**Kembali ke Halaman Data Produk**

© Bopu Cell

25°C Berawan

00:10 23/11/2022

### - produk\_edit.php

#### Script

```

<?php
session_start();
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Edit Produk</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...>
</head>
<body>
    <nav class="navbar navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
        </div>
    </nav>
    <br>
    <div class="container">
        <h4>Edit Data Produk</h4>
        <br>
        <?php
            include "config.php";
            if (isset($_GET['id'])){
                $idProduk=$_GET['id'];
                $sql_edit=mysqli_query($config,"SELECT * FROM produk WHERE id='$idProduk'");
                while ($data=mysqli_fetch_array($sql_edit)){
                    ...>
                }
            }
        </?php
    </div>
</body>

```

File Edit Selection View Go Run Terminal Help produk\_edit.php - 21.12.2138.Ika Purwanti SI 05 - Visual Studio Code

EXPLORER admin halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php produk\_tambah.php produk\_edit.php

21.12.2138.IKA PURWANT... admin produk\_edit.php

uploads config.php halaman\_beli.php halaman\_produk... halaman\_user.php index.php login\_action.php login.php logout.php produk\_beli.php produk\_edit.php produk\_hapus.p... produk\_tambah... register\_action.p... register.php user\_edit.php user\_hapus.php user\_tambah.php welcome.php

image config.php index.php


OUTLINE

Timeline

Ln 29, Col 61 Spaces: 4 UFT-8 CRLF PHP Go Live Prettier

25°C Berawan

00:11 23/11/2022




```
while ($data=mysqli_fetch_array($sql_edit)){
    $judul_iklan_produk=$data['judul'];
    $des_produk=$data['deskripsi'];
    $merk_produk=$data['merk'];
    $kondisi_produk=$data['kondisi'];
    $harga_produk=$data['harga'];
    $tgl_produk=$data['tanggal_upload'];
    $gambar_produk=$data['gambar'];
    $username=$data['username'];
}

<?>


<form action="produk_edit.php" method="POST" autocomplete="off">
    <div class="row mb-3">
        <label for="inputId" class="col-sm-2 col-form-label">ID Produk</label>
        <div class="col-sm-3">
            <input type="text" class="form-control" id="idProduk" name="idProduk" value="<?php echo $idProduk
        </div>
    </div>
    <div class="row mb-3">
        <label for="InputJudul" class="col-sm-2 col-form-label">Judul Iklan</label>
        <div class="col-sm-3">
            <input type="textarea" class="form-control" id="Judul" name="Judul" value="<?php echo $judul_iklan
        </div>
    </div>
    <div class="row mb-3">
        <label for="inputDes" class="col-sm-2 col-form-label">Deskripsi</label>
        <div class="col-sm-3">

```



```
<div class="row mb-3">
    <label for="inputDes" class="col-sm-2 col-form-label">Deskripsi</label>
    <div class="col-sm-3">
        <textarea class="form-control" id="Des" name="Des" rows="3"><?php echo $des_produk ?</textarea>
    </div>
</div>
<div class="row mb-3">
    <label for="inputMerek" class="col-sm-2 col-form-label">Merek Produk</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="Merek" name="Merek" value="<?php echo $merk_produk ?</input>
    </div>
</div>
<fieldset class="row mb-3">
    <legend class="col-form-label col-sm-2 pt-0">Kondisi</legend>
    <div class="col-sm-3">
        <?php
            if ($kondisi_produk=='Baru'){
                echo "
                    <div class='form-check'>
                        <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios1' value='Baru'
                        <label class='form-check-label' for='gridRadios1'>
                            Baru
                        </label>
                    </div>
                    <div class='form-check'>
                        <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios2' value='Bekas'
                        <label class='form-check-label' for='gridRadios2'>
                            Bekas
                        </label>
                    </div>
            }
        </?php>
    </div>

```



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows the project structure for "21.12.2138.IKA PURWANT..." under "admin".
- Code Editor:** Displays the PHP code for "produk\_edit.php". The code includes form fields for "Kondisi" (radio buttons for "Baru" or "Bekas"), "Harga" (text input), and "Jumlah" (text input). It also contains logic to calculate "Total Harga".
- Status Bar:** Shows "Ln 109, Col 39" and other file statistics.
- Bottom Icons:** Includes icons for Save, Undo, Redo, Find, Replace, Go To, and others.

```
produk.edit.php - 21.12.2138.IKA PURWANT... - Visual Studio Code
File Edit Selection View Go Run Terminal Help produk.edit.php - 21.12.2138.IKA PURWANT... SI 05 - Visual Studio Code

EXPLORER    ... ihp halaman_user.php user_tambah.php user_edit.php halaman_beli.php produk_tambah.php produk_edit.php
21.12.2138.IKA PURWANT... admin 82 Bekas
admin 83 </label>
uploads 84 </div>
config.php 85 ";
halaman_beli.php 86 }
halaman_produ... 87 else
halaman_user.php 88 {
index.php 89 echo "
login_action.php 90 <div class='form-check'>
login.php 91 <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios1' value='Baru'>
logout.php 92 <label class='form-check-label' for='gridRadios1'>
produk_beli.php 93 Baru
produk_edit.php 94 </label>
produk_hapus.p... 95 </div>
produk_tambah... 96 <div class='form-check'>
register_action.p... 97 <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios2' value='Bekas'>
register.php 98 <label class='form-check-label' for='gridRadios2'>
user_edit.php 99 Bekas
user_hapus.php 100 ";
user_tambah.php 101 </div>
welcome.php 102 </div>
image 103 >
config.php 104 <?>
index.php 105 </div>
</fieldset>
<div class="row mb-3">
106 <label for="inputHarga" class="col-sm-2 col-form-label">Harga</label>
107 <div class="col-sm-3">
108 <input type="text" class="form-control" id="Harga" name="Harga" value="<?php echo $hrg_produk ?>">
109 </div>
110 </div>
111 </div>
```

File Edit Selection View Go Run Terminal Help produk\_edit.php - 21.12.2138\_lka Purwant\_SI 05 - Visual Studio Code

EXPLORER    ...    ip halaman\_user.php user\_tambah.php user\_edit.php halaman\_beli.php produk\_tambah.php produk\_edit.php

21.12.2138\_IKA PURWANT... admin > produk\_edit.php > html > body > div.container

```
admin > produk_edit.php 109      <label for="inputHarga" class="col-sm-2 col-form-label">Harga</label>
110      <div class="col-sm-3">
111          <input type="text" class="form-control" id="Harga" name="Harga" value=<?php echo $hrg_produk ?>">
112      </div>
113      <div class="row mb-3">
114          <label for="inputTgl" class="col-sm-2 col-form-label">Tanggal Upload</label>
115          <div class="col-sm-3">
116              <input type="date" class="form-control" id="Tgl" name="Tgl" value=<?php echo $tgl_produk ?>">
117          </div>
118          <div class="row mb-3">
119              <label for="inputGambar" class="col-sm-2 col-form-label">Foto Produk</label>
120              <div class="col-sm-3">
121                  <image width='60px' src='<?php echo $gambar_produk ?>'>
122                  File terupload : <?php echo $gambar_produk ?>
123              </div>
124          </div>
125          <div class="row mb-3">
126              <label for="inputUser" class="col-sm-2 col-form-label">Penjual</label>
127              <div class="col-sm-3">
128                  <input type="text" class="form-control" id="User" name="User" value=<?php echo $username ?>" rea
129              </div>
130          </div>
131          <br> <br>
132          <button type="submit" class="btn btn-outline-dark" name="simpan" value="Simpan">Simpan Perubahan</button>
133      </form>
134  </body>
135  <?php
136
137
```

OUTLINE    TIMELINE


25°C Barawani

Search    Go Live    Prettier

00:12 23/11/2022

The screenshot shows a Visual Studio Code interface with the following details:

- File Path:** produk\_edit.php - 21.12.2138 Ika Purwanti, SI 05 - Visual Studio Code
- Explorer:** Shows a tree view of files in the project, including admin, uploads, config.php, index.php, login\_action.php, login.php, logout.php, produk\_beli.php, produk\_edit.php (selected), produk\_hapus.php, produk\_tambah.php, register\_action.php, register.php, user\_edit.php, user\_hapus.php, user\_tambah.php, and welcome.php.
- Code Editor:** Displays the PHP code for the produk\_edit.php file. The code handles product update logic, including setting variables from \$\_POST, executing an UPDATE query via mysqli\_query, and displaying a success message. It also includes footer HTML and a link back to the product list.
- Status Bar:** Shows line 165, column 15, spaces: 4, and other file statistics.
- Bottom Icons:** Includes icons for search, file operations, and extensions like Prettier.



The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** Shows a file tree for a project named "21.12.2138\_IKA\_Purwant\_SI\_05". The "produk\_edit.php" file is open in the editor.
- Editor:** Displays the footer section of the "produk\_edit.php" file. The code includes a container div, a footer div with a link to "#bootstrap", and a script tag for Bootstrap 5.2.2.
- Bottom Bar:** Includes icons for Cloud, 25°C Weather, Search, and various browser and development tools like Chrome, Firefox, and Prettier.
- Status Bar:** Shows the current position as Line 165, Column 15, with 4 spaces, using CRLF line endings, and PHP as the language.

Output : produk\_edit.php

Halaman Edit Produk

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/produk\_edit.php?id=39

Bopu Cell

### Edit Data Produk

ID Produk	39
Judul Iklan	Hp Oppo Reno 6
Deskripsi	Oppo Reno 6 4G ram 8gb+5
Merek Produk	Oppo
Kondisi	<input type="radio"/> Baru <input checked="" type="radio"/> Bekas
Harga	5100000
Tanggal Upload	22/11/2022
Foto Produk	 File terupload : uploads/hp4.jpg

25°C Berawan

Search

File Explorer

Google Chrome

Microsoft Edge

Visual Studio Code

Windows Terminal

Windows PowerShell

00:13 23/11/2022

Halaman Edit Produk

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/produk\_edit.php?id=39

Bopu Cell

### Edit Data Produk

Merek Produk	Oppo
Kondisi	<input type="radio"/> Baru <input checked="" type="radio"/> Bekas
Harga	5100000
Tanggal Upload	22/11/2022
Foto Produk	 File terupload : uploads/hp4.jpg
Penjual	bopuya

Simpan Perubahan

Kembali ke Halaman Produk

© Bopu Cell

25°C Berawan

Search

File Explorer

Google Chrome

Microsoft Edge

Visual Studio Code


Windows Terminal

Windows PowerShell

00:13 23/11/2022

- produk\_hapus.php


Script




```
<?php
include "config.php";
$idProduk = $_GET['id'];
$sql = "DELETE FROM produk WHERE id='$idProduk'";
$hasil = mysqli_query($config, $sql);
echo "<script> alert ('Data berhasil dihapus') </script>";
header("location:halaman_produk.php");
?>
```

## - produk\_beli.php

### Script




```
<?php
session_start();
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Halaman Beli Produk</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...</link>
</head>
<body>
    <nav class="navbar navbar-dark bg-dark">
        <div class="container">
            <a class="navbar-brand" href="#"><strong>Bopu</strong> Cell</a>
        </div>
    </nav>
    <br>
    <div class="container">
        <p align="left">Anda login sebagai "<?php echo "<b>" . $_SESSION['user'] . "</b>" ; ?>"</p>
        <br>
        <h4>Beli Produk</h4>
        <br>
        <?php
            include "config.php";
            if (isset($_GET['id'])){
                $idProduk=$_GET['id'];
                $sql="SELECT * FROM produk WHERE id='$_GET[id]'";
                ...</?php>
            }
        </div>
</body>
```




```
$idProduk=$_GET['id'];
$sql_edit=mysqli_query($config,"SELECT * FROM produk WHERE id='$idProduk'");
while ($data=mysqli_fetch_array($sql_edit)){
    $judul_iklan_produk=$data['judul'];
    $deskripsi=$data['deskripsi'];
    $merek_produk=$data['merk'];
    $kondisi_produk=$data['kondisi'];
    $harga_produk=$data['harga'];
    $tgl_produk=$data['tanggal_upload'];
    $gambar_produk=$data['gambar'];
    $username=$data['username'];
}


<?>
<form action="produk_beli.php" method="POST">
<div class="row mb-3">
    <label for="inputId" class="col-sm-2 col-form-label">ID Produk</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="idProduk" name="idProduk" value="<?php echo $idProduk<?>">
    </div>
</div>
<div class="row mb-3">
    <label for="inputJudul" class="col-sm-2 col-form-label">Judul Iklan</label>
    <div class="col-sm-3">
        <input type="textarea" class="form-control" id="Judul" name="Judul" value="<?php echo $judul_ikla<?>">
    </div>
</div>
<div class="row mb-3">
```




```
<div class="row mb-3">
    <label for="inputDes" class="col-sm-2 col-form-label">Deskripsi</label>
    <div class="col-sm-3">
        <textarea class="form-control" id="Des" name="Des" rows="3" readonly="readonly"><?php echo $des_p<?></textarea>
    </div>
</div>
<div class="row mb-3">
    <label for="inputMerek" class="col-sm-2 col-form-label">Merek Produk</label>
    <div class="col-sm-3">
        <input type="text" class="form-control" id="Merek" name="Merek" value="<?php echo $merek_produk<?>">
    </div>
</div>
<fieldset class="row mb-3">
    <legend class="col-form-label col-sm-2 pt-0">Kondisi</legend>
    <div class="col-sm-3">
        <?php
            if ($kondisi_produk=='Baru'){
                echo "
                <div class='form-check'>
                    <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios1' value='Baru'>
                    <label class='form-check-label' for='gridRadios1'>
                        Baru
                    </label>
                </div>
                <div class='form-check'>
                    <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios2' value='Bekas'>
                    <label class='form-check-label' for='gridRadios2'>
                        Bekas
                    </label>
                </div>
            }
        <?>
    </div>
</fieldset>
```



```
File Edit Selection View Go Run Terminal Help produk_beli.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER ... :php user_tambah.php user_edit.php halaman_beli.php produk_tambah.php produk_edit.php produk_beli.php
21.12.2138.IKA PURWANT... admin > produk_beli.php > html > body > div.container > form > div.row.mb-3 > div.col-sm-3
  <label class='form-check-label' for='gridRadios2'>
    Bekas
  </label>
</div>
  ;
}
else
{
echo "
<div class='form-check'>
  <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios1' value='Baru'>
  <label class='form-check-label' for='gridRadios1'>
    Baru
  </label>
</div>
<div class='form-check'>
  <input class='form-check-input' type='radio' name='Kondisi' id='gridRadios2' value='Bekas'>
  <label class='form-check-label' for='gridRadios2'>
    Bekas
  </label>
</div>
";
}
?>
</div>
</fieldset>
<div class="row mb-3">
  <label for="inputHarga" class="col-sm-2 col-form-label">Harga</label>
  <div class="col-sm-3">
    <input type="text" class="form-control" id="Harga" name="Harga" value="<?php echo $harga_produk ?>">
  </div>
</div>
Ln 111, Col 39 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
0015 23/11/2022
```



```
File Edit Selection View Go Run Terminal Help produk_beli.php - 21.12.2138_Ika Purwanti_SI 05 - Visual Studio Code
EXPLORER ... :php user_tambah.php user_edit.php halaman_beli.php produk_tambah.php produk_edit.php produk_beli.php
21.12.2138.IKA PURWANT... admin > produk_beli.php > html > body > div.container
  <label for="inputHarga" class="col-sm-2 col-form-label">Harga</label>
  <div class="col-sm-3">
    <input type="text" class="form-control" id="Harga" name="Harga" value="<?php echo $harga_produk ?>">
  </div>
<div class="row mb-3">
  <label for="inputTgl" class="col-sm-2 col-form-label">Tanggal Upload</label>
  <div class="col-sm-3">
    <input type="date" class="form-control" id="Tgl" name="Tgl" value="<?php echo $tgl_produk ?>">
  </div>
</div>
<div class="row mb-3">
  <label for="inputGambar" class="col-sm-2 col-form-label">Foto Produk</label>
  <div class="col-sm-3">
    <img width='60px' src='<?php echo $gambar_produk ?>'>
    File terupload : <?php echo $gambar_produk ?>
  </div>
</div>
<div class="row mb-3">
  <label for="inputUser" class="col-sm-2 col-form-label">Penjual</label>
  <div class="col-sm-3">
    <input type="text" class="form-control" id="User" name="User" value="<?php echo $username ?>">
  </div>
  <br>
  <button type="submit" class="btn btn-outline-primary" name="beli" value="beli">Beli</button>
</div>
</form>
<?php
Ln 138, Col 14 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier
0015 23/11/2022
```




```
<?php
if (isset($_POST['beli'])) {
    $idProduk = $_POST['idProduk'];
    $judul_iklan_produk = $_POST['Judul'];
    $des_produk = $_POST['Des'];
    $merek_produk = $_POST['Merek'];
    $kondisi_produk = $_POST['Kondisi'];
    $harga_produk = $_POST['Harga'];
    $tgl_produk = $_POST['Tgl'];
    $username = $_POST['User'];

    $sql = mysqli_query($config, "DELETE FROM produk WHERE id=$idProduk");

    echo "<br><h5>Data produk dengan judul iklan produk <b><i>" . $judul_iklan_produk . "</i></b></h5> berhasil di";
}
?>
<br>
<a href="halaman_beli.php" class="btn btn-outline-dark">Kembali ke Halaman Utama</a>
</div>
<div class="container">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
        <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-dark text-decoration-none">
            <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
        </a>
    </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq

```



```
<?php
if (isset($_POST['beli'])) {
    $idProduk = $_POST['idProduk'];
    $judul_iklan_produk = $_POST['Judul'];
    $des_produk = $_POST['Des'];
    $merek_produk = $_POST['Merek'];
    $kondisi_produk = $_POST['Kondisi'];
    $harga_produk = $_POST['Harga'];
    $tgl_produk = $_POST['Tgl'];
    $username = $_POST['User'];

    $sql = mysqli_query($config, "DELETE FROM produk WHERE id=$idProduk");

    echo "<br><h5>Data produk dengan judul iklan produk <b><i>" . $judul_iklan_produk . "</i></b></h5> berhasil di";
}
?>
<br>
<a href="halaman_beli.php" class="btn btn-outline-dark">Kembali ke Halaman Utama</a>
</div>
<div class="container">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <p class="col-md-4 mb-0 text-muted">&copy; <strong>Bopu</strong> Cell</p>
        <a href="/" class="col-md-4 d-flex align-items-center justify-content-center mb-3 mb-md-0 me-md-auto link-dark text-decoration-none">
            <svg class="bi me-2" width="40" height="32"><use xlink:href="#bootstrap"/></svg>
        </a>
    </footer>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-OERcA2Eq

```

Output : produk\_beli.php

Halaman Beli Produk

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/produk\_beli.php?id=39

Bopu Cell

Anda login sebagai: "ikap"

### Beli Produk

ID Produk	39
Judul Iklan	Hp Oppo Reno 6
Deskripsi	Oppo Reno 6 4G ram 8gb+5
Merek Produk	Oppo
Kondisi	<input type="radio"/> Baru <input checked="" type="radio"/> Bekas
Harga	5100000
Tanggal Upload	22/11/2022
Foto Produk	

25°C Berawan

Windows Taskbar: Search, File Explorer, Edge, Google Chrome, Visual Studio Code, FileZilla, Microsoft Word

System Tray: 00:16, 23/11/2022

Halaman Beli Produk

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/produk\_beli.php?id=39

Bopu Cell

Merek Produk

Kondisi

Harga

Tanggal Upload

Foto Produk

Penjual

 File terupload : uploads/hp4.jpg

[Beli](#)

[Kembali ke Halaman Utama](#)

© Bopu Cell

Windows Taskbar: Search, File Explorer, Edge, Google Chrome, Visual Studio Code, FileZilla, Microsoft Word

System Tray: 00:16, 23/11/2022

- logout.php

Script

```

1 <?php
2 session_start();
3 session_destroy();
4 header("Location:login.php"); exit();
5 ?>

```

The screenshot shows the Visual Studio Code interface with the file 'logout.php' open. The code is as follows:

```

<?php
session_start();
session_destroy();
header("Location:login.php"); exit();
?>

```


The Explorer sidebar on the left lists various PHP files such as admin, uploads, config.php, halaman\_beli.php, halaman\_produ..., halaman\_user.php, index.php, login\_action.php, login.php, logout.php, produk\_beli.php, produk\_edit.php, produk\_hapus.p..., produk\_tambah..., register\_action.p..., register.php, user\_edit.php, user\_hapus.php, user\_tambah.php, and welcome.php. The bottom status bar indicates the file is in UTF-8 encoding.

### 3. uji coba


- 1) ketika pertama kali membuka website ini halaman yang tampil pertama kali adalah index.php / tampilan front end untuk user.

The screenshot shows a web browser window with the URL [localhost/kuliah\\_pwl/21.12.2138\\_Ika%20Purwanti\\_Si%2005/](http://localhost/kuliah_pwl/21.12.2138_Ika%20Purwanti_Si%2005/). The page title is 'Bopu Cell'. On the left, there is promotional text: 'Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.' Below it, a small note says: 'Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional.' To the right, there is a large image of two Samsung phones: a black Galaxy Z Fold3 and a yellow Galaxy Z Flip3. The text 'Galaxy Z Fold3 | Flip3 5G' is displayed above the image. At the bottom, there is a section titled 'Produk' showing four thumbnail images of different phones.

- 2) Di halaman index.php ini, user dapat login untuk melakukan proses CRUD. Tapi jika sebelumnya user belum mempunyai akun, user harus register terlebih dahulu. Isikan data sesuai perintah di halaman register.



- 3) Setelah semua data terisi, klik tombol register. Akan muncul halaman sebagai berikut.



#### Keterangan



Data user dengan username **ika2** berhasil ditambahkan.

Klik [Disini](#) untuk login

© Bopu Cell



- 4) Data user berhasil ditambahkan ke database. Selanjutnya user akan diminta untuk login.



- 5) Setelah berhasil login, terdapat halaman welcome yang berisi navigasi untuk user melakukan proses CRUD.
- 6) Pertama saya akan coba ke menu navigasi halaman user. Di sana user dapat menambahkan user.

Halaman User

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_user.php

Bopu Cell

Control Panel Logout

Anda login sebagai "ika2"

Data User

Tambah User

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbob2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ika2	21122138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>
3	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

© Bopu Cell

25°C Berawan

00:41 23/11/2022

- 7) Di halaman user ini, user dapat melakukan tambah user, edit data user, dan menghapus data user. Proses ini langsung terhubung ke database. Artinya setiap aktivitas user (tambah, edit, hapus) akan berdampak ke database.
- 8) Coba edit user. Ketika klik tombol edit maka akan muncul form edit. Di sana user dapat mengedit data sesuai kebutuhan. Setelah selesai klik tombol simpan perubahan. Dengan begitu data di database akan terupdate sesuai dengan perubahan yang dilakukan oleh user.

Halaman Edit User

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/user\_edit.php?username=ika2

Bopu Cell

Edit Data User

Username: ika2

Password: .....

Nama Lengkap: Ika Purwanti

Nomor Handphone: 089503250312


Simpan Perubahan

Kembali ke Halaman User

© Bopu Cell

25°C Berawan

00:43 23/11/2022



### Edit Data User


Username	ika2
Password	*****
Nama Lengkap	Ika P
Nomor Handphone	089503250312

← Mengubah data nama lengkap

[Simpan Perubahan](#)

[Kembali ke Halaman User](#)

© Bopu Cell



### Edit Data User

Data user dengan username **ika2** berhasil diubah.

[Kembali ke Halaman User](#)

© Bopu Cell



Halaman User

localhost / 127.0.0.1 / jualbelihpl: | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_user.php

Bopu Cell Control Panel Logout

Anda login sebagai "ika2"

Data User

Tambah User

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbop2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ika2	21122138	Ika P	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>
3	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

Data berubah

© Bopu Cell

localhost 25°C Berawan 00:46 23/11/2022

9) Coba hapus data user dengan klik tombol hapus di data yang ingin di hapus.

Halaman User

localhost / 127.0.0.1 / jualbelihpl: | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_user.php

Bopu Cell Control Panel Logout

Anda login sebagai "ika2"

Data User

Tambah User

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbop2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ika2	21122138		089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>
3	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

© Bopu Cell

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/user\_hapus.php?... 25°C Berawan 00:50 23/11/2022

Halaman User

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_user.php

Bopu Cell

Control Panel Logout

Anda login sebagai "ika2"

Data User

Tambah User

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbop2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

Data terhapus



10) Kembali ke halaman welcome dengan cara klik tulisan control panel pada navbar.

11) Selanjutnya saya akan mencoba melakukan CRUD di halaman jual beli. Tapi sebelumnya saya akan membuat ulang user yang sebelumnya sudah terhapus.

Halaman User

localhost / 127.0.0.1 / jualbelihpl: x | +

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_user.php

Bopu Cell

Control Panel Logout

Anda login sebagai "ika2"

Data User

Tambah User

No	Username	Password	Nama Lengkap	Nomor Handphone	Kelola
1	bopuya	bopbop2	Bopu	082134702740	<a href="#">Edit</a> <a href="#">Hapus</a>
2	ika2	21122138	Ika P	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>
3	ikap	ika2138	Ika Purwanti	089503250312	<a href="#">Edit</a> <a href="#">Hapus</a>

Data terhapus



12) Masuk ke halaman jual beli. Di halaman ini user dapat membeli produk dan menjual produk.

Dashboard Bopu Cell

localhost / 127.0.0.1 / jualbelihpb

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/halaman\_beli.php

Bopu Cell

Jual Produk Control Panel Logout

## Dapatkan Handphone Bekas Berkualitas Dengan Harga Terjangkau.

Platform kami sudah dipercaya oleh 1.000.000+ orang. Kami juga bekerja sama dengan mitra yang profesional.



### Produk



25°C Berawan

Search

00:57 23/11/2022

13) Mencoba beli produk dengan cara pilih produk yang diinginkan kemudian klik tombol beli. Akan muncul halaman berisi detail informasi.

Halaman Beli Produk

localhost / 127.0.0.1 / jualbelihpb

localhost/kuliah\_pwl/21.12.2138\_Ika%20Purwanti\_SI%2005/admin/produk\_beli.php?id=40

Bopu Cell

Anda login sebagai "ika2"

### Beli Produk

ID Produk	40
Judul Iklan	Hp Samsung Galaxy Z Flip 3
Deskripsi	Samsung Galaxy Z Flip 3 5G 128gb lila
Merek Produk	Samsung
Kondisi	<input checked="" type="radio"/> Baru <input type="radio"/> Bekas
Harga	20000000
Tanggal Upload	22/11/2022

Foto Produk

25°C Berawan

Search

00:59 23/11/2022

Halaman Beli Produk

localhost / 127.0.0.1 / jualbelihpl

Merek Produk: Samsung

Kondisi:  Baru  Bekas

Harga: 2000000

Tanggal Upload: 22/11/2022

Foto Produk: File terupload : uploads/hp1.jpg

Penjual: ikap

Beli

Kembali ke Halaman Utama

© Bopu Cell

25°C Berawan

Search

00:59 23/11/2022

14) Klik beli. Akan muncul halaman keterangan. Dengan membeli produk, produk yang dibeli tidak lagi ada di halaman beli dan di halaman index untuk tampilan user sebelum login.

Halaman Beli Produk

localhost / 127.0.0.1 / jualbelihpl

Bopu Cell

Anda login sebagai "ika2"

Beli Produk

Data produk dengan judul iklan produk **Hp Samsung Galaxy Z Flip 3** berhasil dibeli oleh **ika2**.


Kembali ke Halaman Utama

© Bopu Cell

25°C Berawan

Search

01:01 23/11/2022



15) Mencoba menjual produk dengan cara klik link tulisan jual produk di navbar. User akan dibawa ke halaman\_produk. Halaman produk berisi informasi detai data produk yang sebelumnya ditampilkan di halaman beli.

16) Klik button tambah produk. Lalu isi form sesuai produk yang ingin dijual. Lalu klik tombol tambah produk.

Bopu Cell

Menambah Data Produk

Judul Iklan	Hp Xiaomi 12 Lite
Deskripsi	(Empty)
Merek Produk	Xiaomi
Kondisi	<input checked="" type="radio"/> Baru <input type="radio"/> Bekas
Harga	1700000
Tanggal Upload	23/11/2022
Foto Produk	Choose File hp10.jpg
User / Admin	ika2

Screenshot of a web application for adding a new product. The form includes fields for Merek Produk (Xiaomi), Kondisi (Baru selected), Harga (17000000), Tanggal Upload (23/11/2022), Foto Produk (Choose File: hp10.jpg), and User / Admin (ika2). A 'Tambahkan' button is present at the bottom.

Kembali ke Halaman Data Produk

© Bopu Cell


Halaman Produk

	Produk	Merk	Kondisi	Harga	Tgl Upload	Foto	User	Action
8	Hp Realme C53	Realme	Baru	8899000	2022-11-22		bopuya	<button>Edit</button> <button>Hapus</button>
9	Hp Xiaomi 12 Lite	Xiaomi	Baru	17000000	2022-11-23		ika2	<button>Edit</button> <button>Hapus</button>

Data berhasil ditambahkan

© Bopu Cell


17) Di halaman produk data berhasil ditambahkan. Dengan begitu produk tersebut juga akan ditampilkan di halaman beli.



- 18) Selain menambahkan user juga dapat mengedit dan menghapus produk. Jika user melakukan edit produk maka di halaman beli dan index data produk akan terupdate. Tapi ketika user melakukan hapus produk mana di halaman beli dan index data produk akan hilang karena sudah dihapus.
- 19) Setelah selesai melakukan aktivitas CRUD user dapat logout dengan cara klik tombol logout di navbar. Jika tombol logout di klik maka website akan menuju halaman login.

## Produk





## C. User dan Password Yang Anda Gunakan

	username	password	namalengkap	nohp
1	bopuya	bopop2	Bopu	082134702740
2	ika2	21122138	Ika P	089503250312
3	ikap	ika2138	Ika Purwanti	089503250312

Saya menggunakan data user **ika2** untuk melakukan ujicoba.

## D. Daftar Pustaka

1. Modul pembelajaran
2. Sumber internet ( google dan youtube)