






ACL PROJECT

Scenario 1 : Allow 10.0.0.0 to communicate only instagram server using port 80

Scenario 2 : Allow ping communication from 10.0.0.10 to instagram server

Scenario 3 : Allow 10.0.0.20 to communicate facebook server using ssh & http

Scenario 4 : Allow 10.0.0.0 to communicate snsite server using http

Scenario 5 : Allow 10.0.0.10 to communicate snlabs server using http & icmp

Scenario 6 : Allow 11.0.0.0 to communicate instagram & facebook server using http

Scenario 7 : Allow 11.0.0.10 to ping facebook server

Scenario 8 : Allow 11.0.0.10 to ping snlab server

Scenario 9 : Allow 11.0.0.0 to access snlab server

Scenario 10 : Deny 11.0.0.0 to access 10.0.0.0

Ethernet0/2	unassigned	YES TFTP	down	down
Ethernet0/3	unassigned	YES TFTP	down	down

R1#conf t

Enter configuration commands, one per line. End with CNTL/Z.

R1(config)#\$ 100 permit tcp 10.0.0.0 0.255.255.255 180.0.0.10 0.0.0.0 eq 80

R1(config)#int e0/0

R1(config-if)#ip access-list 100 in

% Invalid input detected at '^' marker.

R1(config-if)#ip access-group 100 in

R1(config-if)#exit

R1(config)#

*Aug 9 20:15:20.412: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)

R1(config)#

R1(config)#

R1(config)#

R1(config)#access-list 100 permit icmp 10.0.0.10 0.0.0.0

% Incomplete command.

R1(config)#access-list 100 permit icmp 10.0.0.10 0.0.0.0 180.0.0.10 0.0.0.0

R1(config)#int e0/0

R1(config-if)#ip access-group 100 in

R1(config-if)#

R1(config-if)#\$rmit tcp 10.0.0.0 0.255.255.255 192.52.234.100 0.0.0.0 eq 80

ip access-list 100 permit tcp 10.0.0.0 0.255.255.255 192.52.234.100 0.0.0.0 eq 8
^0

% Invalid input detected at '^' marker.

R1(config-if)#ip access-list 100 permit tcp 10.0.0.0 0.255.255.255 192.52.234.\$

ip access-list 100 permit tcp 10.0.0.0 0.255.255.255 192.52.234.100 0.0.0.0 eq 8
^0

% Invalid input detected at '^' marker.

R1(config-if)#exit

R1(config)#access-list 100 permit tcp 10.0.0.0 0.255.255.255 192.52.234.100 0.\$

R1(config)#int e0/0

R1(config-if)#ip access-group 100 in

R1(config-if)#exit

R1(config)#\$ 100 permit tcp 10.0.0.10 0.0.0.0 192.52.234.200 0.0.0.0 eq 80

R1(config)#\$ 100 permit icmp 10.0.0.10 0.0.0.0 192.52.234.200 0.0.0.0

R1(config)#int e0/0

R1(config-if)#ip access-group 100 in

R1(config-if)#

R2

```
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#
R2#sh ip access-list
Extended IP access list 100
  10 deny tcp 11.0.0.0 0.255.255.255 10.0.0.0 0.255.255.255 eq www
Extended IP access list 101
  10 permit tcp 11.0.0.0 0.255.255.255 180.0.0.0 0.255.255.255 eq www (80 matches)
  20 permit icmp host 11.0.0.10 host 180.0.0.20 (8 matches)
  30 permit icmp host 11.0.0.10 host 192.52.234.200 (8 matches)
  40 permit tcp 11.0.0.0 0.255.255.255 host 192.52.234.200 (45 matches)
R2#
R2#
R2#
R2#
R2#
R2#
```

Win-4


11.20

180.0.0.1

e0/0

e0/0

192.52.234.1



QEMU (Win-1)

File Edit View History Bookmarks Tools Help

http://180.0.0.10/

180.0.0.10

Hello World! This file is instagram

C:\WINDOWS\system32\cmd.exe

```
Reply from 180.0.0.10: bytes=32 time=5ms TTL=60
Reply from 180.0.0.10: bytes=32 time=4ms TTL=60
Reply from 180.0.0.10: bytes=32 time=4ms TTL=60
Reply from 180.0.0.10: bytes=32 time=3ms TTL=60
```

```
Ping statistics for 180.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 5ms, Average = 4ms
```

C:\Documents and Settings\user>ping 180.0.0.10

Pinging 180.0.0.10 with 32 bytes of data:


```
Reply from 180.0.0.10: bytes=32 time=14ms TTL=60
Reply from 180.0.0.10: bytes=32 time=5ms TTL=60
Reply from 180.0.0.10: bytes=32 time=3ms TTL=60
Reply from 180.0.0.10: bytes=32 time=4ms TTL=60
```


```
Ping statistics for 180.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 14ms, Average = 6ms
```


C:\Documents and Settings\user>



Start C:\WINDOWS\system... Mozilla Firefox

8:29 PM









CL PROJECT

