
[s1] fitted thresholds (90%)
estimated threshold (90%)
fitted tau_t (90%)
posterior predictive 90%
threshold tau_t (log $ a year)
11.0
10.5
10.0
9.5
9.0
1995
2000
2005
2010
year


[s4] fitted thresholds (90%)
estimated threshold (90%)
fitted tau_t (90%)
posterior predictive 90%
threshold tau_t (log $ a year)
11
10
9
8
1995
2000
2005
2010
year


Main price, every specification: b
s1
s2
s3
s4
s1_nogeo
s1_logit
s1_robit2
s1_int2
s1_nostudent
s1_trim
s1_incl
s1_veh
s3_obs
s3_robit7
s4_logit
s4_int2
s4_incl
s4_veh
s4_cr
s4_inc
s4_cf
s1 (corr.)
s3 (corr.)
s4 (corr.)
0.0
0.5
1.0
1.5
2.0
b (threshold shift per log point of price)


Main price, every specification: d
s1
s2
s3
s4
s1_nogeo
s1_logit
s1_robit2
s1_int2
s1_nostudent
s1_trim
s1_incl
s1_veh
s3_obs
s3_robit7
s4_logit
s4_int2
s4_incl
s4_veh
s4_cr
s4_inc
s4_cf
s1 (corr.)
s3 (corr.)
s4 (corr.)
−0.3
−0.2
−0.1
0.0
d (leftover drift, log points a year)


Fake data: posterior (90%) and truth (x)
A
B
0.20
0.25
0.30
0.35
0.40
0.45
b (threshold shift per log point of price)


Fake data: posterior (90%) and truth (x)
A
B
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
d (leftover drift, log points a year)