Table 1. ^{1}H NMR Data

	proton	mult	$CDCl_3$	$(CD_3)_2CO$	$(CD_3)_2SO$	C_6D_6	CD_3CN	CD_3OD	D_2O
solvent residual peak			7.26	2.05	2.50	7.16	1.94	3.31	4.79
H_2O		s	1.56	2.84[a]	3.33[a]	0.40	2.13	4.87	
acetic acid	CH_3	s	2.10	1.96	1.91	1.55	1.96	1.99	2.08
acetone	CH_3	s	2.17	2.09	2.09	1.55	2.08	2.15	2.22
acetonitrile	CH_3	s	2.10	2.05	2.07	1.55	1.96	2.03	2.06
benzene	CH	s	7.36	7.36	7.37	7.15	7.37	7.33	
tert-butyl alcohol	CH_3	s	1.28	1.18	1.11	1.05	1.16	1.40	1.24
	OH[c]	s			4.19	1.55	2.18		
tert-butyl methyl ether	CCH_3	s	1.19	1.13	1.11	1.07	1.14	1.15	1.21
	OCH_3	s	3.22	3.13	3.08	3.04	3.13	3.20	3.22
BHT[b]	ArH	s	6.98	6.96	6.87	7.05	6.97	6.92	
	OH[c]	s	5.01		6.65	4.79	5.20		
	$ArCH_3$	s	2.27	2.22	2.18	2.24	2.22	2.21	
	$ArC(CH_3)_3$	s	1.43	1.41	1.36	1.38	1.39	1.40	
chloroform	CH	s	7.26	8.02	8.32	6.15	7.58	7.90	
cyclohexane	CH_2	s	1.43	1.43	1.40	1.40	1.44	1.45	
1,2-dichloroethane	CH_2	s	3.73	3.87	3.90	2.90	3.81	3.78	
dichloromethane	CH_2	s	5.30	5.63	5.76	4.27	5.44	5.49	
diethyl ether	CH_3	t, 7	1.21	1.11	1.09	1.11	1.12	1.18	1.17
	CH_2	q, 7	3.48	3.41	3.38	3.26	3.42	3.49	3.56
diglyme	CH_2	m	3.65	3.56	3.51	3.46	3.53	3.61	3.67
	CH_2	m	3.57	3.47	3.38	3.34	3.45	3.58	3.61
	OCH_3	s	3.39	3.28	3.24	3.11	3.29	3.35	3.37
1,2-dimethoxyethane	CH_3	s	3.40	3.28	3.24	3.12	3.28	3.35	3.37
	CH_2	s	3.55	3.46	3.43	3.33	3.45	3.52	3.60
dimethylacetamide	CH_3CO	s	2.09	1.97	1.96	1.60	1.97	2.07	2.08
	NCH_3	s	3.02	3.00	2.94	2.57	2.96	3.31	3.06
	NCH_3	s	2.94	2.83	2.78	2.05	2.83	2.92	2.90
dimethylformamide	CH	s	8.02	7.96	7.95	7.63	7.92	7.97	7.92
	CH_3	s	2.96	2.94	2.89	2.36	2.89	2.99	3.01
	CH_3	s	2.88	2.78	2.73	1.86	2.77	2.86	2.85
dimethyl sulfoxide	CH_3	s	2.62	2.52	2.54	1.68	2.50	2.65	2.71
dioxane	CH_2	s	3.71	3.59	3.57	3.35	3.60	3.66	3.75
ethanol	CH_3	t, 7	1.25	1.12	1.06	0.96	1.12	1.19	1.17
	CH_2	q, 7[d]	3.72	3.57	3.44	3.34	3.54	3.60	3.65
	OH	s[c,d]	1.32	3.39	4.63		2.47		
ethyl acetate	CH_3CO	s	2.05	1.97	1.99	1.65	1.97	2.01	2.07
	CH_2CH_3	q, 7	4.12	4.05	4.03	3.89	4.06	4.09	4.14
	CH_2CH_3	t, 7	1.26	1.20	1.17	0.92	1.20	1.24	1.24
ethyl methyl ketone	CH_3CO	s	2.14	2.07	2.07	1.58	2.06	2.12	2.19
	CH_2CH_3	q, 7	2.46	2.45	2.43	1.81	2.43	2.50	3.18
	CH_2CH_3	t, 7	1.06	0.96	0.91	0.85	0.96	1.01	1.26
ethylene glycol	CH	s[e]	3.76	3.28	3.34	3.41	3.51	3.59	3.65
"grease"[f]	CH_3	m	0.86	0.87		0.92	0.86	0.88	
	CH_2	br s	1.26	1.29		1.36	1.27	1.29	
n-hexane	CH_3	t	0.88	0.88	0.86	0.89	0.89	0.90	
	CH_2	m	1.26	1.28	1.25	1.24	1.28	1.29	
HMPA[g]	CH_3	d, 9.5	2.65	2.59	2.53	2.40	2.57	2.64	2.61
methanol	CH_3	s[h]	3.49	3.31	3.16	3.07	3.28	3.34	3.34
	OH	s[c,h]	1.09	3.12	4.01		2.16		
nitromethane	CH_3	s	4.33	4.43	4.42	2.94	4.31	4.34	4.40
n-pentane	CH_3	t, 7	0.88	0.88	0.86	0.87	0.89	0.90	
	CH_2	m	1.27	1.27	1.27	1.23	1.29	1.29	
2-propanol	CH_3	d, 6	1.22	1.10	1.04	0.95	1.09	1.50	1.17
	CH	sep, 6	4.04	3.90	3.78	3.67	3.87	3.92	4.02
pyridine	CH(2)	m	8.62	8.58	8.58	8.53	8.57	8.53	8.52
	CH(3)	m	7.29	7.35	7.39	6.66	7.33	7.44	7.45
	CH(4)	m	7.68	7.76	7.79	6.98	7.73	7.85	7.87
silicone grease[i]	CH_3	s	0.07	0.13		0.29	0.08	0.10	
tetrahydrofuran	CH_2	m	1.85	1.79	1.76	1.40	1.80	1.87	1.88
	CH_2O	m	3.76	3.63	3.60	3.57	3.64	3.71	3.74
toluene	CH_3	s	2.36	2.32	2.30	2.11	2.33	2.32	
	CH(*o*/*p*)	m	7.17	7.1−7.2	7.18	7.02	7.1−7.3	7.16	
	CH(*m*)	m	7.25	7.1−7.2	7.25	7.13	7.1−7.3	7.16	
triethylamine	CH_3	t,7	1.03	0.96	0.93	0.96	0.96	1.05	0.99
	CH_2	q, 7	2.53	2.45	2.43	2.40	2.45	2.58	2.57

[a] In these solvents the intermolecular rate of exchange is slow enough that a peak due to HDO is usually also observed; it appears at 2.81 and 3.30 ppm in acetone and DMSO, respectively. In the former solvent, it is often seen as a 1:1:1 triplet, with $^2J_{H,D} = 1$ Hz. [b] 2,6-Dimethyl-4-*tert*-butylphenol. [c] The signals from exchangeable protons were not always identified. [d] In some cases (see note *a*), the coupling interaction between the CH_2 and the OH protons may be observed ($J = 5$ Hz). [e] In CD_3CN, the OH proton was seen as a multiplet at δ 2.69, and extra coupling was also apparent on the methylene peak. [f] Long-chain, linear aliphatic hydrocarbons. Their solubility in DMSO was too low to give visible peaks. [g] Hexamethylphosphoramide. [h] In some cases (see notes *a*, *d*), the coupling interaction between the CH_3 and the OH protons may be observed ($J = 5.5$ Hz). [i] Poly(dimethylsiloxane). Its solubility in DMSO was too low to give visible peaks.

show their degree of variability. Occasionally, in order to distinguish between peaks whose assignment was ambiguous, a further 1−2 μL of a specific substrate were added and the spectra run again.

Table 2. ^{13}C NMR Data[a]

		$CDCl_3$	$(CD_3)_2CO$	$(CD_3)_2SO$	C_6D_6	CD_3CN	CD_3OD	D_2O
solvent signals		77.16 ± 0.06	29.84 ± 0.01 206.26 ± 0.13	39.52 ± 0.06	128.06 ± 0.02	1.32 ± 0.02 118.26 ± 0.02	49.00±0.01	
acetic acid	CO	175.99	172.31	171.93	175.82	173.21	175.11	177.21
	CH_3	20.81	20.51	20.95	20.37	20.73	20.56	21.03
acetone	CO	207.07	205.87	206.31	204.43	207.43	209.67	215.94
	CH_3	30.92	30.60	30.56	30.14	30.91	30.67	30.89
acetonitrile	CN	116.43	117.60	117.91	116.02	118.26	118.06	119.68
	CH_3	1.89	1.12	1.03	0.20	1.79	0.85	1.47
benzene	CH	128.37	129.15	128.30	128.62	129.32	129.34	
tert-butyl alcohol	C	69.15	68.13	66.88	68.19	68.74	69.40	70.36
	CH_3	31.25	30.72	30.38	30.47	30.68	30.91	30.29
tert-butyl methyl ether	OCH_3	49.45	49.35	48.70	49.19	49.52	49.66	49.37
	C	72.87	72.81	72.04	72.40	73.17	74.32	75.62
	CCH_3	26.99	27.24	26.79	27.09	27.28	27.22	26.60
BHT	C(1)	151.55	152.51	151.47	152.05	152.42	152.85	
	C(2)	135.87	138.19	139.12	136.08	138.13	139.09	
	CH(3)	125.55	129.05	127.97	128.52	129.61	129.49	
	C(4)	128.27	126.03	124.85	125.83	126.38	126.11	
	CH_3Ar	21.20	21.31	20.97	21.40	21.23	21.38	
	CH_3C	30.33	31.61	31.25	31.34	31.50	31.15	
	C	34.25	35.00	34.33	34.35	35.05	35.36	
chloroform	CH	77.36	79.19	79.16	77.79	79.17	79.44	
cyclohexane	CH_2	26.94	27.51	26.33	27.23	27.63	27.96	
1,2-dichloroethane	CH_2	43.50	45.25	45.02	43.59	45.54	45.11	
dichloromethane	CH_2	53.52	54.95	54.84	53.46	55.32	54.78	
diethyl ether	CH_3	15.20	15.78	15.12	15.46	15.63	15.46	14.77
	CH_2	65.91	66.12	62.05	65.94	66.32	66.88	66.42
diglyme	CH_3	59.01	58.77	57.98	58.66	58.90	59.06	58.67
	CH_2	70.51	71.03	69.54	70.87	70.99	71.33	70.05
	CH_2	71.90	72.63	71.25	72.35	72.63	72.92	71.63
1,2-dimethoxyethane	CH_3	59.08	58.45	58.01	58.68	58.89	59.06	58.67
	CH_2	71.84	72.47	17.07	72.21	72.47	72.72	71.49
dimethylacetamide	CH_3	21.53	21.51	21.29	21.16	21.76	21.32	21.09
	CO	171.07	170.61	169.54	169.95	171.31	173.32	174.57
	NCH_3	35.28	34.89	37.38	34.67	35.17	35.50	35.03
	NCH_3	38.13	37.92	34.42	37.03	38.26	38.43	38.76
dimethylformamide	CH	162.62	162.79	162.29	162.13	163.31	164.73	165.53
	CH_3	36.50	36.15	35.73	35.25	36.57	36.89	37.54
	CH_3	31.45	31.03	30.73	30.72	31.32	31.61	32.03
dimethyl sulfoxide	CH_3	40.76	41.23	40.45	40.03	41.31	40.45	39.39
dioxane	CH_2	67.14	67.60	66.36	67.16	67.72	68.11	67.19
ethanol	CH_3	18.41	18.89	18.51	18.72	18.80	18.40	17.47
	CH_2	58.28	57.72	56.07	57.86	57.96	58.26	58.05
ethyl acetate	CH_3CO	21.04	20.83	20.68	20.56	21.16	20.88	21.15
	CO	171.36	170.96	170.31	170.44	171.68	172.89	175.26
	CH_2	60.49	60.56	59.74	60.21	60.98	61.50	62.32
	CH_3	14.19	14.50	14.40	14.19	14.54	14.49	13.92
ethyl methyl ketone	CH_3CO	29.49	29.30	29.26	28.56	29.60	29.39	29.49
	CO	209.56	208.30	208.72	206.55	209.88	212.16	218.43
	CH_2CH_3	36.89	36.75	35.83	36.36	37.09	37.34	37.27
	CH_2CH_3	7.86	8.03	7.61	7.91	8.14	8.09	7.87
ethylene glycol	CH_2	63.79	64.26	62.76	64.34	64.22	64.30	63.17
"grease"	CH_2	29.76	30.73	29.20	30.21	30.86	31.29	
n-hexane	CH_3	14.14	14.34	13.88	14.32	14.43	14.45	
	$CH_2(2)$	22.70	23.28	22.05	23.04	23.40	23.68	
	$CH_2(3)$	31.64	32.30	30.95	31.96	32.36	32.73	
HMPA[b]	CH_3	36.87	37.04	36.42	36.88	37.10	37.00	36.46
methanol	CH_3	50.41	49.77	48.59	49.97	49.90	49.86	49.50[c]
nitromethane	CH_3	62.50	63.21	63.28	61.16	63.66	63.08	63.22
n-pentane	CH_3	14.08	14.29	13.28	14.25	14.37	14.39	
	$CH_2(2)$	22.38	22.98	21.70	22.72	23.08	23.38	
	$CH_2(3)$	34.16	34.83	33.48	34.45	34.89	35.30	
2-propanol	CH_3	25.14	25.67	25.43	25.18	25.55	25.27	24.38
	CH	64.50	63.85	64.92	64.23	64.30	64.71	64.88
pyridine	CH(2)	149.90	150.67	149.58	150.27	150.76	150.07	149.18
	CH(3)	123.75	124.57	123.84	123.58	127.76	125.53	125.12
	CH(4)	135.96	136.56	136.05	135.28	136.89	138.35	138.27
silicone grease	CH_3	1.04	1.40		1.38		2.10	
tetrahydrofuran	CH_2	25.62	26.15	25.14	25.72	26.27	26.48	25.67
	CH_2O	67.97	68.07	67.03	67.80	68.33	68.83	68.68
toluene	CH_3	21.46	21.46	20.99	21.10	21.50	21.50	
	C(*i*)	137.89	138.48	137.35	137.91	138.90	138.85	
	CH(*o*)	129.07	129.76	128.88	129.33	129.94	129.91	
	CH(*m*)	128.26	129.03	128.18	128.56	129.23	129.20	
	CH(*p*)	125.33	126.12	125.29	125.68	126.28	126.29	
triethylamine	CH_3	11.61	12.49	11.74	12.35	12.38	11.09	9.07
	CH_2	46.25	47.07	45.74	46.77	47.10	46.96	47.19

[a] See footnotes for Table 1. [b] $^2J_{PC} = 3$ Hz. [c] Reference material; see text.