

BSIP Test Suite

Execution Environment

Host name	HP - 20.23.0.98
Local OS	Windows 10 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

Summary

ID	Test Suites/BSIP Test Suite		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	13-06-2024 14:17:03	End	13-06-2024 14:18:38
Elapsed	1m - 35.156s		

#	ID	Description	Status
1	Test Cases/BSIP_TestCase1		FAILED

BSIP_TestCase1

Information

ID	Test Cases/BSIP_TestCase1		
Description			
Tag			
Start	13-06-2024 14:18:08	End	13-06-2024 14:18:30
Elapsed	21.861s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.141s	PASSED
2	navigateToUrl("https://www.bsip.res.in/") Navigate to 'https://www.bsip.res.in/' successfully	15.197s	PASSED
3	rightClick(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/img")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/img' is right clicked on	0.444s	PASSED
4	rightClick(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Pillai S.S.K., Sebastian R.A., Mathews R._6e7ff5")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Pillai S.S.K., Sebastian R.A., Mathews R._6e7ff5' is right clicked on	0.443s	PASSED
5	rightClick(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Pillai S.S.K., Sebastian R.A., Mathews R._6e7ff5")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Pillai S.S.K., Sebastian R.A., Mathews R._6e7ff5' is right clicked on	0.414s	PASSED

BSIP_TestCase1

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Mehrotra N, Shah SK, Kar R. 2024. Palynol_b5b134")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/p_Mehrotra N, Shah SK, Kar R. 2024. Palynol_b5b134' is clicked on	0.305s	PASSED
7	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a__showhide")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a__showhide' is clicked on	0.324s	PASSED
8	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Structure")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Structure' is clicked on	0.297s	PASSED
9	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Structure")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Structure' is clicked on	0.440s	PASSED
10	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Staff")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Staff' is clicked on	0.286s	PASSED
11	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Research")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Research' is clicked on	0.307s	PASSED
12	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Publications")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Publications' is clicked on	0.326s	PASSED

BSIP_TestCase1

#	Description	Elapsed	Status
13	click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/i_Consultancy_fa fa-angle-down")) Object: 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/i_Consultancy_fa fa-angle-down' is clicked on	0.293s	PASSED

BSIP_TestCase1

#	Description	Elapsed	Status
14	<p>click(findTestObject("Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Catalogues"))</p> <p>Unable to click on object 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Catalogues' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Welcome to BSIP Birbal Sahni Institut_9bf31a/a_Catalogues'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at BSIP_TestCase1.run (BSIP_TestCase1:46)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1718268416153.run (TempTestSuite1718268416153.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p>	0.620s	FAILED

BSIP_TestCase1

#	Description	Elapsed	Status
	<p>System info: host: 'DESKTOP-DOH5KRA', ip: '20.23.0.98', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49588}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 5fc0e90cfa7a018aa0b6fc75e637b6fb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CCChromeDriver.execute(CCChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor11.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)</p>		

BSIP_TestCase1

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718267851404.run(Script1718267851404.groovy:46) ... 18 more)</pre>		
			