





File Edit Selection View Go Debug Terminal Help JwMiddleware.php - migrate - Visual Studio Code

EXPLORER

- anggota.php
- buku.php
- DatabaseSeeder.php
- petugas.php
- PetugasController.php
- Petugas.php
- User.php
- JwMiddleware.php
- Kernel.php

OPEN EDITORS

- anggota.php data...
- buku.php data...
- DatabaseSeeder.p...
- petugas.php data...
- PetugasCont... U
- Petugas.php... M
- User.php app M
- JwMiddleware... U
- Kernel.php ... M

MIGRATE

- app
 - Console
 - Exceptions
 - Http
 - Controllers
 - Auth
 - Controller.php
 - Petugas... U
 - Middleware... U
 - Authenticate...
 - CheckforMal...
 - EncryptCooki...
 - JwMid... U
 - RedirectAut...
 - TrimStrings.php
 - TrustProxies.p...
 - VerifyCsrfTok...
- Kernel.php M
- Providers
 - Anggota.php
 - Buku.php
 - Petugas.php M
 - User.php M
- bootstrap
- config

- OUTLINE
- NPM SCRIPTS

```
1 <?php
2
3 namespace App\Http\Middleware;
4
5 use Closure;
6 use JWTAuth;
7 use Exception;
8 use Tymon\JWTAuth\Http\Middleware\BaseMiddleware;
9
10 class JwMiddleware extends BaseMiddleware
11 {
12
13     /**
14      * Handle an incoming request.
15      *
16      * @param \Illuminate\Http\Request $request
17      * @param \Closure $next
18      * @return mixed
19      */
20     public function handle($request, Closure $next)
21     {
22         try {
23             $user = JWTAuth::parseToken()->authenticate();
24         } catch (Exception $e) {
25             if ($e instanceof \Tymon\JWTAuth\Exceptions\TokenInvalidException){
26                 return response()->json(['status' => 'Token is Invalid']);
27             }else if ($e instanceof \Tymon\JWTAuth\Exceptions\TokenExpiredException){
28                 return response()->json(['status' => 'Token is Expired']);
29             }else{
30                 return response()->json(['status' => 'Authorization Token not found']);
31             }
32         }
33         return $next($request);
34     }
35 }
36
```

master POWER MODE!!! Combi 4 User.php - migrate - Visual Studio Code Ln 36, Col 1 Spaces: 4 UTF-8 LF PHP 1

File Edit Selection View Go Debug Terminal Help

EXPLORER

- .env
- anggota.php
- buku.php
- DatabaseSeeder.php
- petugas.php
- PetugasController.php
- Petugas.php
- User.php
- api.php
- api.php route

OPEN EDITORS

- .env
- anggota.php data...
- buku.php data...
- DatabaseSeeder.p...
- petugas.php data...
- PetugasCont... U
- Petugas.php... M
- User.php app M
- api.php FIMEMEK...

MIGRATE

- app
 - Console
 - Exceptions
 - Http
 - Controllers
 - Auth
 - Controller.php
 - Petugas... U
 - Middleware... U
 - Authenticate...
 - CheckforMal...
 - EncryptCooki...
 - JwMid... U
 - RedirectAut...
 - TrimStrings.php
 - TrustProxies.p...
 - VerifyCsrfTok...
- Kernel.php
- Providers
 - Anggota.php
 - Buku.php
 - Petugas.php M
 - User.php M
- bootstrap
- config

- OUTLINE
- NPM SCRIPTS

```
10 class User extends Authenticatable implements JWTSubject
11 {
12     use Notifiable;
13
14     protected $table="petugas";
15
16     /**
17      * The attributes that are mass assignable.
18      *
19      * @var array
20      */
21     protected $fillable = [
22         'nama_petugas', 'alamat', 'notelp', 'username', 'password', 'level'
23     ];
24
25     /**
26      * The attributes that should be hidden for arrays.
27      *
28      * @var array
29      */
30
31     /**
32      * The attributes that should be cast to native types.
33      *
34      * @var array
35      */
36     protected $casts = [
37         'email_verified_at' => 'datetime',
38     ];
39
40     public function getJWTIdentifier()
41     {
42         return $this->getKey();
43     }
44
45     public function getJWTCustomClaims()
46     {
47         return [];
48     }
49 }
50
```

Welcome to the new version of vscode-icons. v9.7.0

Information about the latest cha... Don't show me this message next ...

Ln 40, Col 39 Spaces: 4 UTF-8 LF PHP 1