Федеральное государственное бюджетное образовательное учреждение высшего образования «Сибирский государственный университет телекоммуникаций и информатики» (СибГУТИ)

Кафедра прикладной математики и кибернетики

## РАСЧЕТНО-ГРАФИЧЕСКОЕ ЗАДАНИЕ

по дисциплине «Функциональное и логическое программирование»

Вариант 4

Выполнил:

студент группы ИП-813 Бурдуковский Илья Александрович

Работу проверил:

ассистент кафедры ПМиК Пащенко Анастасия Андреевна

## Задание

- 1. Сформируйте новый список, включающий в себя без повторений все элементы двух списков (объединение множеств). Например, [1,2,3,4], [6,3,1,4]-> [1,2,3,4,6].
- 2. В текстовом файле, состоящем из нескольких строк, во всех словах, оканчивающихся на "ing" замените это окончание на "ed". Сформируйте новый файл.

## Листинг

```
% Автор: Я
% Дата: 02.12.2020
%----1
member(H,[H|]).
member(X,[ |Tail]):-member(X,Tail).
pool([],B,B).
pool([H|Tail],B,NewTail):-member(H, B),!,pool(Tail,B,NewTail).
pool([H|Tail],B,[H|NewTail]):-pool(Tail,B,NewTail).
remove duplicates([], []):-!.
remove duplicates([H|Tail], NewTail):-member(H, Tail),!,
remove duplicates (Tail, NewTail).
remove duplicates([H|Tail], [H|NewTail]):-
remove duplicates (Tail, NewTail).
rgr1():-
  read(List1),
  read(List2),
  remove duplicates (List1, List1r),
  remove duplicates (List2, List2r),
 pool(List1r, List2r, List),
  write (List).
%----2----
check exist(Fname):-exists file(Fname),!.
check exist():-writeln('File not found!'),fail.
rgr2:-
  writeln('Введите имя входного файла:'),
  read(Fname1),
  check exist(Fname1),
  writeln('Введите имя выходного файла:'),
```

```
read(Fname2),
  open (Fname1, read, F1),
  open (Fname2, write, F2),
  repeat,
    read line to codes(F1,C),
    atom chars(F,C),
    %writeln(F),
    atomic list concat(L,'',F),
    writestr(F2,L),
    at_end_of_stream(F1),
  close(F1),
  close(F2).
empty([]).
empty():-fail.
writeword(F2,W):-
  sub string(W,Before, ,0,'ing'),
  sub string(W, 0, Before, , Wed),
  write (F2, Wed),
  write(F2,'ed').
writeword(F2,W):-
  not(sub\_string(W,\_,\_,0,'ing')),
  write (F2, W).
writestr(F2,[H|T]):-
  writeword(F2,H),
  not(empty(T)),
  writeword(F2, " "),
  writestr(F2,T).
writestr(F2,[ |T]):-
  empty(T),
  nl(F2).
```

## Результаты работы

```
?- rgrl.
|: [1,2,3,4].
|: [6,3,1,4].
[2,6,3,1,4]
true.
?- rgr2.
Введите имя входного файла:
|: ('123.txt').
Введите имя выходного файла:
|: ('456.txt').
```

[]] 123.txt — Блокнот Файл Правка Формат Вид Справка

Let's all sing
For the spring
It's the time when birds take wing
And the bees all buzz
But be carefull cause they sting
These are all the signs of spring

Let's all sing
For the spring
Go outside and ride a swing
Let your kite fly high
Just stand back untill the string
These are all the signs of spring

Let's all sing
For the spring
Butterflies on flowers cling
And the grass geows green
It is such a lovely thing
These are all the signs of spring

\*456.txt – Блокнот

Файл Правка Формат Вид Справка
Let's all sed
For the spred
It's the time when birds take wed
And the bees all buzz
But be carefull cause they sted
These are all the signs of spred

Let's all sed
For the spred
Go outside and ride a swed
Let your kite fly high
Just stand back untill the stred
These are all the signs of spred

Let's all sed
For the spred
Butterflies on flowers cled
And the grass geows green
It is such a lovely thed
These are all the signs of spred