

Name	Aliases	Description
bigint	int8	signed eight-byte integer
bigserial	serial8	autoincrementing eight-byte integer
bit [(n)]		fixed-length bit string
bit varying [(n)]	varbit	variable-length bit string
boolean	bool	logical Boolean (true/false)
box		rectangular box on a plane
bytea		binary data ("byte array")
character varying [(n)]	varchar [(n)]	variable-length character string
character [(n)]	char [(n)]	fixed-length character string
cidr		IPv4 or IPv6 network address
circle		circle on a plane
date		calendar date (year, month, day)
double precision	float8	double precision floating-point number (8 bytes)
inet		IPv4 or IPv6 host address
integer	int, int4	signed four-byte integer
interval [fields] [(p)]		time span
line		infinite line on a plane
lseg		line segment on a plane
macaddr		MAC (Media Access Control) address
money		currency amount
numeric [(p, s)]	decimal [(p, s)]	exact numeric of selectable precision
path		geometric path on a plane
point		geometric point on a plane
polygon		closed geometric path on a plane
real	float4	single precision floating-point number (4 bytes)
smallint	int2	signed two-byte integer
smallserial	serial2	autoincrementing two-byte integer
serial	serial4	autoincrementing four-byte integer
text		variable-length character string
time [(p)] [without time zone]		time of day (no time zone)
time [(p)] with time zone	timetz	time of day, including time zone
timestamp [(p)] [without time zone]		date and time (no time zone)
timestamp [(p)] with time zone	timestampz	date and time, including time zone
tsquery		text search query
tsvector		text search document
txid_snapshot		user-level transaction ID snapshot
uuid		universally unique identifier
xml		XML data
json		JSON data

Numeric

Name	Storage Size	Description	Range
smallint	2 bytes	small-range integer	-32768 to +32767
integer	4 bytes	typical choice for integer	-2147483648 to +2147483647
bigint	8 bytes	large-range integer	-9223372036854775808 to 9223372036854775807
decimal	variable	user-specified precision, exact	up to 131072 digits before the decimal point; up to 16383 digits after the decimal point
numeric	variable	user-specified precision, exact	up to 131072 digits before the decimal point; up to 16383 digits after the decimal point
real	4 bytes	variable-precision, inexact	6 decimal digits precision
double precision	8 bytes	variable-precision, inexact	15 decimal digits precision
smallserial	2 bytes	small autoincrementing integer	1 to 32767
serial	4 bytes	autoincrementing integer	1 to 2147483647
bigserial	8 bytes	large autoincrementing integer	1 to 9223372036854775807

Money types

Name	Storage Size	Description	Range
money	8 bytes	currency amount	-92233720368547758.08 to +92233720368547758.07

Character

Name	Description
character varying(<i>n</i>), varchar(<i>n</i>)	variable-length with limit
character(<i>n</i>), char(<i>n</i>)	fixed-length, blank padded
text	variable unlimited length

Binary

Name	Storage Size	Description
bytea	1 or 4 bytes plus the actual binary string	variable-length binary string

Date/Time

Name	Storage Size	Description	Low Value	High Value	Resolution
timestamp [(<i>p</i>)] [without time zone]	8 bytes	both date and time (no time zone)	4713 BC	294276 AD	1 microsecond / 14 digits
timestamp [(<i>p</i>)] with time zone	8 bytes	both date and time, with time zone	4713 BC	294276 AD	1 microsecond / 14 digits
date	4 bytes	date (no time of day)	4713 BC	5874897 AD	1 day
time [(<i>p</i>)] [without time zone]	8 bytes	time of day (no date)		0:00:00 24:00:00	1 microsecond / 14 digits
time [(<i>p</i>)] with time zone	12 bytes	times of day only, with time zone	00:00:00+1459	24:00:00-1459	1 microsecond / 14 digits
interval [<i>fields</i>] [(<i>p</i>)]	12 bytes	time interval	-178000000 years	178000000 years	1 microsecond / 14 digits

Boolean

Name	Storage Size	Description
boolean	1 byte	state of true or false

Geometric

Name	Storage Size	Representation	Description
point	16 bytes	Point on a plane	(<i>x</i> , <i>y</i>)
line	32 bytes	Infinite line (not fully implemented)	((<i>x</i> 1, <i>y</i> 1),(<i>x</i> 2, <i>y</i> 2))
lseg	32 bytes	Finite line segment	((<i>x</i> 1, <i>y</i> 1),(<i>x</i> 2, <i>y</i> 2))
box	32 bytes	Rectangular box	((<i>x</i> 1, <i>y</i> 1),(<i>x</i> 2, <i>y</i> 2))
path	16+16 <i>n</i> bytes	Closed path (similar to polygon)	((<i>x</i> 1, <i>y</i> 1),...)
path	16+16 <i>n</i> bytes	Open path	[(<i>x</i> 1, <i>y</i> 1),...]
polygon	40+16 <i>n</i> bytes	Polygon (similar to closed path)	((<i>x</i> 1, <i>y</i> 1),...)
circle	24 bytes	Circle	<(<i>x</i> , <i>y</i>), <i>r</i> > (center point and radius)

Network Address

Name	Storage Size	Description
cidr	7 or 19 bytes	IPv4 and IPv6 networks
inet	7 or 19 bytes	IPv4 and IPv6 hosts and networks
macaddr	6 bytes	MAC addresses