Thesis Checklist

Remaining work reassessed on 4 November 2026 against the current local thesis and prior checklist. Earlier citation cleanup and sections marked 02.11 remain outside this checklist. Tasks are checks, not claims that every correction is established.

3.2.2 Bregman and beta-divergences

- **Repair the general beta-divergence setup.** Reconcile the domain and regularity assumptions with the power generator for general real beta > 0; treat the quadratic beta = 1 case separately. [chapter 165-180]
- **Check the symmetry characterization.** Compare the assumptions with the cited theorem, including the Legendre-type hypotheses. In the new scalar-generator argument, check the choice of test function and show how it proves the claimed form for every scalar. [chapter 159-172; Tsuchida and Nielsen, Theorem 12]

3.2 Numerical approximation

- **Verify settings of saved results.** Check the Fourier quadrature settings actually used for the older joint-limit output. The new repeated-sampling experiment records its settings; verify the older result rather than assuming the same defaults. [chapter 213-226; saved outputs and experiment metadata]

Sources: chapters/5_bandwidth_selection.tex; Code/Code_kde/notebooks/03_fixed_sample_experiments.ipynb; Tsuchida and Nielsen (2026), Theorem 12.

Numerical experiments

3.4.2 Repeated sampling experiments

The four-panel comparison and its principal experimental settings are now explained in the thesis.

- **Complete the histogram description.** Clarify that the 400 candidates form a geometric grid on [0.01, 2]. Each candidate now has its own histogram bin. [chapter 469-503; repeated_alpha_evolution plotting and experiment scripts]

Sources: chapters/5_bandwidth_selection.tex; Code/Code_kde/experiments/repeated_alpha_evolution/plot_results.py and run_experiment.py; saved experiment settings.

Explanation of the results

3.5.2 Statements and main-chapter proofs

The Frechet-derivative lemma proof and row-sum proposition proof are in the main chapter. Their former appendix headings are empty.

- **Check the derivative-lemma proof.** Define dilation and translation operators consistently; check derivative notation, L2 convergence and continuity, and the uniform modulus on a compact interval. [chapter 559-616]
- **Make proposition assumptions explicit.** State the row-sum and Perron-vector setups together: lambda scaling, the grid, uniqueness of the energy minimum and any interior or boundary requirements used in the proofs. [chapter 624-631, 784-786; appendix 329 onward]
- **Check the geometric-grid case.** Experiments use r = 0, while the row-sum proposition assumes 0 < r <= 1. Check both proofs at r = 0, including formulas divided by r, or qualify the connection. [chapter 624-631, 634-758; appendix 329 onward]
- **Correct and cite the Laplace-method remark.** Check the sign of the second derivative at an interior maximum, the needed nondegeneracy and other hypotheses, and the displayed formula; add a source. [chapter 764-770; NIST DLMF 2.3(iii)]
- **Clarify row sums, weights and the conclusion.** Distinguish the proved row-sum approximation from the Perron-vector statement. Specify vector normalization and distinguish weighted energy from the unweighted derivative norm. [chapter 772-786]
- **Resolve empty proof headings and polishing notes.** Decide how to handle the empty derivative-lemma and row-sum appendix subsections now that their proofs are in the main chapter. Review the inline polishing markers after the relevant proofs and propositions. [appendix 325-329; chapter 540, 557, 782]

Sources: chapters/5_bandwidth_selection.tex; chapters/9999_appendix.tex; NIST DLMF 2.3(iii), Laplace method.

Proof checks

3.5.2 Row-sum and Perron proofs

- **Row-sum proof: track scaling and uniform estimates.** Check the transformed grid, the epsilon_N limit, the uniform local remainder, Gaussian tail bound and Riemann-sum limit for an interior limiting bandwidth. [main chapter 634-758]
- **Row-sum proof: establish positivity before its use.** Check the lower-bound constant and move or justify positivity of Q-hat_r(h_0) before the Gaussian integral and square-root formula use it. [main chapter 646-655, 753-757]
- **Perron proof: define missing notation.** Introduce transformed coordinates t_i and interval endpoints, m(t), q_0, sigma_N and maximizer indices before use; keep N and subsequence dependence consistent. [appendix 329 onward]
- **Perron proof: verify uniform bounds at boundaries.** Justify local expansion and row-sum upper bounds for sequences approaching either endpoint, where the row-sum proposition states an interior limit. Verify compactness and continuity steps. [appendix, proof of Proposition main_thm2; main chapter 624-631]
- **Perron proof: repair the Rayleigh lower bound.** Check the interval J for a boundary minimizer; correct inconsistent b_N and index-set notation, inside/outside pair count, and the sign of v-u in the lower bound. Verify E_N tends to zero. [appendix, proof of Proposition main_thm2]
- **Perron proof: finish the convergence argument.** Check the transition from eigenvalue and uniform row-sum bounds to the argmax index, including uniqueness, tie convention and possible endpoint minimizers. [appendix, proof of Proposition main_thm2]

Final check

- **Compile the finished thesis.** After substantive revisions, check figures, captions, labels, bibliography and cross-references. [thesis source and compiled PDF]

Sources: chapters/5_bandwidth_selection.tex, especially lines 624-758; chapters/9999_appendix.tex, proof of Proposition main_thm2.