

Urogenital microbiome composition test

Androbiome


Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_1

№	Test title	Result	
		Quantitative	Relative Lg(X/TMD)
	Human DNA	10 4.8 ☐	
1	Total Bacterial Mass	10 3.7 ☐	
Transit microorganisms			
2	Lactobacillus	not detected	☐
Commensals			
3	Staphylococcus spp.	not detected	
4	Streptococcus spp.	not detected	
5	Corynebacterium spp.	10 3.7	
	Commensals, sum	10 3.7	☐
BV-associated opportunistic microorganisms			
6	Gardnerella vaginalis	not detected	☐
7	Megasphaera spp. / Veillonella spp. / Dialister spp.	not detected	☐
8	Sneathia spp. / Leptotrichia spp. / Fusobacterium spp.	not detected	☐
9	Ureaplasma urealyticum *	not detected ☐	
10	Ureaplasma parvum *	not detected ☐	
11	Mycoplasma hominis *	not detected ☐	
12	Atopobium cluster	not detected	☐
	BV-associated opportunistic microorganisms, sum	not detected	☐
Opportunistic anaerobes			
13	Bacteroides spp. / Porphyromonas spp. / Prevotella spp.	not detected	☐
14	Anaerococcus spp.	not detected	☐
15	Peptostreptococcus spp. / Parvimonas spp.	not detected	☐
16	Eubacterium spp.	not detected	☐
	Opportunistic anaerobes, sum	not detected	☐
Opportunistic microorganisms Haemophilus spp.			
17	Haemophilus spp.	not detected	☐
Opportunistic microorganisms Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.			
18	Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.	not detected	☐
Opportunistic microorganisms Enterobacteriaceae spp. / Enterococcus spp.			
19	Enterobacteriaceae spp. / Enterococcus spp.	not detected	☐
Yeast-like fungi			
20	Candida spp. *	below TH *** ☐	
Sexually transmitted infections			
21	Mycoplasma genitalium **	not detected ☐	
22	Trichomonas vaginalis **	not detected ☐	
23	Neisseria gonorrhoeae **	not detected ☐	
24	Chlamydia trachomatis **	not detected ☐	



* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

Conclusion:

STIs DNA is not detected.
Candida spp. below threshold.
The bacterial microbiome composition is normal.

Study was carried out by

Date
Signature

Urogenital microbiome composition test


Androbiome

Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_2



* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

Conclusion:

STIs DNA is not detected.

Candida spp. below threshold.

The bacterial microbiome composition is abnormal: opportunistic bacteria are detected

Study was carried out by

Date
Signature

Urogenital microbiome composition test

Androbiome

Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_3

№	Test title	Result	
		Quantitative	Relative Lg(X/TMD)
	Human DNA	10 5.4 ☐	
1	Total Bacterial Mass	10 4.5 ☐	
Transit microorganisms			
2	Lactobacillus	not detected	☐
Commensals			
3	Staphylococcus spp.	not detected	
4	Streptococcus spp.	not detected	
5	Corynebacterium spp.	10 4.2	-0.3 (43-58%)
	Commensals, sum	10 4.2	-0.3 (43-58%) ☐
BV-associated opportunistic microorganisms			
6	Gardnerella vaginalis	not detected	☐
7	Megasphaera spp. / Veillonella spp. / Dialister spp.	not detected	☐
8	Sneathia spp. / Leptotrichia spp. / Fusobacterium spp.	not detected	☐
9	Ureaplasma urealyticum *	not detected ☐	
10	Ureaplasma parvum *	not detected ☐	
11	Mycoplasma hominis *	not detected ☐	
12	Atopobium cluster	not detected	☐
	BV-associated opportunistic microorganisms, sum	not detected	☐
Opportunistic anaerobes			
13	Bacteroides spp. / Porphyromonas spp. / Prevotella spp.	10 3.3	-1.2 (5- 7%) ☐
14	Anaerococcus spp.	10 4.0	-0.5 (27-36%) ☐
15	Peptostreptococcus spp. / Parvimonas spp.	not detected	☐
16	Eubacterium spp.	10 4.2	-0.3 (43-58%) ☐
	Opportunistic anaerobes, sum	10 4.4	-0.1 (75-100%) ☐
Opportunistic microorganisms Haemophilus spp.			
17	Haemophilus spp.	not detected	☐
Opportunistic microorganisms Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.			
18	Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.	not detected	☐
Opportunistic microorganisms Enterobacteriaceae spp. / Enterococcus spp.			
19	Enterobacteriaceae spp. / Enterococcus spp.	10 3.1	-1.4 (3- 5%) ☐
Yeast-like fungi			
20	Candida spp. *	below TH *** ☐	
Sexually transmitted infections			
21	Mycoplasma genitalium **	not detected ☐	
22	Trichomonas vaginalis **	not detected ☐	
23	Neisseria gonorrhoeae **	not detected ☐	
24	Chlamydia trachomatis **	not detected ☐	

* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

Conclusion:

STIs DNA is not detected.

Candida spp. below threshold.

The bacterial microbiome composition is abnormal: opportunistic bacteria are detected

Study was carried out by

Date
Signature

Urogenital microbiome composition test


Androbiome

Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_4



* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

Conclusion:

DETECTED: Chlamydia trachomatis.

Candida spp. below threshold.

The bacterial microbiome composition is abnormal: STIs are detected, balance of normal and opportunistic microflora is severely disturbed.

Study was carried out by

Date
Signature

Urogenital microbiome composition test

Androbiome

Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_5

№	Test title	Result			% of TMD
		Quantitative	Relative Lg(X/TMD)		
	Human DNA	10 4.1	☐		
1	Total Bacterial Mass	10 4.4	☐		
Transit microorganisms					
2	Lactobacillus	10 4.2	-0.2 (54-73%)	☒	
Commensals					
3	Staphylococcus spp.	10 4.4	0.0 (85-100%)	☐	
4	Streptococcus spp.	10 4.2	-0.2 (54-73%)	☐	
5	Corynebacterium spp.	10 4.4	0.0 (85-100%)	☐	
	Commensals, sum	10 4.8	0.4 (85-100%)	☒	
BV-associated opportunistic microorganisms					
6	Gardnerella vaginalis	10 4.2	-0.2 (54-73%)	☒	
7	Megasphaera spp. / Veillonella spp. / Dialister spp.	10 4.3	-0.1 (68-91%)	☒	
8	Sneathia spp. / Leptotrichia spp. / Fusobacterium spp.	10 4.1	-0.3 (43-58%)	☒	
9	Ureaplasma urealyticum *	10 4.3	☒		
10	Ureaplasma parvum *	10 4.3	☒		
11	Mycoplasma hominis *	10 4.1	☒		
12	Atopobium cluster	10 4.3	-0.1 (68-91%)	☒	
	BV-associated opportunistic microorganisms, sum	10 5.1	0.7 (85-100%)	☒	
Opportunistic anaerobes					
13	Bacteroides spp. / Porphyromonas spp. / Prevotella spp.	10 4.4	0.0 (85-100%)	☒	
14	Anaerococcus spp.	10 4.2	-0.2 (54-73%)	☒	
15	Peptostreptococcus spp. / Parvimonas spp.	10 4.3	-0.1 (68-91%)	☒	
16	Eubacterium spp.	10 4.2	-0.2 (54-73%)	☒	
	Opportunistic anaerobes, sum	10 4.9	0.5 (85-100%)	☒	
Opportunistic microorganisms Haemophilus spp.					
17	Haemophilus spp.	10 4.3	-0.1 (68-91%)	☒	
Opportunistic microorganisms Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.					
18	Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.	10 4.3	-0.1 (68-91%)	☒	
Opportunistic microorganisms Enterobacteriaceae spp. / Enterococcus spp.					
19	Enterobacteriaceae spp. / Enterococcus spp.	10 4.2	-0.2 (54-73%)	☒	
Yeast-like fungi					
20	Candida spp. *	10 4.1	☒		
Sexually transmitted infections					
21	Mycoplasma genitalium **	detected	☒		
22	Trichomonas vaginalis **	detected	☒		
23	Neisseria gonorrhoeae **	detected	☒		
24	Chlamydia trachomatis **	detected	☒		

* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

Conclusion:

DETECTED: Mycoplasma genitalium, Trichomonas vaginalis, Neisseria gonorrhoeae, Chlamydia trachomatis.

DETECTED: Candida spp.

Exceeding the threshold values of transient microflora does not allow to make a correct conclusion about the real composition of the bacterial microbiome be long to patient. microflora e.g. BV-associated bacteria, can be the cause of acute inflammation of the lower parts of the urogenital tract. The result of the study directly depends on compliance with the rules of preparation for the collection of biomaterial.

Study was carried out by

Date
Signature

Urogenital microbiome composition test

Androbiome

Logotype

Date
Number of tube
Patient name
Sex
Age
Organization
Clinician name
Comments

Information about laboratory

Sample ID: Sample_6

№	Test title	Result	
		Quantitative	Relative Lg(X/TMD)
	Human DNA	not detected	☒
1	Total Bacterial Mass	10 3.2	☒
Transit microorganisms			
2	Lactobacillus	not detected	☐
Commensals			
3	Staphylococcus spp.	not detected	
4	Streptococcus spp.	not detected	
5	Corynebacterium spp.	not detected	
	Commensals, sum	not detected	☐
BV-associated opportunistic microorganisms			
6	Gardnerella vaginalis	not detected	☐
7	Megasphaera spp. / Veillonella spp. / Dialister spp.	not detected	☐
8	Sneathia spp. / Leptotrichia spp. / Fusobacterium spp.	not detected	☐
9	Ureaplasma urealyticum *	not detected	☐
10	Ureaplasma parvum *	not detected	☐
11	Mycoplasma hominis *	not detected	☐
12	Atopobium cluster	not detected	☐
	BV-associated opportunistic microorganisms, sum	not detected	☐
Opportunistic anaerobes			
13	Bacteroides spp. / Porphyromonas spp. / Prevotella spp.	not detected	☐
14	Anaerococcus spp.	not detected	☐
15	Peptostreptococcus spp. / Parvimonas spp.	not detected	☐
16	Eubacterium spp.	not detected	☐
	Opportunistic anaerobes, sum	not detected	☐
Opportunistic microorganisms Haemophilus spp.			
17	Haemophilus spp.	not detected	☐
Opportunistic microorganisms Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.			
18	Pseudomonas aeruginosa / Ralstonia spp. / Burkholderia spp.	not detected	☐
Opportunistic microorganisms Enterobacteriaceae spp. / Enterococcus spp.			
19	Enterobacteriaceae spp. / Enterococcus spp.	not detected	☐
Yeast-like fungi			
20	Candida spp. *	below TH ***	☐
Sexually transmitted infections			
21	Mycoplasma genitalium **	not detected	☐
22	Trichomonas vaginalis **	not detected	☐
23	Neisseria gonorrhoeae **	not detected	☐
24	Chlamydia trachomatis **	not detected	☐

* Quantitative Analysis Lg(X) ** Qualitative Analysis *** Below threshold

4 5 6 7 8 Lg
logarithmic scale

Conclusion:

Amount of bacterial and/or human DNA in the sample is not enough for the test result.

Study was carried out by

Date
Signature