Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:06 PM	Customer	InstantDFM

Single PCB View - Original

Top View	Bottom View
	

Summary - General - Original

PCB Size	1.968 inch x 1.339 inch	Customer Panel Size	
PCB Thickness	62.992 mil	Max. Aspect Ratio on PTH	4.0
Copper Layers	2	Pressing Stages	1
Surface Finish	None	Drill Hole Density	12 Holes/inch^2
Solder Mask	Both	Testable Points	70
Solder Mask Color	Green	Min. SMD/BGA Size	39.37 mil
Legend	Both	Via in Pad	No
Legend Color	White	Stacked Vias	
Edge Connector Area	0 inch^2	Castellated	No
Peeloff Mask	No	Anomalies	Yes
Carbon Mask	No		

Summary - Copper Layer Minima - Original

Type	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Trace to Trace Clr.	Same Net Clr.	Ring	Copper to Plated Clr.	Copper to NPTH Clr.	Copper to Outline Clr.
	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Outer	[1] 9.84	[2] 9.84	[3] 9.84	[4] 9.84	[5] 18.70	[6] 29.53	[7] 19.68	[8] 7.87	[9] 26.58	[10] 9.86	[11] 0.00

Summary - Sequences - Original

Type	Sequences	Tools	Min. End Dia.	Max. End Dia.	Holes	Routs	Ring on Outer	Ring on Inner	Hole to Copper Clr.
			mil	mil			mil	mil	mil
PTH	1	4	15.75	46.85	27	0	7.87		26.58
NPTH	1	1	125.98	125.98	4	0	>32.00		9.86
Total	2	5	15.75	125.98	31	0	7.87		9.86

Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:06 PM	Customer	InstantDFM

Solder Mask - Original

Side	Mask to Mask Clr.	Web	Ring on Cu Defined Pads	Ring on SM Defined Pads	Mask to Copper Clr.	Mask Opening	Fully Covered Via Holes	Partly Covered Via Holes	One Side Covered Vias	Both Sides Covered Vias	No Side Covered Vias
	mil	mil	mil	mil	mil	mil					
Top	>10.00	>10.00	>10.00	>10.00	>10.00	39.37	Yes	No			
Bottom	>10.00	>10.00	>10.00	>10.00	9.86	62.99	Yes	No			
Both	>10.00	>10.00	>10.00		9.86	39.37	Yes	No	No	Yes	No

Stackup - Original



Pressing Stages	1

Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:07 PM	Customer	InstantDFM

Summary Minimum Design Characteristics - Locations - Original

1



Copper Width
Outer Layers
9.84 mil

2



Critical Copper Width
Outer Layers
9.84 mil

3



Trace Width
Outer Layers
9.84 mil

4



Critical Trace Width
Outer Layers
9.84 mil

5



Copper to Copper Clr.
Outer Layers
18.70 mil

6



Trace to Trace Clr.
Outer Layers
29.53 mil

Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:07 PM	Customer	InstantDFM

7



alexw10_horns_v1-B_Cu_gbr
x: 3884.06 mil
y: -3503.15 mil



Same Net Clr.
Outer Layers
19.68 mil

8



alexw10_horns_v1-F_Cu_gbr
x: 4271.65 mil
y: -3562.99 mil



Ring
Outer Layers
7.87 mil

9



alexw10_horns_v1-F_Cu_gbr
x: 4271.65 mil
y: -3620.57 mil



Copper to Plated Clr.
Outer Layers
26.58 mil

10



alexw10_horns_v1-B_Cu_gbr
x: 3869.67 mil
y: -2806.1 mil



Copper to NPTH Clr.
Outer Layers
9.86 mil

11



alexw10_horns_v1-B_Cu_gbr
x: 3741.23 mil
y: -2794.41 mil



Copper to Outline Clr.
Outer Layers
0.00 mil

Copper Layer Minima & Area - Original

File	Pos.	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Same Net Clr.	Copper Area	
		mil	mil	mil	mil	mil	mil	$inch^2$	%
alexw10_horns_v1-F_Cu_gbr	1	9.84	9.84	9.84	9.84	18.70	>32.00	0.5357	21
alexw10_horns_v1-B_Cu_gbr	2	9.84	9.84	9.84	9.84	20.02	19.68	2.4340	94

Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:07 PM	Customer	InstantDFM

Copper Layer Minima - Copper to Drill Minima - Original

File	Pos.	Ring					Copper to Drill Clr.		Copper to Outline Clr.			
		Overall	Via	Laser Via	Comp.	Mech.	Plated	NPTH	Overall	to Pad	to Trace	to Region
		mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
alexw10_horns_v1-F_Cu_gbr	1	7.87	7.87		10.83		26.58	>64.00	63.98	63.98	>64.00	>64.00
alexw10_horns_v1-B_Cu_gbr	2	7.87	7.87		10.83		27.89	9.86	0.00	>64.00	>64.00	0.00

Drill Tools - Original

File	Tool Nr.	Span	Type	Function	Method	Filled Via	Counter	Dia.	Tol. -	Tol. +	Holes in PCB	Routs in PCB	Double Hits	Predrill Hits
								mil	mil	mil				
alexw10_horns_v1-NPTH-drl_gbr	10	1-2	NPTH	mech.	mech.	unknown	unknown	125.98	0.00	0.00	4	0	0	0
alexw10_horns_v1-PTH-drl_gbr	10	1-2	PTH	via	mech.	unknown	unknown	15.75	0.00	0.00	11	0	0	0
alexw10_horns_v1-PTH-drl_gbr	11	1-2	PTH	comp.	mech.	unknown	unknown	35.04	0.00	0.00	5	0	0	0
alexw10_horns_v1-PTH-drl_gbr	12	1-2	PTH	comp.	mech.	unknown	unknown	39.37	0.00	0.00	2	0	0	0
alexw10_horns_v1-PTH-drl_gbr	13	1-2	PTH	comp.	mech.	unknown	unknown	46.85	0.00	0.00	9	0	0	0

Drill Tools - Drill vs Copper - Original

File	Tool Nr.	Span	Type	Function	Method	Dia.	Ring on Outer	Ring on Inner	Min. Pad Size	Via in Pad	Plated to Copper Clr.			
											Overall	to Pad	to Trace	to Region
						mil	mil	mil	mil		mil	mil	mil	mil
alexw10_horns_v1-NPTH-drl_gbr	10	1-2	NPTH	mech.	mech.	125.98	>32.00							
alexw10_horns_v1-PTH-drl_gbr	10	1-2	PTH	via	mech.	15.75	7.87		31.49	0	26.58	>32.00	26.58	27.89
alexw10_horns_v1-PTH-drl_gbr	11	1-2	PTH	comp.	mech.	35.04	13.98		63.00		>32.00	>32.00	>32.00	>32.00
alexw10_horns_v1-PTH-drl_gbr	12	1-2	PTH	comp.	mech.	39.37	19.68		78.73		>32.00	>32.00	>32.00	>32.00
alexw10_horns_v1-PTH-drl_gbr	13	1-2	PTH	comp.	mech.	46.85	10.83		68.51		30.85	>32.00	>32.00	30.85

Sequences - Original

Span	Type	Tools	Min. End Dia.	Max. End Dia.	Holes	Ring on Outer	Ring on Inner	Hole to Copper Clr.	Hole to Outline Clr.	Slot to Outline Clr.
			mil	mil		mil	mil	mil	mil	mil
1-2	PTH	4	15.75	46.85	27	7.87		26.58	137.80	>256.00
1-2	NPTH	1	125.98	125.98	4	>32.00		9.86	133.58	>256.00
All	All	5	15.75	125.98	31	7.87		9.86	133.58	>256.00

Rout Tools - Original

File	Tool Nr.	Type	Tool Dia.	End Dia.	Rout Length	Nibble Count
			mil	mil	mil	

Name	xe2s3u6x.zip	Id.	22539 - QED OK
Report Generated on	Sep 21, 2025, 8:56:07 PM	Customer	InstantDFM

Routed Holes - Original

File	Hole Nr.	Instances	X Size	Y Size	Rout Length	Nibble Count
			mil	mil	mil	

Files - Original

Initial	Renamed	Function	Position	Color	Thickness	
					Base	Finished
					mil	mil
alexw10_horns_v1-F_Paste.gbr		paste	top			
alexw10_horns_v1-F_Silkscreen.gbr		silk	top	white	unknown	unknown
alexw10_horns_v1-F_Mask.gbr		mask	top	green	unknown	unknown
alexw10_horns_v1-F_Cu.gbr		outer	1		unknown	unknown
alexw10_horns_v1-B_Cu.gbr		outer	2		unknown	unknown
alexw10_horns_v1-B_Mask.gbr		mask	bottom	green	unknown	unknown
alexw10_horns_v1-B_Silkscreen.gbr		silk	bottom	white	unknown	unknown
alexw10_horns_v1-B_Paste.gbr		paste	bottom			
alexw10_horns_v1-NPTH-drl.gbr		nonplated	1-2			
alexw10_horns_v1-PTH-drl.gbr		plated	1-2			
alexw10_horns_v1-Edge_Cuts.gbr		cad_outline	none			

Input Remarks - Original

Gerber import: Invalid coincident draw, continuing without cleanup 'alexw10_horns_v1-B_Cu.gbr'

Gerber import: Invalid contour, continuing with an interpretation. Cannot be cleaned up automatically. Must be cleaned up manually. 'alexw10_horns_v1-B_Cu.gbr' (at line 1568)

Gerber import: Invalid coincident draw, continuing without cleanup 'alexw10_horns_v1-F_Cu.gbr'

Comments - Original