



Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM

Single PCB View - Original

Top View	Bottom View
	

Summary - General - Original

PCB Size	1.063 inch x 1.811 inch	Customer Panel Size	
PCB Thickness	62.992 mil	Max. Aspect Ratio on PTH	4.0
Copper Layers	2	Pressing Stages	1
Surface Finish	None	Drill Hole Density	11 Holes/inch ²
Solder Mask	Both	Testable Points	56
Solder Mask Color	Green	Min. SMD/BGA Size	37.4 mil
Legend	Top Only	Via in Pad	Yes
Legend Color	White	Stacked Vias	
Edge Connector Area	0 inch ²	Castellated	No
Peeloff Mask	No	Anomalies	Yes
Carbon Mask	No		

Summary - Copper Layer Minima - Original

Type	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Trace to Trace Clr.	Same Net Clr.	Ring	Copper to Plated Clr.	Copper to NPTH Clr.	Copper to Outline Clr.
	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Outer	¹ 9.84	² 9.84	³ 9.84	⁴ 9.84	⁵ 20.02	⁶ >32.00	⁶ 19.68	⁷ 10.75	⁸ 30.77	⁹ 9.80	¹⁰ 0.00

Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM

Summary - Sequences - Original

Type	Sequences	Tools	Min. End Dia.	Max. End Dia.	Holes	Routes	Ring on Outer	Ring on Inner	Hole to Copper Clr.
			mil	mil			mil	mil	mil
PTH	1	3	15.70	46.90	20	0	10.75		30.77
NPTH	1	1	126.00	126.00	2	0	>32.00		9.80
Total	2	4	15.70	126.00	22	0	10.75		9.80

Solder Mask - Original

Side	Mask to Mask Clr.	Web	Ring on Cu Defined Pads	Ring on SM Defined Pads	Mask to Copper Clr.	Mask Opening	Fully Covered Via Holes	Partly Covered Via Holes	One Side Covered Vias	Both Sides Covered Vias	No Side Covered Vias
	mil	mil	mil	mil	mil	mil					
Top	>10.00	>10.00	3.94	>10.00	9.86	37.40	No	No			
Bottom	>10.00	>10.00	>10.00	>10.00	9.86	59.06	Yes	No			
Both	>10.00	>10.00	3.94		9.86	37.40	Yes	No	Yes	No	No

Stackup - Original

legend

soldermask

1

2

soldermask

horns-F_Silkscreen_gbr

horns-F_Mask_gbr

1.378 horns-F_Cu_gbr

59.449 FR4

1.378 horns-B_Cu_gbr

horns-B_Mask_gbr

horns-NPTH_drl

horns-PTH_drl


Pressing Stages

1

Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM


Summary Minimum Design Characteristics - Locations - Original

1




horns-F_Cu_gbr
⊕ x: 5028.02 mil
y: -3022.88 mil
**Copper Width
Outer Layers**
9.84 mil

2




horns-F_Cu_gbr
⊕ x: 5028.02 mil
y: -3022.88 mil
**Critical Copper Width
Outer Layers**
9.84 mil

3




horns-F_Cu_gbr
⊕ x: 5028.02 mil
y: -3022.88 mil
**Trace Width
Outer Layers**
9.84 mil

4




horns-F_Cu_gbr
⊕ x: 5028.02 mil
y: -3022.88 mil
**Critical Trace Width
Outer Layers**
9.84 mil

5




horns-F_Cu_gbr
⊕ x: 4502.83 mil
y: -3188.06 mil
**Copper to Copper Clr.
Outer Layers**
20.02 mil

6



horns-F_Cu_gbr
⊕ x: 4573.34 mil
y: -3661.57 mil
**Same Net Clr.
Outer Layers**
19.68 mil

Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM



Copper Layer Minima & Area - Original

File	Pos.	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Same Net Clr.	Copper Area	
		mil	mil	mil	mil	mil	mil	inch ²	%
horns-F_Cu_gbr	1	9.84	9.84	9.84	9.84	20.02	19.68	1.6705	87
horns-B_Cu_gbr	2	>16.00	>16.00	>16.00	>16.00	20.02	19.68	1.8233	95

Copper Layer Minima - Copper to Drill Minima - Original

File	Pos.	Ring					Copper to Drill Clr.		Copper to Outline Clr.			
		Overall	Via	Laser Via	Comp.	Mech.	Plated	NPTH	Overall	to Pad	to Trace	to Region
		mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
horns-F_Cu_gbr	1	10.75	11.84		10.75		30.77	9.80	0.00	62.99	>64.00	0.00
horns-B_Cu_gbr	2	10.75	>32.00		10.75		30.80	9.80	0.00	>64.00	>64.00	0.00

Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM

Drill Tools - Original

File	Tool Nr.	Span	Type	Function	Method	Filled Via	Counter	Dia.	Tol. -	Tol. +	Holes in PCB	Routs in PCB	Double Hits	Predrill Hits
								mil	mil	mil				
horns-NPTH_drl	1	1-2	NPTH	mech.	mech.	unknown	unknown	126.00	0.00	0.00	2	0	0	0
horns-PTH_drl	1	1-2	PTH	via	mech.	unknown	unknown	15.70	0.00	0.00	9	0	0	0
horns-PTH_drl	2	1-2	PTH	comp.	mech.	unknown	unknown	25.60	0.00	0.00	2	0	0	0
horns-PTH_drl	3	1-2	PTH	comp.	mech.	unknown	unknown	46.90	0.00	0.00	9	0	0	0

Drill Tools - Drill vs Copper - Original

File	Tool Nr.	Span	Type	Function	Method	Dia.	Ring on Outer	Ring on Inner	Min. Pad Size	Via in Pad	Plated to Copper Clr. 			
											Overall	to Pad	to Trace	to Region
						mil	mil	mil	mil		mil	mil	mil	mil
horns-NPTH_drl	1	1-2	NPTH	mech.	mech.	126.00	>32.00							
horns-PTH_drl	1	1-2	PTH	via	mech.	15.70	11.84		39.38	9	31.86	>32.00	>32.00	31.86
horns-PTH_drl	2	1-2	PTH	comp.	mech.	25.60	16.73		59.06		>32.00	>32.00	>32.00	>32.00
horns-PTH_drl	3	1-2	PTH	comp.	mech.	46.90	10.75		68.40		30.77	>32.00	>32.00	30.77

Sequences - Original

Span	Type	Tools	Min. End Dia.	Max. End Dia.	Holes	Ring on Outer	Ring on Inner	Hole to Copper Clr.	Hole to Outline Clr.	Slot to Outline Clr.
			mil	mil		mil	mil	mil	mil	mil
1-2	PTH	3	15.70	46.90	20	10.75		30.77	94.61	>256.00
1-2	NPTH	1	126.00	126.00	2	>32.00		9.80	133.83	>256.00
All	All	4	15.70	126.00	22	10.75		9.80	94.61	>256.00

Rout Tools - Original

File	Tool Nr.	Type	Tool Dia.	End Dia.	Rout Length	Nibble Count
			mil	mil	mil	

Routed Holes - Original

File	Hole Nr.	Instances	X Size	Y Size	Rout Length	Nibble Count
			mil	mil	mil	

Name	66106zsk.zip	Id.	22753 - QED OK
Report Generated on	Sep 30, 2025, 5:54:26 PM	Customer	InstantDFM

Files - Original

Initial	Renamed	Function	Position	Color	Thickness	
					Base	Finished
					mil	mil
horns-F_Paste.gbr		paste	top			
horns-F_Silkscreen.gbr		silk	top	white	unknown	unknown
horns-F_Mask.gbr		mask	top	green	unknown	unknown
horns-F_Cu.gbr		outer	1		unknown	unknown
horns-B_Cu.gbr		outer	2		unknown	unknown
horns-B_Mask.gbr		mask	bottom	green	unknown	unknown
horns-NPTH.drl		nonplated	1-2			
horns-PTH.drl		plated	1-2			
horns-B_Paste.gbr		empty	none			
horns-B_Silkscreen.gbr		empty	none			
horns-Edge_Cuts.gbr		cad_outline	none			

Input Remarks - Original

Gerber import: Invalid coincident draw, continuing without cleanup 'horns-B_Cu.gbr'
Gerber import: Invalid coincident draw, continuing without cleanup 'horns-F_Cu.gbr'
Gerber import: Invalid contour, continuing with an interpretation. Cannot be cleaned up automatically. Must be cleaned up manually. 'horns-F_Cu.gbr' (at line 2450)
DISCREPANCY: Extra bottom layers mismatch between Gerber Job File and current job stackup.
OMITTED: \$.MaterialStackup[7] not added to layer attributes because corresponding layer could not be found.
OMITTED: \$.MaterialStackup[8] not added to layer attributes because corresponding layer could not be found.

Comments - Original

--