


Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM

Single PCB View - Original



Summary - General - Original

PCB Size	2.046 inch x 2.205 inch	Customer Panel Size	
PCB Thickness	62.992 mil	Max. Aspect Ratio on PTH	4.0
Copper Layers	2	Pressing Stages	1
Surface Finish	None	Drill Hole Density	5 Holes/inch ²
Solder Mask	Both	Testable Points	62
Solder Mask Color	Green	Min. SMD/BGA Size	15.75 mil
Legend	Top Only	Via in Pad	No
Legend Color	White	Stacked Vias	
Edge Connector Area	0 inch ²	Castellated	No
Peeloff Mask	No	Anomalies	No
Carbon Mask	No		

Summary - Copper Layer Minima - Original

Type	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Trace to Trace Clr.	Same Net Clr.	Ring	Copper to Plated Clr.	Copper to NPTH Clr.	Copper to Outline Clr.
	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Outer	¹ 9.84	² 9.84	³ 9.84	⁴ 9.84	⁵ 7.87	⁶ 7.87	⁷ 0.65	⁸ 7.89	⁹ 18.67	¹⁰ 9.81	¹¹ 49.79

Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM

Summary - Sequences - Original

Type	Sequences	Tools	Min. End Dia.	Max. End Dia.	Holes	Routes	Ring on Outer	Ring on Inner	Hole to Copper Clr.
			mil	mil			mil	mil	mil
PTH	1	5	15.70	63.00	22	0	7.89		18.67
NPTH	1	1	126.00	126.00	2	0	>32.00		9.81
Total	2	6	15.70	126.00	24	0	7.89		9.81

Solder Mask - Original

Side	Mask to Mask Clr.	Web	Ring on Cu Defined Pads	Ring on SM Defined Pads	Mask to Copper Clr.	Mask Opening	Fully Covered Via Holes	Partly Covered Via Holes	One Side Covered Vias	Both Sides Covered Vias	No Side Covered Vias
	mil	mil	mil	mil	mil	mil					
Top	>10.00	7.95	>10.00	>10.00	7.87	15.75	Yes	No			
Bottom	>10.00	>10.00	>10.00	>10.00	9.86	39.37	Yes	No			
Both	>10.00	7.95	>10.00		7.87	15.75	Yes	No	No	Yes	No

Stackup - Original

legend

soldermask

1

2

soldermask

Horns_v1.0-F_Silkscreen_gto

Horns_v1.0-F_Mask_gts

1.378 Horns_v1.0-F_Cu_gtl

59.449 FR4

1.378 Horns_v1.0-B_Cu_gbl

Horns_v1.0-B_Mask_gbs

Horns_v1.0-NPTH_drl


Horns_v1.0-PTH_drl

Pressing Stages	1
-----------------	---

Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM


Summary Minimum Design Characteristics - Locations - Original

1




Horns_v1.0-F_Cu_gtl
⊕ x: 2040.48 mil
y: -2843.97 mil
**Copper Width
Outer Layers**
9.84 mil

2




Horns_v1.0-F_Cu_gtl
⊕ x: 2040.48 mil
y: -2843.97 mil
**Critical Copper Width
Outer Layers**
9.84 mil

3




Horns_v1.0-F_Cu_gtl
⊕ x: 2040.48 mil
y: -2843.97 mil
**Trace Width
Outer Layers**
9.84 mil

4




Horns_v1.0-F_Cu_gtl
⊕ x: 2040.48 mil
y: -2843.97 mil
**Critical Trace Width
Outer Layers**
9.84 mil

5




Horns_v1.0-F_Cu_gtl
⊕ x: 2830.67 mil
y: -2385.07 mil
**Copper to Copper Clr.
Outer Layers**
7.87 mil

6



Horns_v1.0-F_Cu_gtl
⊕ x: 2830.67 mil
y: -2385.07 mil
**Trace to Trace Clr.
Outer Layers**
7.87 mil

Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM



Copper Layer Minima & Area - Original

File	Pos.	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Same Net Clr.	Copper Area	
		mil	mil	mil	mil	mil	mil	inch ²	%
Horns_v1.0-F_Cu_gtl	1	9.84	9.84	9.84	9.84	7.87	0.65	2.9693	66
Horns_v1.0-B_Cu_gbl	2	>16.00	>16.00	>16.00	>16.00	20.02	19.68	3.4157	76

Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM

Copper Layer Minima - Copper to Drill Minima - Original

File	Pos.	Ring					Copper to Drill Clr.		Copper to Outline Clr.			
		Overall	Via	Laser Via	Comp.	Mech.	Plated	NPTH	Overall	to Pad	to Trace	to Region
		mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Horns_v1.0-F_Cu_gtl	1	7.89	7.89		9.84		18.67	9.81	50.25	>64.00	>64.00	50.25
Horns_v1.0-B_Cu_gbl	2	9.84	>32.00		9.84		29.86	9.81	49.79	>64.00	>64.00	49.79

Drill Tools - Original

File	Tool Nr.	Span	Type	Function	Method	Filled Via	Counter	Dia.	Tol. -	Tol. +	Holes in PCB	Routs in PCB	Double Hits	Predrill Hits
								mil	mil	mil				
Horns_v1.0-NPTH_drl	1	1-2	NPTH	mech.	mech.	unknown	unknown	126.00	0.00	0.00	2	0	0	0
Horns_v1.0-PTH_drl	1	1-2	PTH	via	mech.	unknown	unknown	15.70	0.00	0.00	5	0	0	0
Horns_v1.0-PTH_drl	2	1-2	PTH	comp.	mech.	unknown	unknown	19.70	0.00	0.00	4	0	0	0
Horns_v1.0-PTH_drl	3	1-2	PTH	comp.	mech.	unknown	unknown	46.90	0.00	0.00	9	0	0	0
Horns_v1.0-PTH_drl	4	1-2	PTH	comp.	mech.	unknown	unknown	59.10	0.00	0.00	2	0	0	0
Horns_v1.0-PTH_drl	5	1-2	PTH	comp.	mech.	unknown	unknown	63.00	0.00	0.00	2	0	0	0

Drill Tools - Drill vs Copper - Original

File	Tool Nr.	Span	Type	Function	Method	Dia.	Ring on Outer	Ring on Inner	Min. Pad Size	Via in Pad	Plated to Copper Clr. 🔗			
											Overall	to Pad	to Trace	to Region
						mil	mil	mil	mil		mil	mil	mil	mil
Horns_v1.0-NPTH_drl	1	1-2	NPTH	mech.	mech.	126.00	>32.00							
Horns_v1.0-PTH_drl	1	1-2	PTH	via	mech.	15.70	7.89		31.48	0	27.92	>32.00	>32.00	27.92
Horns_v1.0-PTH_drl	2	1-2	PTH	comp.	mech.	19.70	9.84		39.38		29.86	>32.00	>32.00	29.86
Horns_v1.0-PTH_drl	3	1-2	PTH	comp.	mech.	46.90	10.77		68.44		18.67	>32.00	18.67	30.79
Horns_v1.0-PTH_drl	4	1-2	PTH	comp.	mech.	59.10	29.50		118.10		>32.00	>32.00	>32.00	>32.00
Horns_v1.0-PTH_drl	5	1-2	PTH	comp.	mech.	63.00	31.49		125.98		>32.00	>32.00	>32.00	>32.00

Sequences - Original

Span	Type	Tools	Min. End Dia.	Max. End Dia.	Holes	Ring on Outer	Ring on Inner	Hole to Copper Clr.	Hole to Outline Clr.	Slot to Outline Clr.
			mil	mil		mil	mil	mil	mil	mil
1-2	PTH	5	15.70	63.00	22	7.89		18.67	154.12	>256.00
1-2	NPTH	1	126.00	126.00	2	>32.00		9.81	133.54	>256.00
All	All	6	15.70	126.00	24	7.89		9.81	133.54	>256.00

Name	zi7cfxmh.zip	Id.	22836 - QED OK
Report Generated on	Oct 4, 2025, 10:39:02 AM	Customer	InstantDFM

Rout Tools - Original						
File	Tool Nr.	Type	Tool Dia.	End Dia.	Rout Length	Nibble Count
			mil	mil	mil	

Routed Holes - Original						
File	Hole Nr.	Instances	X Size	Y Size	Rout Length	Nibble Count
			mil	mil	mil	

Files - Original

Initial	Renamed	Function	Position	Color	Thickness	
					Base	Finished
					mil	mil
Horns_v1.0-F_Paste.gtp		paste	top			
Horns_v1.0-F_Silkscreen.gto		silk	top	white	unknown	unknown
Horns_v1.0-F_Mask.gts		mask	top	green	unknown	unknown
Horns_v1.0-F_Cu.gtl		outer	1		unknown	unknown
Horns_v1.0-B_Cu.gbl		outer	2		unknown	unknown
Horns_v1.0-B_Mask.gbs		mask	bottom	green	unknown	unknown
Horns_v1.0-NPTH.drl		nonplated	1-2			
Horns_v1.0-PTH.drl		plated	1-2			
Horns_v1.0-B_Paste.gbp		empty	none			
Horns_v1.0-B_Silkscreen.gbo		empty	none			
Horns_v1.0-Edge_Cuts.gm1		cad_outline	none			

Input Remarks - Original	
Gerber import: Invalid coincident draw, continuing without cleanup 'Horns_v1.0-B_Cu.gbl'	
Gerber import: Invalid contour, continuing with an interpretation. Cannot be cleaned up automatically. Must be cleaned up manually. 'Horns_v1.0-B_Cu.gbl' (at line 1271)	
Gerber import: Invalid coincident draw, continuing without cleanup 'Horns_v1.0-F_Cu.gtl'	
Gerber import: Self-intersecting contours are detected, continuing with an interpretation of the contours. 'Horns_v1.0-F_Cu.gtl' (at line 2679)	
DISCREPANCY: Extra bottom layers mismatch between Gerber Job File and current job stackup.	
OMITTED: \$.MaterialStackup[7] not added to layer attributes because corresponding layer could not be found.	
OMITTED: \$.MaterialStackup[8] not added to layer attributes because corresponding layer could not be found.	

Comments - Original	