

Version History

When	Who	Comment
05/09/25	Michael Hodge	v1.0 Initial Document Delivery
05/16/25	Veronica Williams	V1.0 Submitted to DHS
06/11/25	Yaw Adu-Boahene	v2.0 Updates to address DHS comments. • Tab: Business Rules, BR-D03-004 Added FEI Response to the DHS comment and for BR-D03-004 and BR-D03-005 removed the following text from the end of the Business Rule: “and set the status to Inactive”. • Tab: Business Rules, BR-D03-009 and BR-D03-010, removed the following text from the end of the Business Rule: “and set the Blue Compass enrollment status to Inactive”. • Tab: Business Rules, BR-D03-009, BR-D03-010, BR-D03-011, BR-D03-012, BR-D03-013 Added FEI Response to the DHS comment and added the following text to the Business Rule text: “(identified in the MMIS Stop Reasons tab)”. • Tab: Business Rules, BR-D03-015 Added FEI Response to the DHS comment and for BR-D03-014, BR-D03-015, BR-D03-016 changed "MCO Program code" to "MC Program code". • Tab: Waiver Member File, Field: MC Program code - changed "MCO Program code" to "MC Program code". • Tab: Business Rules, BR-D03-016 (Cell B17) Added the MC Program codes PACE and PACPB (Partnership) to the BR text. • Tab: Business Rules, BR-D03-018 (Cell B19) The following text was added to the note within the BR: “Updates will be applied to the cost share amount that corresponds to the month represented by the Cost Share Effective Date.”
06/19/25	Veronica Williams	Document approved by DHS

Approval

[illegible]

Waiver Member File

	File Layout								Blue Compass Tables (Destination 3)						
Descriptive Name	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes	Required (R/O/C)	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related Business	Mapping Notes
Header Record															
Header Record	Header Record	The header record	CHAR	1	2	2	HD	R	n/a	n/a	n/a	n/a	n/a		
Run Date	Run Date	The date the file is generated	CHAR	3	12	10	CCYY-MM-DD format	R	n/a	n/a	n/a	n/a	n/a		
Record Count	Record Count	The count of the records in the file	CHAR	13	22	10	zero padded (ex. 0000000009)	R	n/a	n/a	n/a	n/a	n/a		
Filler	Filler	Spaces	CHAR	23	984	962		R	n/a	n/a	n/a	n/a	n/a		
Detail Record															
Member ID	Member ID	Unique Identifier of the Member	CHAR	1	10	10	MAID/MCI	R	n/a	n/a	n/a	n/a	n/a		This is Participant Medicaid ID (MAID). Can be used for matching/lookup.
Last Name	Last Name	The last name of a member	CHAR	11	70	60	Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
First Name	First Name	The first name of a member	CHAR	71	105	35	Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
Middle Initial	Middle Initial	The middle initial of the member	CHAR	106	130	25	Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
Suffix	Suffix	The name suffix of the member	CHAR	131	133	3		O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
SSN Number	SSN Number	The Social Security number of a member	CHAR	134	142	9		O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
Date of Birth	Date of Birth	The date of birth of Member	NUM	143	150	8	CCYYMMDD	O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
Date of Death	Date of Death	The date of death of Member	NUM	151	158	8	CCYYMMDD	O	PersonModule. Person	DeathDate	date	n/a	n/a	BR-D03-003, BR-D03-004, BR-D03-005, BR-D03-006, BR-D03-007, BR-D03-008	
Gender	Gender	The gender code of a Member	CHAR	159	159	1	Values include "M"- Male, "F"- Female & "U"- Unknown	O	n/a	n/a	n/a	n/a	n/a	BR-D03-001	Data in this field will not be captured from this interface.
Medicaid Eligibility Effective Date	Medicaid Eligibility Effective Date	This is the first date of the full Benefit plan(s) identified	NUM	160	167	8	CCYYMMDD	O	PersonModule. PersonMedicaidNumbers	EffectiveDateRangeStartDate	date	n/a	n/a		Updates to the “Medicaid Eligibility Effective Dates” in the Waiver Member file should be captured. This displays in the "Medicaid Information" section in the participant profile.
Medicaid Eligibility End Date	Medicaid Eligibility End Date	This is the last date of the full Benefit plan(s) identified	NUM	168	175	8	CCYYMMDD	O	PersonModule. PersonMedicaidNumbers	EffectiveDateRangeEndDate	date	n/a	n/a		The End Date field may include a “High End Date” if there is no end-date in sight.
MC Program code	MC Program code	This is the MC program code on file for the member.	CHAR	176	180	5	All Managed Care assignment plans, including HMOs and LTC programs, will be included except for the TRANS assignment plan.	O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueidentifier	n/a	n/a	BR-D03-014, BR-D03-015, BR-D03-016, BR-D03-017	MCO Program information will be captured in the ProgramEnrollment table for the participant. Use the inbound value to lookup the MCO program definition in the [ProgramModule].[Program] table to get the needed ProgramKey.
MCO ID	MCO ID	This is the MCO ID associated to MC Program	CHAR	181	195	15	An ID that uniquely identifies a managed care organization.	O	ProgramEnrollmentModule. ProgramEnrollment	Note	nvarchar	max	n/a	BR-D03-014, BR-D03-015	Include the inbound value in the Note field with a label "MCO ID:"

Waiver Member File

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business	Mapping Notes
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
MCO Name	MCO Name	This is the MCO name associated to MC Program	CHAR	196	245	50	Left aligned and padded with spaces	O	ProgramEnrollmentModule. ProgramEnrollment	Note	nvarchar	max	n/a	BR-D03-014, BR-D03-015	Include the inbound value in the Note field with a label "MCO Name:"
MCO Effective Date	MCO Effective Date	This is the first date of the associated MCO	CHAR	246	253	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a	BR-D03-014, BR-D03-015	
MCO End Date	MCO End Date	This is the end date of the associated MCO	CHAR	254	261	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a	BR-D03-014, BR-D03-015	
Member Cost Share Amount	Member Cost Share Amount	This is the member's cost share amount	NUM	262	269	8,2	First six \$\$ amount and last two decimals. The decimal is implied. For example 99999999 will be interpreted as 999999.99 Left aligned and padded with spaces	O	PersonModule. CostShare	Amount	decimal	19,5	7,2	BR-D03-018	This represents the amount for the current month cost share amount.
Waiver Group Type	Waiver Group Type	This is the waiver group type	CHAR	270	271	2	Waiver Group Type field. Valid values: "B1" (Group B) "B2" (Group B Plus) spaces (default value).	O	n/a	n/a	n/a	n/a	n/a		Data in this field will not be captured from this interface.
Cost Share Amount Type	Cost Share Amount Type	This is the cost share type for the member	NUM	272	280	9	Valid values are: "3060"=MEDICAID COST SHARE "3063"=WAIVER COST SHARE Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a	BR-D03-019	Only cost share amounts related to "3063" (WAIVER COST SHARE) are captured in Blue Compass. Data in this field will not be captured from this interface.
Cost Share Effective Date	Cost Share Effective Date	This is the first date of the costshare entry.	NUM	281	288	8	CCYYMMDD	O	PersonModule. CostShare	YearMonthMonthNam e	nvarchar	50	n/a	BR-D03-018	Cost share for the IRIS program is a monthly value. Use the dates to identify the correct row (month) for the participant in the CostShare table.
Cost Share End Date	Cost Share End Date	This is the end date of the costshare entry.	NUM	289	296	8	CCYYMMDD	O	n/a	n/a	n/a	n/a	n/a		Data in this field will not be captured from this interface.
Waiver Program	Waiver Program	This is the system assigned code of the waiver program	CHAR	297	306	10	Note: Waiver Program segment occurs 5 times (7 data elements).	O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueiden tifier	n/a	n/a	BR-D03-002, BR-D03-020, BR-D03-021, BR-D03-022, BR-D03-023	Waiver Information Occurrence 1 of 5. This is the Waiver Program for the most recent enrollment span on file at MMIS. Lookup the inbound Waiver Program value in the ProgramModule.Program table and store the corresponding ProgramKey in the ProgramEnrollmentModule.ProgramEnrollme nt. ProgramKey. The only values expected in this field are "IRIS" or "CLTS".
Waiver Agency ID	Waiver Agency ID	This is the system assigned ID of the Waiver Agency	CHAR	307	331	25	For the IRIS program, this is the agency ID enrolling the member (ICA) Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a	BR-D03-025, BR-D03-026, BR-D03-028	Waiver Information Occurrence 1 of 5. This is the Waiver Agency ID for the most recent enrollment span on file at MMIS. Data in this field will not be captured from this interface.

Waiver Member File

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business Mapping Notes	
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Waiver Enrollment Effective Date	Waiver Enrollment Effective Date	This is the first date of waiver enrollment	NUM	332	339	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a	BR-D03-025, BR-D03-026	First Occurrence of Waiver Information. This is the Waiver Enrollment Effective Date for the most recent enrollment span on file at MMIS. This can be either the program "initial enrollment" or "enrollment resume" date. There should be no updates to this field from MMIS for the IRIS program enrollment, but need to capture this value for CLTS program.
Waiver Enrollment End Date	Waiver Enrollment End Date	This is the last date of the waiver enrollment	NUM	340	347	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a	BR-D03-009, BR-D03-010, BR-D03-011, BR-D03-012, BR-D03-013, BR-D03-020, BR-D03-021, BR-D03-022, BR-D03-029	Waiver Information Occurrence 1 of 5. This is the Waiver Enrollment End Date for the most recent enrollment span on file at MMIS. This can be either the program "disenrollment" or "suspension date". MMIS uses a "High Value" date for open dates. Also consider an empty end-date as "not ended yet".
Waiver Enrollment Status	Waiver Enrollment Status	This is the Status of the Waiver enrollment	CHAR	348	348	1	Values include "A"=Active, "I"=Inactive, and "S"=Suspended.	O	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	n/a	BR-D03-020, BR-D03-021, BR-D03-022, BR-D03-024, BR-D03-027	Waiver Information Occurrence 1 of 5. This is the Waiver Enrollment Status for the most recent enrollment span on file at MMIS. There is an exact match in Blue Compass for each expected value.
Start Reason Code	Start Reason Code	This is the code value of the Start Reason	CHAR	349	350	2		O	n/a	n/a	n/a	n/a	n/a	BR-D03-020, BR-D03-021, BR-D03-022, BR-D03-024, BR-D03-025, BR-D03-026	Waiver Information Occurrence 1 of 5. This is the Start Reason for the most recent enrollment span on file at MMIS. This code describes the reason that eligibility was started initially and/or restarted when a suspension ends. Data in this field will not be captured from this interface.
Stop Reason Code	Stop Reason Code	This is the code value of the Stop Reason	CHAR	351	352	2		O	ProgramEnrollmentModule. ProgramEnrollment	StatusReasonDisplayNa me	nvarchar	4000	n/a	BR-D03-009, BR-D03-010, BR-D03-011, BR-D03-012, BR-D03-013, BR-D03-020, BR-D03-021, BR-D03-022, BR-D03-024, BR-D03-029	Waiver Information Occurrence 1 of 5. This is the Stop Reason Code for the most recent enrollment span on file at MMIS. This code describes the reason that eligibility was ended or suspended. See the "Code" values in the "MMIS Stop Reasons" tab of this spreadsheet for values.

Waiver Member File

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business	Mapping Notes
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Waiver Program	Waiver Program	This is the system assigned code of the waiver program	CHAR	353	362	10		O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueiden tifier	n/a	n/a		Waiver Information Occurrence 2 of 5. This is the Waiver Program for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Agency ID	Waiver Agency ID	This is the system assigned ID of the Waiver Agency	CHAR	363	387	25	This is the agency ID enrolling the member (ICA) Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 2 of 5. This is the Waiver Agency ID for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Effective Date	Waiver Enrollment Effective Date	This is the first date of waiver enrollment	NUM	388	395	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a		Waiver Information Occurrence 2 of 5. This is the Waiver Enrollment Effective Date for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment End Date	Waiver Enrollment End Date	This is the last date of the waiver enrollment	NUM	396	403	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a		Waiver Information Occurrence 2 of 5. This is the Waiver Enrollment End Date for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Status	Waiver Enrollment Status	This is the Status of the Waiver enrollment	CHAR	404	404	1	Values include "A"=Active, "I"=Inactive, and "S"=Suspended.	O	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	n/a		Waiver Information Occurrence 2 of 5. This is the Waiver Enrollment Status for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Start Reason Code	Start Reason Code	This is the code value of the Start Reason	CHAR	405	406	2		O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 2 of 5. This is the Start Reason Code for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Stop Reason Code	Stop Reason Code	This is the code value of the Stop Reason	CHAR	407	408	2		O	ProgramEnrollmentModule. ProgramEnrollment	StatusReasonDisplayNa me	nvarchar	4000	n/a		Waiver Information Occurrence 2 of 5. This is the Stop Reason Code for the second most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Program	Waiver Program	This is the system assigned code of the waiver program	CHAR	409	418	10		O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueiden tifier	n/a	n/a		Waiver Information Occurrence 3 of 5. This is the Waiver Program for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Agency ID	Waiver Agency ID	This is the system assigned ID of the Waiver Agency	CHAR	419	443	25	This is the agency ID enrolling the member (ICA) Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 3 of 5. This is the Waiver Agency ID for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.

Waiver Member File

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business	Mapping Notes
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Waiver Enrollment Effective Date	Waiver Enrollment Effective Date	This is the first date of waiver enrollment	NUM	444	451	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a		Waiver Information Occurrence 3 of 5. This is the Waiver Enrollment Effective Date for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment End Date	Waiver Enrollment End Date	This is the last date of the waiver enrollment	NUM	452	459	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a		Waiver Information Occurrence 3 of 5. This is the Waiver Enrollment End Date for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Status	Waiver Enrollment Status	This is the Status of the Waiver enrollment	CHAR	460	460	1	Values include "A"=Active, "I"=Inactive, and "S"=Suspended.	O	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	n/a		Waiver Information Occurrence 3 of 5. This is the Waiver Enrollment Status for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Start Reason Code	Start Reason Code	This is the code value of the Start Reason	CHAR	461	462	2		O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 3 of 5. This is the Start Reason Code for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Stop Reason Code	Stop Reason Code	This is the code value of the Stop Reason	CHAR	463	464	2		O	ProgramEnrollmentModule. ProgramEnrollment	StatusReasonDisplayNa me	nvarchar	4000	n/a		Waiver Information Occurrence 3 of 5. This is the Stop Reason Code for the Third most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Program	Waiver Program	This is the system assigned code of the waiver program	CHAR	465	474	10		O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueiden tifier	n/a	n/a		Waiver Information Occurrence 4 of 5. This is the Waiver Program for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Agency ID	Waiver Agency ID	This is the system assigned ID of the Waiver Agency	CHAR	475	499	25	This is the agency ID enrolling the member (ICA) Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 4 of 5. This is the Waiver Agency ID for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Effective Date	Waiver Enrollment Effective Date	This is the first date of waiver enrollment	NUM	500	507	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a		Waiver Information Occurrence 4 of 5. This is the Waiver Enrollment Effective Date for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment End Date	Waiver Enrollment End Date	This is the last date of the waiver enrollment	NUM	508	515	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a		Waiver Information Occurrence 4 of 5. This is the Waiver Enrollment End Date for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Status	Waiver Enrollment Status	This is the Status of the Waiver enrollment	CHAR	516	516	1	Values include "A"=Active, "I"=Inactive, and "S"=Suspended.	O	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	n/a		Waiver Information Occurrence 4 of 5. This is the Waiver Enrollment Status for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business	Mapping Notes
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Start Reason Code	Start Reason Code	This is the code value of the Start Reason	CHAR	517	518	2		O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 4 of 5. This is the Start Reason Code for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Stop Reason Code	Stop Reason Code	This is the code value of the Stop Reason	CHAR	519	520	2		O	ProgramEnrollmentModule. ProgramEnrollment	StatusReasonDisplayNa me	nvarchar	4000	n/a		Waiver Information Occurrence 4 of 5. This is the Stop Reason Code for the Fourth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Program	Waiver Program	This is the system assigned code of the waiver program	CHAR	521	530	10		O	ProgramEnrollmentModule. ProgramEnrollment	ProgramKey	uniqueiden tifier	n/a	n/a		Waiver Information Occurrence 5 of 5. This is the Waiver Program for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Agency ID	Waiver Agency ID	This is the system assigned ID of the Waiver Agency	CHAR	531	555	25	This is the agency ID enrolling the member (ICA) Left aligned and padded with spaces	O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 5 of 5. This is the Waiver Agency ID for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Effective Date	Waiver Enrollment Effective Date	This is the first date of waiver enrollment	NUM	556	563	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeS tartDate	date	n/a	n/a		Waiver Information Occurrence 5 of 5. This is the Waiver Enrollment Effective Date for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment End Date	Waiver Enrollment End Date	This is the last date of the waiver enrollment	NUM	564	571	8	CCYYMMDD	O	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeE ndDate	date	n/a	n/a		Waiver Information Occurrence 5 of 5. This is the Waiver Enrollment End Date for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Waiver Enrollment Status	Waiver Enrollment Status	This is the Status of the Waiver enrollment	CHAR	572	572	1	Values include "A"=Active, "I"=Inactive, and "S"=Suspended.	O	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	n/a		Waiver Information Occurrence 5 of 5. This is the Waiver Enrollment Status for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Start Reason Code	Start Reason Code	This is the code value of the Start Reason	CHAR	573	574	2		O	n/a	n/a	n/a	n/a	n/a		Waiver Information Occurrence 5 of 5. This is the Start Reason Code for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
Stop Reason Code	Stop Reason Code	This is the code value of the Stop Reason	CHAR	575	576	2		O	ProgramEnrollmentModule. ProgramEnrollment	StatusReasonDisplayNa me	nvarchar	4000	n/a		Waiver Information Occurrence 5 of 5. This is the Stop Reason Code for the Fifth most recent enrollment span on file at MMIS. See the Business Rules and Mapping Notes in Occurrence 1.
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	577	577	1	Valid values include "A"=Adult or "C"=Children	O	CustomFormModule. SimpleSingleSelectFieldAnswe r	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.

Waiver Member File

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business Mapping Notes	
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Adult LOC Waiver Program	Adult LOC Waiver Program	This is the Adult Functional Level of Care for a particular waiver program	CHAR	578	587	10	Valid Values: "IRIS"= Include, Respect, I Self-Direct (left aligned padded with spaces)	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Waiver Program Start Verification	Adult LOC Waiver Program Start Verification	This is the adult LOC Waiver Program Start Verification	CHAR	588	589	2	Values include: "D1"=Initial Screen "D2"=Rescreen	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC FSIA Agency type code	Adult LOC FSIA Agency type code	Agency type associated to the Member's FSIA record.	CHAR	590	592	3	Values include: 001 - Family Care 002 - RC with no CMO/U 003 - HCBW 004 - PACE / Partnership 007 - ICA Blank - Unknown	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Waiver Eligibility Indicator	Adult LOC Waiver Eligibility Indicator	This Indicates if the Member is eligible for a Community Waiver program	CHAR	593	593	1	Values include "Y"=Yes and "N"=No.	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Frail Elder Indicator	Adult LOC Frail Elder Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Frail Elder target group.	CHAR	594	594	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Physical Disability Indicator	Adult LOC Physical Disability Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Physical Disability target group.	CHAR	595	595	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Disability per Federal Indicator	Adult LOC Disability per Federal Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Developmental Disability per Federal target group.	CHAR	596	596	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Disability per State Indicator	Adult LOC Disability per State Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Developmental Disability per State target group.	CHAR	597	597	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Alzheimer's Disease or Other Irreversible Dementia Indicator	Adult LOC Alzheimer's Disease or Other Irreversible Dementia Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Alzheimer's Disease or Other Irreversible Dementia target group.	CHAR	598	598	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.
Adult LOC Terminal Conditions Indicator	Adult LOC Terminal Conditions Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Terminal Conditions target group.	CHAR	599	599	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.

Waiver Member File

Descriptive Name	File Layout								Blue Compass Tables (Destination 3)							
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes	Required (R/O/C)	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related Business	Mapping Notes	
Adult LOC Severe and Persistent Mental Illness Indicator	Adult LOC Severe and Persistent Mental Illness Indicator	This Indicates if the Member is eligible for Adult Level of Care in the Severe and Persistent Mental Illness target group.	CHAR	600	600	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.	
Adult LOC No Target Group Indicator	Adult LOC No Target Group Indicator	This Indicates if the Member is eligible for Adult Level of Care that does not apply to a specific target group.	CHAR	601	601	1	Values include "Y"=Yes and "N"=No	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.	
Adult LOC Status code	Adult LOC Status code	This is the Status of the Adult Level of Care entry.	CHAR	602	602	1	Values include "A"=Active	O	CustomFormModule.SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.	
Adult LOC Effective Date	Adult LOC Effective Date	This is the Effective date of the associated Adult Level of Care record	NUM	603	610	8	CCYYMMDD	O	CustomFormModule.DateFieldAnswer	DateTime	datetime2	7	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.	
Adult LOC End Date	Adult LOC End Date	This is the End date of the associated Adult Level of Care record.	NUM	611	618	8	CCYYMMDD	O	CustomFormModule.DateFieldAnswer	DateTime	datetime2	7	n/a	BR-D03-030	This will be captured in a custom form. The form's design is pending.	
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	619	619	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 1 (of 6) Data in this field will not be captured from	
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	620	629	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	630	632	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 1	Children's LOC Target Group 1	Indicates a target group associated with the Wavier	CHAR	633	635	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 2	Children's LOC Target Group 2	Indicates a target group associated with the Wavier	CHAR	636	638	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 3	Children's LOC Target Group 3	Indicates a target group associated with the Wavier	CHAR	639	641	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 4	Children's LOC Target Group 4	Indicates a target group associated with the Wavier	CHAR	642	644	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 5	Children's LOC Target Group 5	Indicates a target group associated with the Wavier	CHAR	645	647	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 6	Children's LOC Target Group 6	Indicates a target group associated with the Wavier	CHAR	648	650	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 7	Children's LOC Target Group 7	Indicates a target group associated with the Wavier	CHAR	651	653	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 8	Children's LOC Target Group 8	Indicates a target group associated with the Wavier	CHAR	654	656	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 9	Children's LOC Target Group 9	Indicates a target group associated with the Wavier	CHAR	657	659	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 10	Children's LOC Target Group 10	Indicates a target group associated with the Wavier	CHAR	660	662	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC Status	Children LOC Status	This is the Status of the Children's Functional Level of	CHAR	663	663	1	Values include "A"=Active		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business Mapping Notes	
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Children LOC Effective Date	Children LOC Effective Date	This is the Effective date of the Children’s Functional	NUM	664	671	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC End Date	Children LOC End Date	This is the End date of the Children’s Functional Level of	NUM	672	679	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	680	680	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 2 (of 6) Data in this field will not be captured from
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	681	690	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	691	693	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 1	Children's LOC Target Group 1	Indicates a target group associated with the Wavier	CHAR	694	696	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 2	Children's LOC Target Group 2	Indicates a target group associated with the Wavier	CHAR	697	699	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 3	Children's LOC Target Group 3	Indicates a target group associated with the Wavier	CHAR	700	702	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 4	Children's LOC Target Group 4	Indicates a target group associated with the Wavier	CHAR	703	705	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 5	Children's LOC Target Group 5	Indicates a target group associated with the Wavier	CHAR	706	708	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 6	Children's LOC Target Group 6	Indicates a target group associated with the Wavier	CHAR	709	711	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 7	Children's LOC Target Group 7	Indicates a target group associated with the Wavier	CHAR	712	714	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 8	Children's LOC Target Group 8	Indicates a target group associated with the Wavier	CHAR	715	717	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 9	Children's LOC Target Group 9	Indicates a target group associated with the Wavier	CHAR	718	720	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 10	Children's LOC Target Group 10	Indicates a target group associated with the Wavier	CHAR	721	723	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Status	Children LOC Status	This is the Status of the Children’s Functional Level of	CHAR	724	724	1	Values include "A"=Active		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Effective Date	Children LOC Effective Date	This is the Effective date of the Children’s Functional	NUM	725	732	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC End Date	Children LOC End Date	This is the End date of the Children’s Functional Level of	NUM	733	740	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	741	741	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 3 (of 6) Data in this field will not be captured from
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	742	751	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	752	754	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 1	Children's LOC Target Group 1	Indicates a target group associated with the Wavier	CHAR	755	757	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 2	Children's LOC Target Group 2	Indicates a target group associated with the Wavier	CHAR	758	760	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.

	File Layout								Blue Compass Tables (Destination 3)							
Descriptive Name	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes	Required (R/O/C)	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related Business	Mapping Notes	
Children's LOC Target Group 3	Children's LOC Target Group 3	Indicates a target group associated with the Wavier	CHAR	761	763	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 4	Children's LOC Target Group 4	Indicates a target group associated with the Wavier	CHAR	764	766	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 5	Children's LOC Target Group 5	Indicates a target group associated with the Wavier	CHAR	767	769	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 6	Children's LOC Target Group 6	Indicates a target group associated with the Wavier	CHAR	770	772	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 7	Children's LOC Target Group 7	Indicates a target group associated with the Wavier	CHAR	773	775	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 8	Children's LOC Target Group 8	Indicates a target group associated with the Wavier	CHAR	776	778	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 9	Children's LOC Target Group 9	Indicates a target group associated with the Wavier	CHAR	779	781	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 10	Children's LOC Target Group 10	Indicates a target group associated with the Wavier	CHAR	782	784	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC Status	Children LOC Status	This is the Status of the Children's Functional Level of	CHAR	785	785	1	Values include "A"=Active		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC Effective Date	Children LOC Effective Date	This is the Effective date of the Children's Functional	NUM	786	793	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC End Date	Children LOC End Date	This is the End date of the Children's Functional Level of	NUM	794	801	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	802	802	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 4 (of 6) Data in this field will not be captured from	
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	803	812	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	813	815	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 1	Children's LOC Target Group 1	Indicates a target group associated with the Wavier	CHAR	816	818	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 2	Children's LOC Target Group 2	Indicates a target group associated with the Wavier	CHAR	819	821	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 3	Children's LOC Target Group 3	Indicates a target group associated with the Wavier	CHAR	822	824	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 4	Children's LOC Target Group 4	Indicates a target group associated with the Wavier	CHAR	825	827	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 5	Children's LOC Target Group 5	Indicates a target group associated with the Wavier	CHAR	828	830	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 6	Children's LOC Target Group 6	Indicates a target group associated with the Wavier	CHAR	831	833	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 7	Children's LOC Target Group 7	Indicates a target group associated with the Wavier	CHAR	834	836	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 8	Children's LOC Target Group 8	Indicates a target group associated with the Wavier	CHAR	837	839	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	
Children's LOC Target Group 9	Children's LOC Target Group 9	Indicates a target group associated with the Wavier	CHAR	840	842	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.	

Descriptive Name	File Layout							Required (R/O/C)	Blue Compass Tables (Destination 3)					Related Business	Mapping Notes
	Data Element	Description	Data Type	Field Start	Field End	Length	Inbound File Notes		Target Table	Target Column	Data Type	DB Field Length	UI Field Length		
Children's LOC Target Group 10	Children's LOC Target Group 10	Indicates a target group associated with the Wavier	CHAR	843	845	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Status	Children LOC Status	This is the Status of the Children's Functional Level of	CHAR	846	846	1	Values include "A"=Active		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Effective Date	Children LOC Effective Date	This is the Effective date of the Children's Functional	NUM	847	854	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC End Date	Children LOC End Date	This is the End date of the Children's Functional Level of	NUM	855	862	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	863	863	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 5 (of 6) Data in this field will not be captured from
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	864	873	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	874	876	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 1	Children's LOC Target Group 1	Indicates a target group associated with the Wavier	CHAR	877	879	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 2	Children's LOC Target Group 2	Indicates a target group associated with the Wavier	CHAR	880	882	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 3	Children's LOC Target Group 3	Indicates a target group associated with the Wavier	CHAR	883	885	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 4	Children's LOC Target Group 4	Indicates a target group associated with the Wavier	CHAR	886	888	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 5	Children's LOC Target Group 5	Indicates a target group associated with the Wavier	CHAR	889	891	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 6	Children's LOC Target Group 6	Indicates a target group associated with the Wavier	CHAR	892	894	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 7	Children's LOC Target Group 7	Indicates a target group associated with the Wavier	CHAR	895	897	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 8	Children's LOC Target Group 8	Indicates a target group associated with the Wavier	CHAR	898	900	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 9	Children's LOC Target Group 9	Indicates a target group associated with the Wavier	CHAR	901	903	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children's LOC Target Group 10	Children's LOC Target Group 10	Indicates a target group associated with the Wavier	CHAR	904	906	3	Valid values: "DD1"=DD TARGET GROUP		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Status	Children LOC Status	This is the Status of the Children's Functional Level of	CHAR	907	907	1	Values include "A"=Active		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Effective Date	Children LOC Effective Date	This is the Effective date of the Children's Functional	NUM	908	915	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC End Date	Children LOC End Date	This is the End date of the Children's Functional Level of	NUM	916	923	8	CCYYMMDD		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
LOC Indicator	LOC Indicator	This field indicates the type of LOC	CHAR	924	924	1	Valid values include "A"=Adult or "C"=Children		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Iteration 6 (of 6) Data in this field will not be captured from
Children LOC Waiver Program	Children LOC Waiver Program	This is the children's functional level of care	CHAR	925	934	10	Valid Values: "CLTS"=Children's Long-Term		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.
Children LOC Waiver Program Eligibility	Children LOC Waiver Program Eligibility	This is the indicator of the Children's functional level of	CHAR	935	937	3	Valid values: "ELG"=Eligible		n/a	n/a	n/a	n/a	n/a	BR-D03-031	Data in this field will not be captured from this interface.

[illegible]

Business Rules

BR #	Description	Source Notes
BR-D03-001	The Waiver Member File will not be used to create new participants in Blue Compass.	n/a
BR-D03-002	If an unrecognized value for "Waiver Program" is received in the daily Waiver Member interface file, ignore the "Waiver Program Span" and continue with all other functions. (The "Waiver Program Span" includes one iteration of: Waiver Program, Waiver Agency ID, Waiver Enrollment Effective Date, Waiver Enrollment End Date, Waiver Enrollment Status, Start Reason Code, Stop Reason Code).	20250312_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-003	If the daily Waiver Member interface file includes a “Date of Death” for a participant, the Death Date should be captured in the participant profile.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-004	If the daily Waiver Member interface file includes a “Date of Death” for a participant and the participant has an active IRIS enrollment segment, end the active enrollment on the “Date of Death”.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-005	If the daily Waiver Member interface file includes a “Date of Death” for a participant and the participant has a suspended IRIS enrollment segment, end the suspended enrollment on the “Date of Death”.	n/a
BR-D03-006	If the daily Waiver Member interface file includes a “Date of Death” for a participant and the participant has a future Enroll Start Date (enrollment not yet active) update the enrollment record to prevent the enrollment from becoming active.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-007	If the daily Waiver Member interface file includes a “Date of Death” for a participant and the participant has an active ISP, the plan should be end-dated on the date of death.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-008	If the daily Waiver Member interface file includes a “Date of Death” for a participant and the participant has one or more active authorizations, the authorizations should be end-dated on the date of death.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-009	If the daily Waiver Member interface file includes a “Stop Reason Code” (identified in the MMIS Stop Reasons tab) and “Enrollment End Date”, and the participant has an active IRIS enrollment segment, end the enrollment on the provided “Enrollment End Date”.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-010	If the daily Waiver Member interface file includes a “Stop Reason Code” (identified in the MMIS Stop Reasons tab) and “Enrollment End Date”, and the participant has a suspended IRIS enrollment segment, end the enrollment on the provided “Enrollment End Date”.	n/a
BR-D03-011	If the daily Waiver Member interface file includes a “Stop Reason Code” (identified in the MMIS Stop Reasons tab) and “Enrollment End Date”, and the participant has a future Enroll Start Date (enrollment not yet active) update the enrollment record to prevent the enrollment from becoming	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-012	If the daily Waiver Member interface file includes a “Stop Reason Code” (identified in the MMIS Stop Reasons tab) and “Enrollment End Date”, for a participant and the participant has an active ISP, the plan should be end-dated on the “Enrollment End Date”.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-013	If the daily Waiver Member interface file includes a “Stop Reason Code” (identified in the MMIS Stop Reasons tab) and “Enrollment End Date”, for a participant and the participant has one or more active authorizations, the authorizations should be end-dated on the “Enrollment End Date”.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-014	If the daily Waiver Member interface file includes MCO enrollment data for a participant (MC Program code, MCO ID , MCO Name, MCO Effective Date, and MCO End Date), and the participant does not have an MCO program enrollment record in Blue Compass, use the data provided to create a new program enrollment entry.	20250326_WI DHS Care Management - MMIS - Interface Meeting

Business Rules

BR #	Description	Source Notes
BR-D03-015	If the daily Waiver Member interface file includes MCO enrollment data for a participant (MC Program code, MCO ID , MCO Name, MCO Effective Date, and MCO End Date), and the data differs from an MCO program enrollment record already in Blue Compass for the participant, overwrite the existing information. Only 1 MCO enrollment span should display for a participant (maximum).	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-016	MCO Programs will be added to the [ProgramModule].[Program] table to support adding MCO enrollment spans to participant records. Known MC Program codes Collected from a sample file: FAMCR, HMOCD, HMOCM, HMOMD, SSIMD, SSIMM, PACE and PACPB (Partnership) . Note: it may be possible to use one generic MCO program table entry to prevent the need to maintain "valid MCO program listings" (TBD) .	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-017	Program enrollment spans created to represent "MCO enrollment" are informational only (not used for any purpose other than display). DHS would like to capture MCO program enrollment as a reference to assist ICs in transitioning participants into the IRIS program.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-018	Cost Share information in the MMIS can change daily. Cost share information in the daily Waiver Member file can represent a change and should update the participant’s cost share amount in Blue Compass. Note: The daily Waiver Member File includes cost share data for the current month only (Updates will be applied to the cost share amount that corresponds to the month represented by the Cost Share Effective Date ”).	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-019	Only cost share amounts related to Cost Share Amount Type "3063" (WAIVER COST SHARE) are captured in Blue Compass.	n/a
BR-D03-020	If the daily Waiver Member interface file includes "CLTS" enrollment data for a participant, and the participant does not have a "CLTS" program enrollment record in Blue Compass, use the data provided to create a new program enrollment entry.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-021	If the daily Waiver Member interface file includes CLTS enrollment data for a participant, and the data differs from a "CLTS" program enrollment record already in Blue Compass for the participant, overwrite the existing information. Only 1 "CLTS" enrollment span should display for a participant (maximum).	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-022	Program enrollment spans created to represent "CLTS enrollment" are informational only (not used for any purpose other than display). DHS would like to capture "CLTS" program enrollment as a reference to assist ICs in transitioning participants into the IRIS program.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-023	Waiver Programs "IRIS" and "CLTS" will be added to the [ProgramModule].[Program] table in advance. These are the only two “Waiver Program” values that will be received in the daily Waiver Member interface file. Note: There are other codes in the MMIS, but they would not be sent in the extract.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-024	The MMIS can send stop reasons and end-dates in the daily Waiver Member interface file for existing "IRIS" Waiver Program enrollment spans (when a participant loses Medicaid eligibility, functional eligibility, or death).	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-025	The MMIS cannot send new "IRIS" Waiver Program enrollment spans in the daily Waiver Member interface file (that are not already in Blue Compass).	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-026	The MMIS cannot send updates in the daily Waiver Member interface file to change "Waiver Enrollment Effective Date", "Start Reason Code", or "Waiver Agency ID" for existing "IRIS" Waiver Program enrollment spans.	20250326_WI DHS Care Management - MMIS - Interface Meeting
BR-D03-027	The MMIS cannot send updates in the daily Waiver Member interface file to change "Waiver Enrollment Status" to "Active" or "Suspended".	n/a
BR-D03-028	For CLTS program enrollment spans, the “Waiver Agency ID” is a code that represents the county. Capturing and displaying it would not add value. The important part is to show that the CLTS enrollment is there. Knowing the end date of the CLTS enrollment helps the IC set the correct IRIS start date.	20250326_WI DHS Care Management - MMIS - Interface Meeting

Business Rules

BR #	Description	Source Notes
BR-D03-029	There are 5 occurrences of "Waiver Enrollment Information" in the daily Waiver Member interface file. Any updates to "IRIS" enrollment information (Stop Reason and End Date) that need to be captured in Blue Compass will be communicated in the first (most recent) occurrence only.	n/a
BR-D03-030	Adult Level of Care data in the daily Waiver Member interface file is informational only (not used for any purpose other than display).	n/a
BR-D03-031	Children's Level of Care (LOC) information in the daily Waiver Member interface file will not be captured in Blue Compass.	n/a

Context

Item Description	Details
Purpose of this interface	Receive participant Medicaid eligibility, functional eligibility, other program enrollment and participant information from MMIS.
External system that Blue Compass will interface with	Wisconsin MMIS
Interface Direction (Inbound/Outbound/Both)	Inbound (MMIS to Blue Compass)
Transfer Protocol (Webservice, SFTP, etc.)	SFTP
Where is the file sent to or picked up from (End-point or Landing Zone location URL)?	Gainwell Connect
Connectivity Protocols/Encryption/Authentication (VPN Tunnel, SSL Certificate swap, etc.)	SSH Key
File Type (xml, .csv, delimited flat file etc.)	Fixed Length Flat File
Frequency	Daily- 7 Days a week
Timing Considerations (e.g. Day of the week and/or time of day files will be sent or available for pickup), or (When files are not available e.g. system maintenance windows, etc.)	MMIS uploads to the SFTP server in the evening and the CM system retrieves early in the morning (4am).
Retry procedure for file expected but not (received/available) or otherwise successfully delivered.	Gainwell Support Contact Information to be provided by Gainwell sometime in June 2025. Action Item #226
For inbound, what field(s) are used to match to data in Blue Compass?	Participant's Medicaid ID (Member ID)
Is every file a full file (reconciliation), or a delta? If a delta, will full files occasionally be sent/received? If so, how often?	Every file is a full file refresh.
Is there a field that represents the last time a row was edited, either a date or a datetime?	No
How are deletions handled? That is, if a data was sent previously but is no longer valid.	As soon as a participant is disenrolled in IRIS, the update is included in the same day's Waiver Member File, then the participant is dropped from sending in future files.
How are updates handled?	Every file is a full file refresh.
If there are multiple files in the interface: What field(s) are used to link them together? If there is an update in one file, will all the matching records be updated as well? For example, when a person's address changes will the update record include only the new address, or will it include a refresh of all of the person's addresses, or a refresh of all of the person's information?	n/a

Context

Item Description	Details
What is the file naming convention? (Ideally all files will have CCYYMMDD_HHmm as part of the file name)	File naming standards: • File names shall follow the format of: [Source system 3 character code]-[Target system 3 character code]-[File name]-[File frequency 1 character code('D','W','M','Y')]-[Timestamp YYYYMMDD_HHMMSS_ 3 character millisecond].[file extension] • File name segments shall be separated by a hyphen character “-” • File name segments shall not contain a period character “.” • A period character “.” shall be used to separate the file name and the file name extension. • Separate words and content within a file segment shall be separated using an underscore character “_” • File names shall not exceed 186 characters in length, including the file name extension.

MMIS Stop Reasons

This mapping will be revised after values are defined in the DET		
Source System Values (from T_STATUS_REASON table) Values for "Stop Reasons" that can be received from MMIS.		Blue Compass Value Mapping
C_MMIS_REASON_CODE	C_NAME	Blue Compass Stop Reason
64	Deceased (additional value provided by DHS. Not in the T_STATUS_REASON table).	Deceased
70	Moved out of IRIS Service Region	Moved out of state/another service region
72	Not Provided	Declined
2B	Misappropriation of IRIS Funds	Noncompliance
2C	Mismanagement of Employer Authority	Noncompliance
2F	Customer service issues with the IRIS FEA	Participant requested
2M	Failure to Utilize IRIS Funding (no spend)	Noncompliance
2O	Program Noncompliance	Noncompliance
7A	Difficulty finding or retaining providers	Participant requested
7A	Not able to use provider of my choice	Participant requested
7B	Services did not meet expectations	Participant requested
7B	Unable to secure all needed services or hours of service	Participant requested
7C	Decided to go with a different program	Participant requested
7C	Transferred to other LTC program	Participant requested
7D	I have found other ways to meet my needs	Participant requested
7E	Dissatisfied with cost share	Participant requested
7F	No Contact	Unable to contact
7H	Health and Safety	Unable to meet health welfare and safety
7J	Failure to Pay Cost Share	Nonpayment costshare/copay/patient liability
7K	Moved to ineligible setting	Ineligible living arrangement
7L	Customer service issues with the IRIS ICA	Participant requested
7S	Credible Allegation of Fraud	Noncompliance
7T	Noncompliance with EVV requirements	Noncompliance

Error Handling

This tab will be populated during development phase

System Error

BC Error Code	Error Message	Corrective Action	Related BRs
SE-003-001			
SE-003-002			
SE-003-003			

Rule Violation

BC Error Code	Error Message	Corrective Action	Related BRs
RV-003-001			
RV-003-002			
RV-003-003			

Requirements

Requirement Tracking		
Requirement ID	Description	Traceability Notes
R370	The Solution data exchanges must comply with CMS security and HIPAA transaction standards.	
R385	Solution must include various data exchange methods as necessary to support program-specific business needs.	
R386	Solution must allow for import and integration of data from multiple data sources to support program-specific Care Management System rules.	
R437	Solution must allow for the import from other data sources to complete the participant plan information.	
R445	Solution must allow for the collection, import, and integration of data via real time interface or batch import from other data sources to complete participant case information and trigger Care Management System plan reviews or updates including but not limited to:	
R445a	Medicaid Eligibility;	
R445b	Functional Eligibility;	
R445c	Cost Share;	
R445d	Previous Program Enrollment; and	
R445e	Managed Care Enrollment.	