

Version History

[illegible]

Approval

[illegible]

Outbound File Mapping

	Blue Compass (Source)				File Layout						
Descriptive Name	Source Table	Source Column	Data Type	Length	Layout Data Element	Data Type	Length	Required (R/O/C)	Default Value	Related BRs	Mapping Notes
FEA Eligibility Extract											
FEA	OrganizationModule.Location	BusinessProfileFullName	nvarchar	100	FEA	VARCHAR2	1020	R	n/a	BR-D08-001	Use the LocationKey found in PersonModule.PersonLocationAssignment table where PersonLocationAssignmentTypeDisplayName="FEA" and Status = Active (current date is between EffectiveDateRangeStartDate and EffectiveDateRangeEndDate), look up the corresponding LocationKey in the Location table to retrieve the BusinessProfileFullName.
Medicaid ID	PersonModule.PersonMedicaidNumbers	Value	nvarchar	50	Medicaid ID	VARCHAR2	1020	R	n/a	BR-D08-002	
Social Security Number	PersonModule.PersonIdentifiers	Value	nvarchar	50	Social Security Number	VARCHAR2	48	R	n/a	BR-D08-002	9 digits. no dashes
First Name	PersonModule.Person	NameFirstName	nvarchar	100	First Name	VARCHAR2	1020	R	n/a	BR-D08-002	
Middle Initial	PersonModule.Person	NameMiddleName	nvarchar	100	Middle Initial	VARCHAR2	4	O	n/a	BR-D08-002	First character of the middle name.
Last Name	PersonModule.Person	NameLastName	nvarchar	100	Last Name	VARCHAR2	1020	R	n/a	BR-D08-002	
Residential Address1	PersonModule.PersonAddress	PhysicalAddressFirstStreetAddress	nvarchar	250	Residential Address1	VARCHAR2	1020	R	n/a	BR-D08-002	Select the active PersonAddress for the participant where AddressTypeDisplayName = "Physical". If there are multiple active physical addresses select the entry with isPrimary = true. If there is no active physical address send null.
Residential Address2	PersonModule.PersonAddress	PhysicalAddressSecondStreetAddress	nvarchar	250	Residential Address2	VARCHAR2	1020	O	n/a	BR-D08-002	
Residential City	PersonModule.PersonAddress	PhysicalAddressCityName	nvarchar	100	Residential City	VARCHAR2	1020	R	n/a	BR-D08-002	
Residential State	PersonModule.PersonAddress	PhysicalAddressStateProvinceDisplayName	nvarchar	4000	Residential State	VARCHAR2	1020	R	n/a	BR-D08-002	2 Character State Code (e.g. "WI")
Residential Zip	PersonModule.PersonAddress	PhysicalAddressPostalCode	nvarchar	10	Residential Zip	VARCHAR2	1020	R	n/a	BR-D08-002	
Mailing Address Name	PersonModule.PersonAddress	PhysicalAddressCareOf	nvarchar	100	Mailing Address Name	VARCHAR2	1020	O	n/a	BR-D08-002	Product changes required to support this data element.
Mailing Address1	PersonModule.PersonAddress	PhysicalAddressFirstStreetAddress	nvarchar	250	Mailing Address1	VARCHAR2	1020	R	n/a	BR-D08-002	Select the active PersonAddress for the participant where AddressTypeDisplayName = "Mailing". If there are multiple active mailing addresses select the entry with isPrimary = true. If there is no active physical address send null.

Outbound File Mapping

	Blue Compass (Source)				File Layout						
Descriptive Name	Source Table	Source Column	Data Type	Length	Layout Data Element	Data Type	Length	Required (R/O/C)	Default Value	Related BRs	Mapping Notes
Mailing Address2	PersonModule. PersonAddress	PhysicalAddressSecondStreetAddress	nvarchar	250	Mailing Address2	VARCHAR2	1020	O	n/a	BR-D08-002	
Mailing Address City	PersonModule. PersonAddress	PhysicalAddressCityName	nvarchar	100	Mailing Address City	VARCHAR2	1020	R	n/a	BR-D08-002	
Mailing Address State	PersonModule. PersonAddress	PhysicalAddressStateProvinceDisplayName	nvarchar	4000	Mailing Address State	VARCHAR2	1020	R	n/a	BR-D08-002	2 Character State Code (e.g. "WI")
Mailing Address Zip	PersonModule. PersonAddress	PhysicalAddressPostalCode	nvarchar	10	Mailing Address Zip	VARCHAR2	1020	R	n/a	BR-D08-002	
Phone	PersonModule. PersonPhones	PhoneNumber	nvarchar	25	Phone	VARCHAR2	4000	O	n/a	BR-D08-002	If there are multiple phone numbers for a participant, select the PhoneNumber with isPrimary = true (or priority order: Home, Mobile, Work).
Email	PersonModule. PersonEmailAddresses	EmailAddress	nvarchar	255	Email	VARCHAR2	1020	O	n/a	BR-D08-002	If there are multiple email addresses for a participant, select the EmailAddress with isPrimary = true.
Guardian 1 First Name	PersonModule. PersonContact	NameFirstName	nvarchar	100	Guardian 1 First Name	VARCHAR2	1020	O	n/a	BR-D08-003	Contact with "Representative Type" = "Guardian of Person"). DHS to provide hierarchy for selecting the order for Guardian 1, 2, 3.
Guardian 1 Last Name	PersonModule. PersonContact	NameLastName	nvarchar	100	Guardian 1 Last Name	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 1 Address	PersonModule. PersonContactAddresses	PhysicalAddressFirstStreetAddress	nvarchar	250	Guardian 1 Address	VARCHAR2	2044	O	n/a	BR-D08-003	If there are multiple active addresses for a guardian contact, select the active Address record with isPrimary = true. If there is no primary designation use priority order (1. Mailing, 2.
	PersonModule. PersonContactAddresses	PhysicalAddressSecondStreetAddress	nvarchar	250							
Guardian 1 City	PersonModule. PersonContactAddresses	PhysicalAddressCityName	nvarchar	100	Guardian 1 City	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 1 State	PersonModule. PersonContactAddresses	PhysicalAddressStateProvinceDisplayName	nvarchar	4000	Guardian 1 State	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 1 Zip	PersonModule. PersonContactAddresses	PhysicalAddressPostalCode	nvarchar	10	Guardian 1 Zip	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 1 Phone	PersonModule. PersonContactPhones	PhoneNumber	nvarchar	25	Guardian 1 Phone	VARCHAR2	4000	O	n/a	BR-D08-003	If there are multiple phone numbers for a guardian contact, select the Phone record with isPrimary = true (or priority order: Home, Mobile, Work).
Guardian 1 Email	PersonModule. PersonContact	EmailAddressAddress	nvarchar	255	Guardian 1 Email	VARCHAR2	4000	O	n/a	BR-D08-003	

Outbound File Mapping

	Blue Compass (Source)				File Layout						
Descriptive Name	Source Table	Source Column	Data Type	Length	Layout Data Element	Data Type	Length	Required (R/O/C)	Default Value	Related BRs	Mapping Notes
Guardian 2 First Name	PersonModule. PersonContact	NameFirstName	nvarchar	100	Guardian 2 First Name	VARCHAR2	1020	O	n/a	BR-D08-003	Contact with "Representative Type" = "Guardian of Person"). DHS to provide hierarchy for selecting the order for Guardian 1, 2, 3.
Guardian 2 Last Name	PersonModule. PersonContact	NameLastName	nvarchar	100	Guardian 2 Last Name	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 2 Address	PersonModule. PersonContactAddresses	PhysicalAddressFirstStreetAddress	nvarchar	250	Guardian 2 Address	VARCHAR2	2044	O	n/a	BR-D08-003	If there are multiple addresses for a guardian contact, select the Address record with isPrimary = true
	PersonModule. PersonContactAddresses	PhysicalAddressSecondStreetAddress	nvarchar	250							
Guardian 2 City	PersonModule. PersonContactAddresses	PhysicalAddressCityName	nvarchar	100	Guardian 2 City	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 2 State	PersonModule. PersonContactAddresses	PhysicalAddressStateProvinceDisplayName	nvarchar	4000	Guardian 2 State	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 2 Zip	PersonModule. PersonContactAddresses	PhysicalAddressPostalCode	nvarchar	10	Guardian 2 Zip	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 2 Phone	PersonModule. PersonContactPhones	PhoneNumber	nvarchar	25	Guardian 2 Phone	VARCHAR2	4000	O	n/a	BR-D08-003	If there are multiple phone numbers for a guardian contact, select the Phone record with isPrimary = true (or priority order: Home, Mobile, Work).
Guardian 2 Email	PersonModule. PersonContact	EmailAddressAddress	nvarchar	255	Guardian 2 Email	VARCHAR2	4000	O	n/a	BR-D08-003	
Guardian 3 First Name	PersonModule. PersonContact	NameFirstName	nvarchar	100	Guardian 3 First Name	VARCHAR2	1020	O	n/a	BR-D08-003	Contact with "Representative Type" = "Guardian of Person"). DHS to provide hierarchy for selecting the order for Guardian 1, 2, 3.
Guardian 3 Last Name	PersonModule. PersonContact	NameLastName	nvarchar	100	Guardian 3 Last Name	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 3 Address	PersonModule. PersonContactAddresses	PhysicalAddressFirstStreetAddress	nvarchar	250	Guardian 3 Address	VARCHAR2	2044	O	n/a	BR-D08-003	If there are multiple addresses for a guardian contact, select the Address record with isPrimary = true
	PersonModule. PersonContactAddresses	PhysicalAddressSecondStreetAddress	nvarchar	250							
Guardian 3 City	PersonModule. PersonContactAddresses	PhysicalAddressCityName	nvarchar	100	Guardian 3 City	VARCHAR2	1020	O	n/a	BR-D08-003	
Guardian 3 State	PersonModule. PersonContactAddresses	PhysicalAddressStateProvinceDisplayName	nvarchar	4000	Guardian 3 State	VARCHAR2	1020	O	n/a	BR-D08-003	2 Character State Code (e.g. "WI")
Guardian 3 Zip	PersonModule. PersonContactAddresses	PhysicalAddressPostalCode	nvarchar	10	Guardian 3 Zip	VARCHAR2	1020	O	n/a	BR-D08-003	

Outbound File Mapping

	Blue Compass (Source)				File Layout						
Descriptive Name	Source Table	Source Column	Data Type	Length	Layout Data Element	Data Type	Length	Required (R/O/C)	Default Value	Related BRs	Mapping Notes
Guardian 3 Phone	PersonModule. PersonContactPhones	PhoneNumber	nvarchar	25	Guardian 3 Phone	VARCHAR2	4000	O	n/a	BR-D08-003	If there are multiple phone numbers for a guardian contact, select the Phone record with isPrimary = true (or priority order: Home, Mobile, Work).
Guardian 3 Email	PersonModule. PersonContact	EmailAddressAddress	nvarchar	255	Guardian 3 Email	VARCHAR2	4000	O	n/a	BR-D08-003	
County of Responsibility	PersonModule. PersonAttributes	ValueDisplayName	nvarchar	4000	County of Responsibility	VARCHAR2	1020	R	n/a	BR-D08-002	Person Attribute where TypeDisplayName = "County of Responsibility". This should be a county name. Examples from the sample file ("Milwaukee", "Grant", "Portage", "Kenosha"). <i>Note: The DET is the source of truth for valid values "WI DHS MES CMM Person Search, Profile, Contacts & Attachments DET.xlsx"</i>
DOB	PersonModule. Person	BirthDate	Date	n/a	DOB	VARCHAR2	10	R	n/a	BR-D08-002	Format MM/DD/YYYY.
Gender	PersonModule. Person	GenderDisplayName	nvarchar	4000	Gender	VARCHAR2	12	R	"Not Provided"	BR-D08-002	File Layout Available Values: "M", "F", "Not Provided". When GenderDisplayName = ("Male" send "M"), ("Female" send "F"), (When any other value or null send "Not Provided").
Race	PersonModule. PersonRaces	RaceDisplayName	nvarchar	4000	Race	VARCHAR2	1020	R	"Unknown"	BR-D08-002	Select the PersonRaces entry with isPrimary = true. When no value is available, send "Unknown". <i>Note: The DET is the source of truth for valid values "WI DHS MES CMM Person Search, Profile, Contacts & Attachments DET.xlsx"</i> .
Ethnicity	PersonModule. PersonEthnicities	EthnicityDisplayName	nvarchar	4000	Ethnicity	VARCHAR2	1020	R	"Unknown"	BR-D08-002	Select the PersonEthnicities entry with isPrimary = true. When no value is available, send "Unknown". <i>Note: The DET is the source of truth for valid values "WI DHS MES CMM Person Search, Profile, Contacts & Attachments DET.xlsx"</i> .
Primary Language	PersonModule. PersonLanguages	HumanLanguageDisplayN ame	nvarchar	4000	Primary Language	VARCHAR2	1020	R	"Unknown"	BR-D08-002	When no value is available, send "Unknown". <i>Note: The DET is the source of truth for valid values "WI DHS MES CMM Person Search, Profile, Contacts & Attachments DET.xlsx"</i> .

Outbound File Mapping

	Blue Compass (Source)				File Layout						
Descriptive Name	Source Table	Source Column	Data Type	Length	Layout Data Element	Data Type	Length	Required (R/O/C)	Default Value	Related BRs	Mapping Notes
Current Living Arrangement	PersonModule. PersonAttributes	ValueDisplayName	nvarchar	4000	Current Living Arrangement	VARCHAR2	1020	O	n/a	BR-D08-002	TBD if this will be stored as a person attribute or as part of the "Referral" (custom form). <i>Note: The DET is the source of truth for valid values "WI DHS MES CMM Person Search, Profile, Contacts & Attachments DET.xlsx"</i>
Living Arrangement Sub	PersonModule. PersonAttributes	ValueDisplayName	nvarchar	4000	Living Arrangement Sub	VARCHAR2	1020	O	n/a		TBD if this will be stored as a person attribute or as part of the "Referral" (custom form).
Target Group	CustomFormModule. SimpleSingleSelectFieldAnswer	OptionDisplayName	nvarchar	4000	Target Group	VARCHAR2	2	O	n/a		File Layout Valid Values: "FE", "DD", "PD". This is captured in the participant's "IRIS Referral" or "Adult LOC" (custom form).
Referral Date	CustomFormModule. DateFieldAnswer	DateTime	datetime2	7	Referral Date	VARCHAR2	10	R	n/a		Format MM/DD/YYYY. This is a date captured in the participant's "Referral" (custom form).
Start Date	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeStartDate	Date	n/a	Start Date	VARCHAR2	10	R	n/a	BR-D08-004	Format MM/DD/YYYY.
Term Date	ProgramEnrollmentModule. ProgramEnrollment	EnrollmentDateRangeEndDate	Date	n/a	Term Date	VARCHAR2	10	O	n/a	BR-D08-005	Format MM/DD/YYYY.
Status	ProgramEnrollmentModule. ProgramEnrollment	StatusDisplayName	nvarchar	4000	Status	VARCHAR2	1020	R	n/a	BR-D08-006	Values: Enrolled, Deceased, Suspended, Involuntary Disenrollment, Voluntary Disenrollment
IRIS Consultant ID	OrganizationModule. StaffMemberIdentifiers	Value	nvarchar	50	IRIS Consultant ID	VARCHAR2	1020	O	n/a	BR-D08-007	Send IRIS Consultants firstname.lastname Format: (Firstname) + "." + (LastName) Use the AssignedStaffMemberKey found in PersonModule.PersonStaffMemberAssignment table (where IsPrimaryAssignment = true) to lookup the corresponding StaffMemberKey in the StaffMemberIdentifiers table and retrieve the name information
IRIS Consultant First Name	OrganizationModule. StaffMember	NameFirstName	nvarchar	100	IRIS Consultant First Name	VARCHAR2	1020	R	n/a		Use the AssignedStaffMemberKey found in PersonModule.PersonStaffMemberAssignment table (where IsPrimaryAssignment = true) to lookup the corresponding StaffMemberKey in the StaffMember table and retrieve the First Name.

Outbound File Mapping

[illegible]

Business Rules

BR #	Description
BR-D08-001	If the participant's FEA (location assignment) changes, then an entry for the participant should be included in the FEA Eligibility Extract (for the new FEA).
BR-D08-002	If the participant profile data included in the interface is updated, then an entry for the participant should be included in the FEA Eligibility Extract. This includes: Name, DOB, Gender, Addresses, Phone Numbers, Email Addresses, Ethnicity, Race, Attributes, Primary Language, Medicaid Information,
BR-D08-003	If a participant Guardian information is updated, then an entry for the participant should be included in the FEA Eligibility Extract (A Guardian is a "Participant Contact" with Representative Type = Guardian of Person, Guardian of Estate, or Guardian of Person & Estate).
BR-D08-004	If the participant's current "IRIS enrollment span" Start Date changes, then an entry for the participant should be included in the FEA Eligibility Extract.
BR-D08-005	If the participant's current "IRIS enrollment span" End Date changes, then an entry for the participant should be included in the FEA Eligibility Extract.
BR-D08-006	If the participant's current "IRIS enrollment span" Status changes, then an entry for the participant should be included in the FEA Eligibility Extract.
BR-D08-007	If the participant's IRIS Consultant (staff assignment) changes, then an entry for the participant should be included in the FEA Eligibility Extract.
BR-D08-008	If the participant's ICA (location assignment) changes, then an entry for the participant should be included in the FEA Eligibility Extract.

Context

Item Description	Details
Purpose of this interface	The Case Management system uses this interface to send information about participants enrolled in the IRIS program to FEA Organizations
External system that Blue Compass will interface with	Fiscal Employment Agencies (FEAs)
Interface Direction (Inbound/Outbound/Both)	Outbound
Transfer Protocol (Webservice, SFTP, etc.)	SFTP
Where is the file sent to or picked up from (End-point or Landing Zone location URL)?	FEI SFTP Site
Connectivity Protocols/Encryption/Authentication (VPN Tunnel, SSL Certificate swap, etc.)	SSL Certificate
File Type (xml, .csv, delimited flat file etc.)	.csv
Frequency	Daily
Timing Considerations (e.g. Day of the week and/or time of day files will be sent or available for pickup), or (When files are not available e.g. system maintenance windows, etc.)	TBD 5 or 7 days per week. Action Item 348.
Retry procedure for file expected but not (received/available) or otherwise successfully delivered.	n/a
For inbound, what field(s) are used to match to data in Blue Compass?	n/a
Is every file a full file (reconciliation), or a delta? If a delta, will full files occasionally be sent/received? If so, how often?	TBD full file or delta. Action Item 349.
Is there a field that represents the last time a row was edited, either a date or a datetime?	C_UPDATED_DATE
How are deletions handled? That is, if a data was sent previously but is no longer valid.	n/a
How are updates handled?	If an update is applied to any of the Blue Compass data elements, a record is generated containing the current value for all data elements in the extract.
If there are multiple files in the interface: What field(s) are used to link them together? If there is an update in one file, will all the matching records be updated as well? For example, when a person's address changes will the update record include only the new address, or will it include a refresh of all of the person's addresses, or a refresh of all of the person's information?	n/a
What is the file naming convention? (Ideally all files will have CCYYMMDD_HHmm as part of the file name)	[FEA Name] Eligibility Extract CCYYMMDD.csv

Error Handling

This tab will be populated during development phase

System Error			
Error Code	Error Message	Corrective Action	Related BRs
ICD-D08-SE-001			
ICD-D08-SE-002			
ICD-D08-SE-003			

Rule Violation			
Error Code	Error Message	Corrective Action	Related BRs
ICD-D08-RV-001			
ICD-D08-RV-002			
ICD-D08-RV-003			

Requirements

[illegible]