



Comment	Description	Designator	Footprint	LibRef	Quantity	$\neg$
100uF	Aluminum Electrolytic	C1, C3	CAPPR60-350-1500X	CMP-2000-07347-1		2
100nF		C2, C4, C5, C7, C9, C	CAPC2013X70X45NL	CMP-2007-00957-1		7
6.3V470uF	Aluminum Electrolytic	C6	CAPPR60-350-1500X	CMP-2000-07347-1		1
4.7uF		C8	CAPC2013X70X45NL	CMP-2007-00957-1		1
10uF		C11, C12	CAPC2013X70X45NL	CMP-2007-00957-1		2
WS2812_conn	Connector for WS281	J1, J2, J3, J4, J5, J6, .	WS2812_conn	WS2812_conn		9
105017-0001	Micro-USB B Recepta	:J10	USB-MICRO-B_V	CMP-2000-05827-1		1
USB-A	1 Port Right Angle Thi	J11, J12	TE-292303-1_V	CMP-2000-05404-1		2
BUILTIN_LED	SMD mono-color Chip	LED1	0805_A	CMP-1426-00011-1		1
ESP32-WROOM-32	RX TXRX MOD WIFI	MD1	FP-ESP32-WROOM-3	CMP-194065-000008-		1
JTAG	OLIMEX ARM-USB-OC	P1	JTAG	JTAG		1
FDV304P	P-Channel Digital FET	Q1, Q4	ONSC-SOT-23-3-318-	CMP-1058-00746-1		2
S8050(NPN)	Amplifier Transistor, N	Q2, Q3	ONSC-TO-92-3-29-1	CMP-1048-01574-1		2
MMBF170	Power MOSFET, 500	Q5	ONSC-SOT-23-3-318-	CMP-1058-00792-1		1
4.7K		R2, R3, R4, R6, R12	RESC2013X50X30LL2	CMP-2001-04896-1		5
220		R5	RESC2013X50X30LL2	CMP-2001-04896-1		1
100		R7, R11, R13, R14, R	RESC2013X50X30LL2	CMP-2001-04896-1		5
10K		R8, R16, R18	RESC2013X50X30LL2	CMP-2001-04896-1		3
12K		R9, R10	RESC2013X50X30LL2	CMP-2001-04896-1		2
CCS811	eCO2 and TVOC sense	:U1	CCS811	CCS811		1
ZH03B	Dust sensor	U2	ZH03B	ZH03B		1
ESP-32 MINI		U3	ESP32_MINI	ESP-32 MINI		1
DHT-11	Temperature and hun		DHT-11	DHT-11		1
FT232RL	IC USB FS SERIAL UA	U7	FTDI-SSOP-28_M	CMP-2000-05029-1		1
LD1117S33TR	Fixed Low Drop Posit	U9	SOT-223_L	CMP-0244-00310-1		1