

Sentence-Task Similarity Evaluation between Texts and Models

Purpose of this study

This survey collects judgements on how well individual sentences from process descriptions correspond to individual tasks in BPMN models. Your ratings will serve as the ground truth data for creating and evaluating automated Model2Text similarity methods.

The survey is completely anonymous, and no personally identifiable information will be collected or stored. No Google sign-in or other account registration is required to participate.

Assignment

For each sentence-task pair, assign a whole-number score from 0 to 5 indicating how similar the sentences and tasks are.

0

not similar

1very weak
similarity**2**

weak similarity

3moderate
similarity**4**

strong similarity

5very strong
similarity

General Information for the Survey



What this survey is

- Rating the *degree* of similarity between a sentence and a task element
- A graded, continuous judgement using the full 0 to 5 scale
- An individual assessment of each task, for every sentence



What this survey is not

- Not about process logic or the order of tasks in the model
- Not a binary "match / no match" decision
- Not about picking the single best-matching task per sentence

Why the full scale matters

Text similarity is rarely binary. Except in cases of complete overlap, a sentence and a task will almost always fall somewhere in between. Using only the extreme values (0 or 5) discards meaningful rankings that are essential for the Model2Text similarity methods. Please use the full scale as precisely as possible and re-read each task carefully before assigning your score, even if a sentence appears straightforward.

To help you rate consistently, some examples and their explanations are listed below. Please read them carefully before beginning the ratings.

Example	Explanation	Similarity
<u>Sentence:</u> A specialist evaluates whether the claim is legitimate. <u>Task:</u> Assess Claim	– "evaluates" and "Assess" are synonyms – "claim" is syntactically identical and used in the same context	high
<u>Sentence:</u> The system sends a confirmation to the customer. <u>Task:</u> Notify Applicant	– Both imply a notification, but the person receiving it and the exact action are slightly different	medium
<u>Sentence:</u> The invoice is archived after payment. <u>Task:</u> Schedule Interview	– completely different activities	low

Note

The sentences and tasks are drawn from an established dataset and may contain names or abbreviations that are not immediately transparent. These are not that important for your task. So, if you encounter an unfamiliar term, please treat it as a generic placeholder.


Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 1 (Overview):

Sentence 1: The MPON sends the dismissal to the MPOO.

Sentence 2: The MPOO reviews the dismissal.

Sentence 3: The MPOO opposes the dismissal of MPON or the MPOO confirms the dismissal of the MPON.



Sentence 1: the mpon sends the dismissal to the mpoo *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☐	☐	☐	☐	☒
mpoo reviews the dismissal	☐	☒	☐	☐	☐	☐
mpoo opposes the dismissal	☐	☒	☐	☐	☐	☐
mpoo confirms the dismissal	☐	☐	☒	☐	☐	☐

Sentence 2: the mpoo reviews the dismissal *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☒	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☐	☐	☐	☒
mpoo opposes the dismissal	☐	☒	☐	☐	☐	☐
mpoo confirms the dismissal	☐	☒	☐	☐	☐	☐

Sentence 3: the mpoo opposes the dismissal of mpon or the mpoo confirms the dismissal of the mpon *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☒	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☒	☐	☐	☐	☐
mpoo opposes the dismissal	☐	☐	☐	☐	☒	☐
mpoo confirms the dismissal	☐	☐	☐	☐	☒	☐

Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 2 (Overview):

Sentence 1: When a new hire joins the company, HR sends a welcome package.

Sentence 2: The manager then gives the employee a tour of the office.

Sentence 3: Simultaneously, the developer set up the computer and install required software.

Sentence 4: Then, the managers introduce a new policy, the team confirms it, and the employee accepts it.

Sentence 5: Finally, the payroll information of the employee is submitted to the finance department.



Sentence 1: when a new hire joins the company, HR sends a welcome package *

	0	1	2	3	4	5
send welcome package to new employee	☐	☐	☐	☐	☒	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☒	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 2: the manager then gives the employee a tour of the office *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 3: simultaneously, the developer set up the computer and install required software *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☐	☐	☐	☐	☒	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 4: then, the managers introduce a new policy, the team confirms it, and the employee accepts * it

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☐	☒	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☒	☐	☐	☐	☐

Sentence 5: finally, the payroll information of the employee is submitted to the finance department *

	0	1	2	3	4	5
send welcome package to new employee	☐	☒	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☒	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☐	☐	☐	☒	☐

Thank you for your participation!

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Sentence-Task Similarity Evaluation between Texts and Models

Purpose of this study

This survey collects judgements on how well individual sentences from process descriptions correspond to individual tasks in BPMN models. Your ratings will serve as the ground truth data for creating and evaluating automated Model2Text similarity methods.

The survey is completely anonymous, and no personally identifiable information will be collected or stored. No Google sign-in or other account registration is required to participate.

Assignment

For each sentence-task pair, assign a whole-number score from 0 to 5 indicating how similar the sentences and tasks are.

0

not similar

1very weak
similarity**2**

weak similarity

3moderate
similarity**4**

strong similarity

5very strong
similarity

General Information for the Survey



What this survey is

- Rating the *degree* of similarity between a sentence and a task element
- A graded, continuous judgement using the full 0 to 5 scale
- An individual assessment of each task, for every sentence



What this survey is not

- Not about process logic or the order of tasks in the model
- Not a binary "match / no match" decision
- Not about picking the single best-matching task per sentence

Why the full scale matters

Text similarity is rarely binary. Except in cases of complete overlap, a sentence and a task will almost always fall somewhere in between. Using only the extreme values (0 or 5) discards meaningful rankings that are essential for the Model2Text similarity methods. Please use the full scale as precisely as possible and re-read each task carefully before assigning your score, even if a sentence appears straightforward.

To help you rate consistently, some examples and their explanations are listed below. Please read them carefully before beginning the ratings.

Example	Explanation	Similarity
<u>Sentence:</u> A specialist evaluates whether the claim is legitimate. <u>Task:</u> Assess Claim	– "evaluates" and "Assess" are synonyms – "claim" is syntactically identical and used in the same context	high
<u>Sentence:</u> The system sends a confirmation to the customer. <u>Task:</u> Notify Applicant	– Both imply a notification, but the person receiving it and the exact action are slightly different	medium
<u>Sentence:</u> The invoice is archived after payment. <u>Task:</u> Schedule Interview	– completely different activities	low

Note

The sentences and tasks are drawn from an established dataset and may contain names or abbreviations that are not immediately transparent. These are not that important for your task. So, if you encounter an unfamiliar term, please treat it as a generic placeholder.


Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 1 (Overview):

Sentence 1: The MPON sends the dismissal to the MPOO.

Sentence 2: The MPOO reviews the dismissal.

Sentence 3: The MPOO opposes the dismissal of MPON or the MPOO confirms the dismissal of the MPON.



Sentence 1: the mpon sends the dismissal to the mpoo *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☐	☐	☐	☐	☒
mpoo reviews the dismissal	☒	☐	☐	☐	☐	☐
mpoo opposes the dismissal	☒	☐	☐	☐	☐	☐
mpoo confirms the dismissal	☒	☐	☐	☐	☐	☐

Sentence 2: the mpoo reviews the dismissal *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☐	☐	☐	☒
mpoo opposes the dismissal	☒	☐	☐	☐	☐	☐
mpoo confirms the dismissal	☒	☐	☐	☐	☐	☐

Sentence 3: the mpoo opposes the dismissal of mpon or the mpoo confirms the dismissal of the mpon *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☒	☐	☐	☐	☐	☐
mpoo opposes the dismissal	☐	☐	☐	☐	☐	☒
mpoo confirms the dismissal	☐	☐	☐	☐	☐	☒

Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 2 (Overview):

Sentence 1: When a new hire joins the company, HR sends a welcome package.

Sentence 2: The manager then gives the employee a tour of the office.

Sentence 3: Simultaneously, the developer set up the computer and install required software.

Sentence 4: Then, the managers introduce a new policy, the team confirms it, and the employee accepts it.

Sentence 5: Finally, the payroll information of the employee is submitted to the finance department.



Sentence 1: when a new hire joins the company, HR sends a welcome package *

	0	1	2	3	4	5
send welcome package to new employee	☐	☐	☐	☐	☐	☒
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 2: the manager then gives the employee a tour of the office *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 3: simultaneously, the developer set up the computer and install required software *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☐	☐	☐	☐	☐	☒
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 4: then, the managers introduce a new policy, the team confirms it, and the employee accepts * it

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☐	☒	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 5: finally, the payroll information of the employee is submitted to the finance department *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☐	☐	☐	☐	☒

Thank you for your participation!

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Sentence-Task Similarity Evaluation between Texts and Models

Purpose of this study

This survey collects judgements on how well individual sentences from process descriptions correspond to individual tasks in BPMN models. Your ratings will serve as the ground truth data for creating and evaluating automated Model2Text similarity methods.

The survey is completely anonymous, and no personally identifiable information will be collected or stored. No Google sign-in or other account registration is required to participate.

Assignment

For each sentence-task pair, assign a whole-number score from 0 to 5 indicating how similar the sentences and tasks are.

0

not similar

1very weak
similarity**2**

weak similarity

3moderate
similarity**4**

strong similarity

5very strong
similarity

General Information for the Survey



What this survey is

- Rating the *degree* of similarity between a sentence and a task element
- A graded, continuous judgement using the full 0 to 5 scale
- An individual assessment of each task, for every sentence



What this survey is not

- Not about process logic or the order of tasks in the model
- Not a binary "match / no match" decision
- Not about picking the single best-matching task per sentence

Why the full scale matters

Text similarity is rarely binary. Except in cases of complete overlap, a sentence and a task will almost always fall somewhere in between. Using only the extreme values (0 or 5) discards meaningful rankings that are essential for the Model2Text similarity methods. Please use the full scale as precisely as possible and re-read each task carefully before assigning your score, even if a sentence appears straightforward.

To help you rate consistently, some examples and their explanations are listed below. Please read them carefully before beginning the ratings.

Example	Explanation	Similarity
<u>Sentence:</u> A specialist evaluates whether the claim is legitimate. <u>Task:</u> Assess Claim	– "evaluates" and "Assess" are synonyms – "claim" is syntactically identical and used in the same context	high
<u>Sentence:</u> The system sends a confirmation to the customer. <u>Task:</u> Notify Applicant	– Both imply a notification, but the person receiving it and the exact action are slightly different	medium
<u>Sentence:</u> The invoice is archived after payment. <u>Task:</u> Schedule Interview	– completely different activities	low

Note

The sentences and tasks are drawn from an established dataset and may contain names or abbreviations that are not immediately transparent. These are not that important for your task. So, if you encounter an unfamiliar term, please treat it as a generic placeholder.


Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 1 (Overview):

Sentence 1: The MPON sends the dismissal to the MPOO.

Sentence 2: The MPOO reviews the dismissal.

Sentence 3: The MPOO opposes the dismissal of MPON or the MPOO confirms the dismissal of the MPON.



Sentence 1: the mpon sends the dismissal to the mpoo *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☐	☐	☐	☐	☒
mpoo reviews the dismissal	☐	☐	☒	☐	☐	☐
mpoo opposes the dismissal	☒	☐	☐	☐	☐	☐
mpoo confirms the dismissal	☐	☐	☒	☐	☐	☐

Sentence 2: the mpoo reviews the dismissal *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☐	☐	☐	☒
mpoo opposes the dismissal	☐	☒	☐	☐	☐	☐
mpoo confirms the dismissal	☐	☒	☐	☐	☐	☐

Sentence 3: the mpoo opposes the dismissal of mpon or the mpoo confirms the dismissal of the mpon *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☐	☒	☐	☐
mpoo opposes the dismissal	☐	☐	☐	☐	☐	☒
mpoo confirms the dismissal	☒	☐	☐	☐	☐	☐

Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 2 (Overview):

Sentence 1: When a new hire joins the company, HR sends a welcome package.

Sentence 2: The manager then gives the employee a tour of the office.

Sentence 3: Simultaneously, the developer set up the computer and install required software.

Sentence 4: Then, the managers introduce a new policy, the team confirms it, and the employee accepts it.

Sentence 5: Finally, the payroll information of the employee is submitted to the finance department.



Sentence 1: when a new hire joins the company, HR sends a welcome package *

	0	1	2	3	4	5
send welcome package to new employee	☐	☐	☐	☐	☐	☒
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☐	☒	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☒	☐	☐	☐	☐

Sentence 2: the manager then gives the employee a tour of the office *

	0	1	2	3	4	5
send welcome package to new employee	☐	☒	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☐	☐	☐	☒	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☒	☐	☐	☐	☐

Sentence 3: simultaneously, the developer set up the computer and install required software *

	0	1	2	3	4	5
send welcome package to new employee	☐	☒	☐	☐	☐	☐
configure PC and Apps	☐	☐	☐	☐	☐	☒
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☒	☐	☐	☐	☐

Sentence 4: then, the managers introduce a new policy, the team confirms it, and the employee accepts * it

	0	1	2	3	4	5
send welcome package to new employee	☐	☐	☐	☒	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☐	☒	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 5: finally, the payroll information of the employee is submitted to the finance department *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☒	☐	☐	☐	☐
complete compliance training	☐	☒	☐	☐	☐	☐
submit employees payroll data	☐	☐	☐	☐	☐	☒

Thank you for your participation!

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google

Sentence-Task Similarity Evaluation between Texts and Models

Purpose of this study

This survey collects judgements on how well individual sentences from process descriptions correspond to individual tasks in BPMN models. Your ratings will serve as the ground truth data for creating and evaluating automated Model2Text similarity methods.

The survey is completely anonymous, and no personally identifiable information will be collected or stored. No Google sign-in or other account registration is required to participate.

Assignment

For each sentence-task pair, assign a whole-number score from 0 to 5 indicating how similar the sentences and tasks are.

0

not similar

1very weak
similarity**2**

weak similarity

3moderate
similarity**4**

strong similarity

5very strong
similarity

General Information for the Survey



What this survey is

- Rating the *degree* of similarity between a sentence and a task element
- A graded, continuous judgement using the full 0 to 5 scale
- An individual assessment of each task, for every sentence



What this survey is not

- Not about process logic or the order of tasks in the model
- Not a binary "match / no match" decision
- Not about picking the single best-matching task per sentence

Why the full scale matters

Text similarity is rarely binary. Except in cases of complete overlap, a sentence and a task will almost always fall somewhere in between. Using only the extreme values (0 or 5) discards meaningful rankings that are essential for the Model2Text similarity methods. Please use the full scale as precisely as possible and re-read each task carefully before assigning your score, even if a sentence appears straightforward.

To help you rate consistently, some examples and their explanations are listed below. Please read them carefully before beginning the ratings.

Example	Explanation	Similarity
<u>Sentence:</u> A specialist evaluates whether the claim is legitimate. <u>Task:</u> Assess Claim	– "evaluates" and "Assess" are synonyms – "claim" is syntactically identical and used in the same context	high
<u>Sentence:</u> The system sends a confirmation to the customer. <u>Task:</u> Notify Applicant	– Both imply a notification, but the person receiving it and the exact action are slightly different	medium
<u>Sentence:</u> The invoice is archived after payment. <u>Task:</u> Schedule Interview	– completely different activities	low

Note

The sentences and tasks are drawn from an established dataset and may contain names or abbreviations that are not immediately transparent. These are not that important for your task. So, if you encounter an unfamiliar term, please treat it as a generic placeholder.


Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 1 (Overview):

Sentence 1: The MPON sends the dismissal to the MPOO.

Sentence 2: The MPOO reviews the dismissal.

Sentence 3: The MPOO opposes the dismissal of MPON or the MPOO confirms the dismissal of the MPON.



Sentence 1: the mpon sends the dismissal to the mpoo *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☐	☐	☐	☐	☐	☒
mpoo reviews the dismissal	☒	☐	☐	☐	☐	☐
mpoo opposes the dismissal	☒	☐	☐	☐	☐	☐
mpoo confirms the dismissal	☒	☐	☐	☐	☐	☐

Sentence 2: the mpoo reviews the dismissal *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☐	☐	☐	☒
mpoo opposes the dismissal	☒	☐	☐	☐	☐	☐
mpoo confirms the dismissal	☒	☐	☐	☐	☐	☐

Sentence 3: the mpoo opposes the dismissal of mpon or the mpoo confirms the dismissal of the mpon *

	0	1	2	3	4	5
mpon sends the dismissal to the mpoo	☒	☐	☐	☐	☐	☐
mpoo reviews the dismissal	☐	☐	☒	☐	☐	☐
mpoo opposes the dismissal	☐	☐	☐	☒	☐	☐
mpoo confirms the dismissal	☐	☐	☐	☒	☐	☐

Please rate how similar each Task of the BPMN model is to the given Sentence, using a scale of 0 (not similar) to 5 (very strong similarity).

Model 2 (Overview):

Sentence 1: When a new hire joins the company, HR sends a welcome package.

Sentence 2: The manager then gives the employee a tour of the office.

Sentence 3: Simultaneously, the developer set up the computer and install required software.

Sentence 4: Then, the managers introduce a new policy, the team confirms it, and the employee accepts it.

Sentence 5: Finally, the payroll information of the employee is submitted to the finance department.



Sentence 1: when a new hire joins the company, HR sends a welcome package *

	0	1	2	3	4	5
send welcome package to new employee	☐	☐	☐	☒	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 2: the manager then gives the employee a tour of the office *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 3: simultaneously, the developer set up the computer and install required software *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☐	☐	☐	☒	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 4: then, the managers introduce a new policy, the team confirms it, and the employee accepts * it

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☐	☒	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☒	☐	☐	☐	☐	☐

Sentence 5: finally, the payroll information of the employee is submitted to the finance department *

	0	1	2	3	4	5
send welcome package to new employee	☒	☐	☐	☐	☐	☐
configure PC and Apps	☒	☐	☐	☐	☐	☐
introduce employee to the team	☒	☐	☐	☐	☐	☐
complete compliance training	☒	☐	☐	☐	☐	☐
submit employees payroll data	☐	☐	☐	☐	☐	☒

Thank you for your participation!

Dieser Inhalt wurde nicht von Google erstellt und wird von Google auch nicht unterstützt.

Google