# МІНІСТЕРСТВО ОСВІТИ І НАУКИ УКРАЇНИ НАЦІОНАЛЬНИЙ УНІВЕРСИТЕТ « ЗАПОРІЗЬКА ПОЛІТЕХНІКА»

кафедра програмних засобів

## **3BIT**

3 лабораторної роботи № 2 з дисципліни «Якість програмного забезпечення» з теми: «Роботи з віддаленим репозиторієм Git»

Виконав:	
ст. гр. КНТ-116	І. Г. Харебашвілі
C1. 1p. K111-110	1. 1. Харсоашыл
Прийняв:	
викладач	Т. І. Каплієнко

викладач

# Мета роботи:

Вивчити основні команди по роботі з віддаленим репозиторієм GIT.

# Хід виконання роботи:


Копирование проекта из удаленного репозитория:

Через командную строку

```
ilyakharebashvili@MacBook-Air-Ilya lr2 % git clone https://lolilyuha@bitbucket.org/tata007/ zntulabs.git

Cloning into 'zntulabs.git'...
remote: Repository tata007/info not found
fatal: repository 'https://lolilyuha@bitbucket.org/tata007/' not found
ilyakharebashvili@MacBook-Air-Ilya lr2 %
```

#### С использованием Xcode




Для каждой версии проекта создать свою ветку, внести изменения в обе версии и зафиксировать их commit'ом

```
ilyakharebashvili@MacBook-Air-Ilya lr2 % cd zntulabs
ilyakharebashvili@MacBook-Air-Ilya zntulabs % git branch KharebashviliBash
ilyakharebashvili@MacBook-Air-Ilya zntulabs % git checkout KharebashviliBash
Switched to branch 'KharebashviliBash'
ilyakharebashvili@MacBook-Air-Ilya zntulabs % 

Ilyakharebashvili@MacBook-
```


```
🔃 zntulabs — -zsh — 80×24
Last login: Mon Dec 9 15:55:34 on ttys001
[ilyakharebashvili@MacBook-Air-Ilya ~ % cd /Users/ilyakharebashvili/Desktop/lr2
[ilyakharebashvili@MacBook-Air-Ilya lr2 % git clone https://bitbucket.org/lolilyu]
ha/zntulabs
Cloning into 'zntulabs'..
remote: Counting objects: 20, done.
remote: Compressing objects: 100% (19/19), done.
remote: Total 20 (delta 7), reused 0 (delta 0)
Unpacking objects: 100% (20/20), done.
[ilyakharebashvili@MacBook-Air-Ilya lr2 % cd zntulabs
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git branch KharebashviliBash
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git checkout KharebashviliBash
Switched to branch 'KharebashviliBash'
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git commit
On branch KharebashviliBash
Changes not staged for commit:
        modified: main.cpp
no changes added to commit
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git add .
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git commit
[KharebashviliBash dacd296] commitFromBash
 1 file changed, 1 insertion(+), 1 deletion(-)
ilyakharebashvili@MacBook-Air-Ilya zntulabs % git push
```



#### Вносим изменения через редактор Xcode


```
mainwindow.cpp
                                                                                            ≣0 | ⊞
1 #include "mainwindow.h"
   2 #include "ui_mainwindow.h"
   3 int n1, n2, m, N1, N2, N, R;
   5 MainWindow::MainWindow(QWidget *parent) :
         QMainWindow(parent),
         ui(new Ui::MainWindow)
                                                                                       8 {
         ui->setupUi(this);
  10 }
  11
  12 MainWindow::~MainWindow()
  13 {
                                                                                      14
  15 }
16 // Илья Харебашвили внес изменение в редакторе Xcode
  17  void MainWindow::on_SLOC_clicked()
  18 {
  19
         QString str= ui->plainTextEdit->toPlainText();
  20
         int n = str.count("\n");
         ui->label->setText(QString::number(n+1));
  23 }
  24
  25 void MainWindow::on_EmptyLines_clicked()
  26 {
  27
         QString str= ui->plainTextEdit->toPlainText();
  28
  29
         int n = str.count("\n\n");
         ui->label_2->setText(QString::number(n));
  31 }
  32
  33 void MainWindow::on_Comments_clicked()
  34 {
         QString str= ui->plainTextEdit->toPlainText();
  35
  36
  37
         int n = str.count("\n//");
         ui->label_3->setText(QString::number(n));
  38
  39
         int k = str.count("\n");
  40
         \label_5-> setText(QString::number(((float) n)/(k+1)*100)+"%");
  41
  42 }
```

### Создание ветки с помощью редактора Xcode



Залить созданные ветки на fork https://bitbucket.org/tata007/zntulabs в ветки, названные "фамилия+qt" и «фамилия+bash"

```
zntulabs — -zsh — 80×24
Username for 'https://bitbucket.org': Ilya33215
Password for 'https://Ilya33215@bitbucket.org':
remote: Invalid username or password
fatal: Authentication failed for 'https://bitbucket.org/lolilyuha/zntulabs/'
[ilyakharebashvili@MacBook-Air-Ilya zntulabs % git push --set-upstream origin Kha]
rebashviliBash
Username for 'https://bitbucket.org': lolilyuha
Password for 'https://lolilyuha@bitbucket.org':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0)
remote:
remote: Create pull request for KharebashviliBash:
remote:
          https://bitbucket.org/lolilyuha/zntulabs/pull-requests/new?source=Khar
ebashviliBash&t=1
remote:
To https://bitbucket.org/lolilyuha/zntulabs
* [new branch]
                    KharebashviliBash -> KharebashviliBash
Branch 'KharebashviliBash' set up to track remote branch 'KharebashviliBash' fro
m 'origin'.
ilyakharebashvili@MacBook-Air-Ilya zntulabs %
```



#### Делаю Commit and Push с помощью Xcode

