
## **Cucumber Report**




Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
hooks_test	49.839 s	2	0	2	0	9	4	2	3

Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@failed_scenario	2	0	2	0	1	0	1	0

FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	hooks_test	2	0	2	0	49.839 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	TC01_google_iphone_arama	4	2	1	1	23.711 s
2	hooks_test	TC02_google_tesla_arama	5	2	1	2	26.094 s

DETAILED SECTION -- 6 --

## hooks\_test

Steps	
Total - 9	
Pass - 4	9
Fail - 2	
Skip - 3	
	Pass - 4 Fall - 2

## TC01\_google\_iphone\_arama



#	Step / Hook Details	Status	Duration
1	Given kullanici google gider	PASSED	10.315 s
2	When kullanici "iphone" için arama yapar	PASSED	12.691 s
3	Then sonuclarin "karpuz" icerdigini dogrula	FAILED	0.191 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.GoogleStepDefinitions.sonuclarin_icerdigini_dogrula(GoogleStepDefinitions.java:56) at ?.sonuclarin "karpuz" icerdigini dogrula(file:///Users/ilyasemin/IdeaProjects/Cucumber/./src/test/resources/features/ day_06_failed_scenarios.feature:9) * Not displayable characters are replaced by '?'.		
4	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario)	PASSED	0.505 s
	failed_scenario_TC01_google_iphone_arama		

#	Step / Hook Details	Status	Duration
	Copy we way in the control of the copy of		

## TC02\_google\_tesla\_arama

FAILED DURATION - 26.094 s	207		_				Steps	
/ 5:48:10.364 PM // 5:48:36.458 PM /	15 -						Total - 5	
7 3.40.10.304 1 1/1/7 3.40.30.430 1 1/1/7	10 -						Pass - 2	
hooks_test	5 -						Fail - 1 Skip - 2	3
@failed_scenario	0 -					!	3kip - 2	
		1	2	3	4	5		

#	Step / Hook Details	Status	Duration
1	Given kullanici google gider	PASSED	6.987 s
2	When kullanici "tesla" için arama yapar	PASSED	19.059 s
3	Then sonuclarin "tesla" icerdigini dogrula	FAILED	0.019 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=110.0.5481.177) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.1', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d560ccfef96f23c4e9054840e6f1229, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.177, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: /var/folders/9g/gp86fbgs7kn), goog:chromeOptions: {debuggerAddress: localhost:59056}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:59056/devtoo, se:cdpVersion: 110.0.5481.177, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d560ccfef96f23c4e9054840e6f1229 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:954) at utilities.Driver.getDriver(Driver.java:57) at stepdefinitions.GoogleStepDefinitions.sonuclarin_icerdigini_dogrula(GoogleStepDefinitions.java:56) at ?.sonuclarin "tesla" icerdigini dogrula(file:///Users/ilyasemin/IdeaProjects/Cucumber/./src/test/resources/features/day_06_failed_scenarios.feature:14) * Not displayable characters are replaced by '?'.		
4	Then ekran goruntusu al	SKIPPED	0.001 s
5	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario)  org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.016 s
	(Session info: chrome=110.0.5481.177) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.1', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d560ccfef96f23c4e9054840e6f1229, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.177, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: /var/folders/9g/gp86fbgs7kn), goog:chromeOptions: {debuggerAddress: localhost:59056}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:59056/devtoo, se:cdpVersion: 110.0.5481.177, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d560ccfef96f23c4e9054840e6f1229 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:954)		
	at utilities.Driver.getDriver.java:557) at hooks.Hooks.tearDownScenarios(Hooks.java:25)		