Maghreb University of Science and Technology

Licence in Software Engineering and Information Systems

Intelligent Engine Failure Detection and Maintenance Management Platform

Deep Learning-Based Approach for Engine Diagnostics

Presented in partial fulfillment of the requirements for the degree of Licence in Software Engineering and Computer Systems

Specialization: Software Development & Data Science

Prepared by:
Your Full Name
Student ID: [Your ID]

Academic Supervisor:
Supervisor's Name

Co-supervised by:
Co-supervisor's Name

Company Supervisor:
Company Supervisor's Name

Academic year: 2024-2025
Date of submission: March 17, 2026

Declaration

I hereby declare that the work presented in this report, entitled *"Intelligent Engine Failure Detection and Maintenance Management Platform"*, has been carried out independently by me under the supervision of [Supervisor's Name]. This report is submitted in partial fulfillment of the requirements for the degree of Licence (Bachelor) in Software Engineering and Information Systems at the Maghreb University of Science and Technology (MUST).

I further declare that this work has not been submitted, in whole or in part, for any other degree or qualification at this or any other institution.

Candidate: [Your Full Name]
Registration number: [Your Student ID]
Date: March 17, 2026

Abstract

Background

This project addresses the critical need for predictive maintenance in automotive systems. Traditional diagnostic approaches are reactive, identifying failures only after they occur. This platform combines modern web technologies with deep learning to create an intelligent maintenance management system that predicts engine failures before they become catastrophic.

Objectives

The main objectives are to: (1) develop a web-based platform for managing vehicle maintenance appointments and records; (2) implement a deep learning model for engine failure prediction using OBD sensor data; (3) create separate interfaces for vehicle owners (clients) and mechanics; and (4) provide comprehensive reporting and maintenance tracking capabilities.

Methods

The project follows an Agile/Scrum methodology with four sprints, incorporating CRISP-DM for the machine learning component. Key technologies include React/Vue for frontend, FastAPI for backend, PostgreSQL for database management, and Keras/TensorFlow for the neural network model. Features were engineered based on mechanical causality principles (RPM, temperature, oil pressure, engine load, vibration).

Results

The delivered system includes: a functional web platform with client and mechanic interfaces, a trained neural network model for failure detection, an API service for real-time predictions, comprehensive booking and maintenance record management, and automated report generation.

Conclusions

The project successfully demonstrates the integration of machine learning with practical maintenance management. The platform enables predictive rather than reactive mainte-

nance, improving vehicle reliability and reducing unexpected breakdowns. Future work includes mobile application development and integration with real-time OBD hardware.

Keywords: Engine failure detection, predictive maintenance, deep learning, OBD diagnostics, maintenance management, neural networks

Acknowledgments

The author wishes to thank the supervisor and co-supervisor for their guidance throughout this project, as well as the host organization and all those who contributed to the completion of this work.

[Add your personal acknowledgments here]

Contents

Declaration **1**

Abstract **2**

Acknowledgments **4**

List of Figures **6**

List of Tables **7**

List of Abbreviations **8**

1 Introduction **9**
1.1 General Presentation . . . 9
1.2 Presentation of the Host Organization . . . 9
1.3 Project Context and Motivation . . . 9
1.4 Project Objectives and Scope . . . 10
1.4.1 Main Objectives . . . 10
1.4.2 Scope . . . 10
1.5 Methodology . . . 11
1.5.1 Why Agile/Scrum? . . . 11
1.5.2 Sprint Organization . . . 11
1.5.3 CRISP-DM for Machine Learning . . . 12
1.6 General Use Case Overview . . . 12
1.7 Report Structure . . . 13

2 Requirements **14**
2.1 Introduction to the Requirements Phase . . . 14
2.2 Stakeholders and User Stories . . . 14
2.2.1 Stakeholders . . . 14
2.2.2 User Stories . . . 15
2.3 General Use Case Diagram . . . 16
2.4 Refined Use Cases . . . 18
2.4.1 Sprint 1 Use Cases . . . 18
2.4.2 Sprint 2 Use Cases . . . 19
2.4.3 Sprint 3 Use Cases . . . 20
2.4.4 Sprint 4 Use Cases . . . 21
2.5 Product Backlog . . . 22
2.6 Non-Functional Requirements . . . 23

2.7 Summary . . . 23

3 Design **24**
3.1 Introduction to the Design Phase . . . 24
3.2 Static Design . . . 24
3.2.1 Class Diagram . . . 24
3.2.2 Relational Schema . . . 27
3.2.3 Data Dictionary . . . 28
3.3 Dynamic Design . . . 29
3.3.1 Sequence Diagrams . . . 29
3.3.2 Activity Diagram . . . 32
3.4 Design Patterns Applied . . . 33
3.5 Design Summary and Sprint Mapping . . . 33

4 Implementation **35**
4.1 Introduction to the Implementation Phase . . . 35
4.2 Technical Stack and Environment . . . 35
4.2.1 Technology Choices . . . 35
4.2.2 Development Environment . . . 36
4.2.3 Project Structure . . . 36
4.3 Implementation by Sprint . . . 37
4.3.1 Sprint 1: Authentication and Basic Booking . . . 37
4.3.2 Sprint 2: Booking Management . . . 38
4.3.3 Sprint 3: Diagnostic and Prediction . . . 39
4.3.4 Sprint 4: Reporting and Finalization . . . 42
4.4 Integration and Build . . . 43
4.4.1 API Integration . . . 43
4.4.2 Deployment Configuration . . . 43
4.5 Summary . . . 44

5 Testing **45**
5.1 Introduction to the Testing Phase . . . 45
5.2 Test Strategy . . . 45
5.2.1 Test Levels . . . 45
5.2.2 Definition of Done (Agile) . . . 45
5.2.3 Test Coverage Goals . . . 46
5.3 Test Cases and Results . . . 46
5.3.1 Sprint 1: Authentication and Booking Tests . . . 46
5.3.2 Sprint 2: Booking Management Tests . . . 47
5.3.3 Sprint 3: Diagnostic and Prediction Tests . . . 47
5.3.4 Sprint 4: Reporting Tests . . . 48
5.4 ML Model Validation . . . 48
5.4.1 Model Performance Metrics . . . 48
5.4.2 Cross-Validation . . . 49
5.5 Validation by Sprint . . . 49
5.5.1 Sprint 1 Validation . . . 49
5.5.2 Sprint 2 Validation . . . 50
5.5.3 Sprint 3 Validation . . . 50
5.5.4 Sprint 4 Validation . . . 50

5.6 Bugs and Fixes . . . 51
5.6.1 Critical Bugs . . . 51
5.6.2 Minor Issues . . . 51
5.7 Test Coverage Report . . . 51
5.8 Summary . . . 51

6 Conclusion and Future Work 53
6.1 Summary of the Project . . . 53
6.1.1 Project Overview . . . 53
6.1.2 Technical Achievements . . . 53
6.2 Objectives Revisited . . . 54
6.2.1 Objective 1: Web-Based Maintenance Platform . . . 54
6.2.2 Objective 2: Deep Learning Model . . . 55
6.2.3 Objective 3: Prediction Integration . . . 55
6.2.4 Objective 4: Comprehensive Reporting . . . 55
6.2.5 Objective 5: Engineering Rigor . . . 56
6.3 Lessons Learned . . . 56
6.3.1 Technical Lessons . . . 56
6.3.2 Methodological Lessons . . . 56
6.3.3 Challenges Overcome . . . 57
6.4 Future Work . . . 57
6.4.1 Short-Term Enhancements (Next 3-6 Months) . . . 57
6.4.2 Medium-Term Enhancements (6-12 Months) . . . 58
6.4.3 Long-Term Research Directions . . . 58
6.5 Broader Impact . . . 59
6.6 Final Remarks . . . 59

References 61

A Sprint Backlog and Artifacts 62
A.1 Sprint 1: Authentication & Booking . . . 62
A.2 Sprint 2: Booking Management . . . 62
A.3 Sprint 3: Diagnostic & Prediction . . . 62
A.4 Sprint 4: Reporting . . . 62

B Additional Technical Details 63
B.1 API Endpoints . . . 63
B.2 Database Schema Details . . . 63
B.3 Model Training Code . . . 63

List of Figures

2.1 General use case diagram with sprint color coding 17

3.1 Global class diagram with sprint-level packages 25
3.2 Sequence diagram: Client books maintenance appointment 30
3.3 Sequence diagram: Engine failure prediction workflow 31
3.4 Activity diagram: Complete maintenance workflow 32

List of Tables

1.1 Sprint organization and deliverables 11

2.1 Project stakeholders 15
2.2 User stories with sprint assignment 16
2.3 Product backlog with sprint assignments 22
2.4 Non-functional requirements 23

3.1 Relational schema with sprint mapping 28
3.2 Data dictionary (selected attributes) 29
3.3 Design patterns applied 33

4.1 Technical stack 36
4.2 Key API endpoints 43

5.1 Test levels and tools 45
5.2 Sprint 1 test cases 47
5.3 Sprint 2 test cases 47
5.4 Sprint 3 test cases 48
5.5 Sprint 4 test cases 48
5.6 Model performance on test set 49
5.7 Critical bugs fixed 51

List of Abbreviations

AI	Artificial Intelligence
ML	Machine Learning
OBD	On-Board Diagnostics
CRISP-DM	Cross-Industry Standard Process for Data Mining
API	Application Programming Interface
REST	Representational State Transfer
RPM	Revolutions Per Minute
UI	User Interface
UML	Unified Modeling Language
SDLC	Software Development Life Cycle
JSON	JavaScript Object Notation
PDF	Portable Document Format

Chapter 1

Introduction

1.1 General Presentation

This report presents the development of an intelligent engine failure detection and maintenance management platform as the final year project (PFE) for the Licence degree in Software Engineering and Information Systems at the Maghreb University of Science and Technology (MUST). The project was conducted over a period of [X months] during the academic year 2024-2025.

The report documents the complete development lifecycle of a web-based platform that combines modern software engineering practices with machine learning techniques to address a real-world problem in automotive maintenance. The platform serves two primary user groups: vehicle owners (clients) and automotive mechanics, providing each with specialized interfaces and functionalities tailored to their needs.

1.2 Presentation of the Host Organization

[If applicable, describe the company/organization where this project was conducted. Include: company name, sector of activity, main services, size, and the department where you worked. If this is a purely academic project, adapt this section to describe any partner organization or laboratory involved.]

1.3 Project Context and Motivation

The automotive industry faces significant challenges in vehicle maintenance management. Traditional maintenance approaches are largely reactive – problems are addressed only after they manifest as noticeable symptoms or complete failures. This reactive approach leads to:

- **Unexpected breakdowns** that inconvenience vehicle owners and may compromise safety
- **Higher repair costs** as minor issues escalate into major failures
- **Inefficient resource allocation** for both owners and service providers
- **Lost productivity** due to unplanned vehicle downtime

Modern vehicles are equipped with On-Board Diagnostics (OBD) systems that continuously monitor engine parameters through multiple sensors. These sensors capture real-time data including engine speed (RPM), temperature, oil pressure, load, vibration, and other critical metrics. However, this rich data stream is often underutilized – most diagnostic procedures only access this data after a problem has already occurred.

The motivation for this project stems from recognizing the gap between the data available from vehicle OBD systems and its potential for predictive applications. By applying machine learning techniques to OBD data, we can transition from reactive to **predictive maintenance** – identifying potential failures before they occur and recommending interventions at optimal times.

Furthermore, there is a need for integrated platforms that not only predict failures but also manage the entire maintenance workflow: appointment booking, diagnostic recording, intervention tracking, and comprehensive reporting. This project addresses both aspects: the intelligent prediction component and the practical management system.

1.4 Project Objectives and Scope

1.4.1 Main Objectives

The primary objectives of this project are:

1. **Develop a web-based maintenance management platform** with separate interfaces for clients and mechanics, enabling booking management, maintenance tracking, and historical record keeping
2. **Implement a deep learning model** capable of analyzing OBD sensor data to predict engine failure states (failure / no failure) with high accuracy
3. **Integrate the prediction model** into the platform workflow, allowing mechanics to perform real-time diagnostics during maintenance appointments
4. **Provide comprehensive reporting** to vehicle owners, including maintenance history, upcoming service recommendations, and detailed intervention reports
5. **Demonstrate engineering rigor** in feature selection, using mechanical causality principles rather than purely statistical correlations

1.4.2 Scope

In Scope:

- Client interface for appointment booking and maintenance history viewing
- Mechanic interface for booking management and diagnostic operations
- Deep learning model for binary classification (failure / no failure)
- REST API for model predictions
- Database for user, vehicle, booking, and maintenance records

- PDF report generation
- Web-based deployment

Out of Scope:

- Real-time hardware OBD integration (data entry is manual for this phase)
- Mobile applications (future work)
- Multi-failure classification (only binary classification in this version)
- Automated parts ordering or inventory management
- Payment processing

1.5 Methodology

This project follows a **hybrid Agile/Scrum methodology**, organized into four two-week sprints. For the machine learning component, we incorporate elements of the **CRISP-DM** (Cross-Industry Standard Process for Data Mining) framework.

1.5.1 Why Agile/Scrum?

The Agile approach was chosen because:

- Requirements evolved as understanding of user needs deepened
- Iterative development allowed for regular testing and feedback
- Sprint-based delivery ensured continuous progress and accountability
- The project naturally divided into distinct functional modules (authentication, booking, diagnostic, reporting)

1.5.2 Sprint Organization

Sprint	Duration	Main Deliverables
Sprint 1	2 weeks	User authentication, basic booking functionality, database setup
Sprint 2	2 weeks	Complete booking management, mechanic scheduling, booking status workflow
Sprint 3	2 weeks	OBD data entry, ML model training & integration, failure prediction, intervention recording
Sprint 4	2 weeks	Report generation, maintenance recommendations, testing & deployment

Table 1.1: Sprint organization and deliverables

1.5.3 CRISP-DM for Machine Learning

For the predictive model development, we followed CRISP-DM phases:

1. **Business Understanding:** Define failure detection requirements
2. **Data Understanding:** Analyze OBD parameters and their mechanical significance
3. **Data Preparation:** Feature engineering based on causality principles
4. **Modeling:** Neural network architecture design and training
5. **Evaluation:** Performance metrics and validation
6. **Deployment:** API integration into the platform

1.6 General Use Case Overview

The system serves two primary actors with distinct use cases:

Client (Vehicle Owner):

- Register and authenticate
- Book maintenance appointments
- View booking status and history
- Access maintenance records
- View upcoming maintenance recommendations
- Download maintenance reports

Mécanicien (Mechanic):

- Authenticate and manage profile
- View and manage booking requests
- Access vehicle maintenance history
- Enter OBD diagnostic data
- Obtain AI-powered failure predictions
- Record interventions performed
- Generate maintenance reports

A detailed use case diagram with sprint-level mapping is presented in Chapter 1 (Figure 2.1).

1.7 Report Structure

This report is organized following the Software Development Life Cycle (SDLC) phases, with each main chapter corresponding to a phase. Within each chapter, we indicate which elements belong to which sprint using color coding or explicit labels.

Chapter 1 – Requirements: Stakeholders, user stories, use case diagrams with sprint mapping, refined use cases, and product backlog

Chapter 2 – Design: System architecture, class diagrams (sprint-colored), database schema, sequence diagrams, and activity diagrams

Chapter 3 – Implementation: Technical stack, implementation per sprint (one section per sprint), integration details, and screenshots

Chapter 4 – Testing: Test strategy, test cases and results, sprint-level validation, and bug tracking

Conclusion: Summary of achievements, objectives revisited, lessons learned, and future work

This structure allows readers to understand both the overall system architecture and the incremental development process followed throughout the project.

Chapter 2

Requirements

This chapter presents the requirements phase of the project, including stakeholder analysis, user stories, use case modeling, and the product backlog. The requirements are organized by sprint to show the incremental approach followed during development.

2.1 Introduction to the Requirements Phase

The requirements phase aimed to identify and document all functional and non-functional requirements for the platform. Following Agile/Scrum principles, requirements were gathered iteratively through stakeholder discussions and refined across sprints.

The requirements gathering process involved:

- Initial stakeholder interviews to understand needs
- Creation of user personas for Client and Mechanic roles
- Iterative refinement of user stories during sprint planning
- Prioritization using MoSCoW method (Must have, Should have, Could have, Won't have)
- Sprint-level assignment based on dependencies and value delivery

2.2 Stakeholders and User Stories

2.2.1 Stakeholders

The main stakeholders identified for this project are:

Stakeholder	Description and Interests
Vehicle Owner (Client)	Individual vehicle owners who need maintenance services. Primary interest: convenient booking, transparent service history, and advance warning of potential issues.
Mechanic	Automotive technician performing diagnostics and repairs. Primary interest: efficient booking management, accurate diagnostic tools, and streamlined record-keeping.
System Administrator	[Optional] Manages platform configuration and user accounts. Interest: system stability and data integrity.
Academic Supervisor	Project supervisor providing guidance. Interest: academic rigor and demonstration of software engineering principles.

Table 2.1: Project stakeholders

2.2.2 User Stories

User stories follow the format: *"As a [role], I want [goal], so that [benefit]."* Each story is assigned to a sprint based on priority and dependencies.

ID	User Story	Sprint	Priority
US-01	As a client, I want to register with email and password, so that I can access the platform	Sprint 1	Must
US-02	As a client, I want to log in securely, so that I can manage my bookings	Sprint 1	Must
US-03	As a client, I want to add my vehicle information, so that mechanics know which car to service	Sprint 1	Must
US-04	As a client, I want to book a maintenance appointment by selecting date and time, so that I can schedule service conveniently	Sprint 1	Must
US-05	As a mechanic, I want to register and create a profile, so that I can receive booking requests	Sprint 1	Must
US-06	As a mechanic, I want to log in to the system, so that I can access my schedule	Sprint 1	Must
US-07	As a client, I want to view all my bookings (past and upcoming), so that I can track my maintenance schedule	Sprint 2	Must
US-08	As a client, I want to cancel or modify a booking, so that I can adjust to changing plans	Sprint 2	Should
US-09	As a mechanic, I want to see all booking requests, so that I can manage my workload	Sprint 2	Must
US-10	As a mechanic, I want to accept or decline booking requests, so that I only commit to appointments I can handle	Sprint 2	Must

ID	User Story	Sprint	Priority
US-11	As a mechanic, I want to view my daily/weekly schedule, so that I can plan my work efficiently	Sprint 2	Should
US-12	As a mechanic, I want to enter OBD sensor data for a vehicle, so that the system can analyze engine condition	Sprint 3	Must
US-13	As a mechanic, I want to receive an AI prediction of engine failure status, so that I can make informed diagnostic decisions	Sprint 3	Must
US-14	As a mechanic, I want to see recommended maintenance tasks based on the prediction, so that I know what to prioritize	Sprint 3	Should
US-15	As a mechanic, I want to record the interventions I performed, so that there is a complete service history	Sprint 3	Must
US-16	As a client, I want to view my vehicle's maintenance history, so that I can see what work has been done	Sprint 3	Must
US-17	As a mechanic, I want to generate a maintenance report for the client, so that they have documentation of the service	Sprint 4	Must
US-18	As a client, I want to download my maintenance report as a PDF, so that I can keep records	Sprint 4	Must
US-19	As a client, I want to see upcoming recommended maintenance, so that I can plan for future service needs	Sprint 4	Should
US-20	As a client, I want to receive email notifications about booking confirmations, so that I have confirmation of my appointment	Sprint 4	Could

Table 2.2: User stories with sprint assignment

2.3 General Use Case Diagram

Figure 2.1 presents the general use case diagram covering all functionalities of the platform. Use cases are color-coded by sprint to show the incremental development approach:

- Blue – Sprint 1: Authentication and basic booking
- Green – Sprint 2: Booking management
- Orange – Sprint 3: Diagnostic and prediction
- Purple – Sprint 4: Reporting and finalization


Propriétaire de véhicule
Reserve et suit les interventions
Engine Failure Detection & Maintenance Platform
Module Réservation
UC-01: S'inscrire/Se connecter
UC-02: Réserver rendez-vous
UC-03: Voir mes réservations
UC-04: Annuler/Modifier réservation
UC-05: Voir historique maintenance
UC-06: Voir interventions à prévoir
UC-07: Télécharger rapport
Client
Module Gestion
UC-08: Se connecter (Mécanicien)

2.4 Refined Use Cases

This section provides detailed descriptions of the main use cases, organized by sprint.

2.4.1 Sprint 1 Use Cases

UC-01: Register (Client)

Primary Actor: Client (Vehicle Owner)
Preconditions: None
Main Flow:

1. Client navigates to registration page
2. System displays registration form
3. Client enters: full name, email, password, phone number
4. Client submits form
5. System validates input (email format, password strength)
6. System creates user account
7. System sends confirmation email
8. System displays success message

Postconditions: User account created and can log in
Extensions:

- 5a. Email already exists: System displays error, client must use different email
- 5b. Weak password: System displays password requirements

UC-02: Book Appointment (Client)

Primary Actor: Client
Preconditions: Client is logged in and has added at least one vehicle
Main Flow:

1. Client selects "Book Appointment"
2. System displays vehicle selection
3. Client selects vehicle
4. System displays calendar with available dates
5. Client selects date
6. System displays available time slots for selected date
7. Client selects time slot

8. Client adds optional notes about issues
9. Client confirms booking
10. System creates booking with status "PENDING"
11. System sends confirmation to client
12. System notifies mechanics of new booking request

Postconditions: Booking created and visible to mechanics

2.4.2 Sprint 2 Use Cases

UC-09: View Bookings (Mechanic)

Primary Actor: Mechanic
Preconditions: Mechanic is logged in
Main Flow:

1. Mechanic accesses "My Bookings" section
2. System retrieves all bookings assigned to this mechanic
3. System displays bookings grouped by status (Pending, Confirmed, In Progress, Completed)
4. For each booking, system shows: client name, vehicle details, date/time, status, notes
5. Mechanic can filter by date range or status

Postconditions: Mechanic has overview of schedule

UC-10: Accept/Reject Booking (Mechanic)

Primary Actor: Mechanic
Preconditions: Booking is in PENDING status
Main Flow:

1. Mechanic views pending booking
2. Mechanic selects "Accept" or "Reject"
3. If Accept:
   (a) System updates booking status to CONFIRMED
   (b) System marks time slot as unavailable
   (c) System sends confirmation email to client
4. If Reject:
   (a) System prompts for rejection reason
   (b) System updates booking status to CANCELLED

(c) System releases time slot

(d) System notifies client with reason

Postconditions: Booking status updated and parties notified

2.4.3 Sprint 3 Use Cases

UC-12: Enter OBD Data (Mechanic)

Primary Actor: Mechanic
Preconditions: Mechanic has accessed a confirmed booking, vehicle is present
Main Flow:

1. Mechanic connects OBD scanner to vehicle
2. Mechanic accesses diagnostic section for the booking
3. System displays OBD data entry form with fields:
   - Engine Speed (RPM)
   - Engine Temperature (°C)
   - Oil Pressure (bar)
   - Engine Load (%)
   - Intake Air Temperature (°C)
   - Vibration level
   - Vehicle Speed (km/h)
4. Mechanic enters sensor values
5. System validates data ranges
6. Mechanic submits data
7. System saves OBD data record

Postconditions: OBD data stored and ready for analysis

UC-13: Obtain Failure Prediction (Mechanic)

Primary Actor: Mechanic
Preconditions: OBD data has been entered (UC-12 completed)
Main Flow:

1. System automatically triggers prediction after OBD data submission
2. System normalizes sensor data using feature scaler
3. System passes normalized features to neural network model
4. Model computes failure probability
5. System classifies result: FAILURE or NO FAILURE

6. System displays prediction to mechanic with:
   - Prediction result (Failure / No Failure)
   - Confidence score
   - Critical parameters (if failure detected)
   - Recommended actions
7. Mechanic reviews prediction

Postconditions: Prediction available to guide diagnostic decisions

2.4.4 Sprint 4 Use Cases

UC-16: Generate Maintenance Report (Mechanic)

Primary Actor: Mechanic
Preconditions: Intervention has been recorded
Main Flow:

1. Mechanic completes all maintenance work
2. Mechanic accesses "Generate Report" for the booking
3. System compiles report including:
   - Vehicle information
   - OBD diagnostic data
   - Failure prediction result
   - Interventions performed
   - Parts replaced
   - Labor hours
   - Total cost
   - Recommended future maintenance
4. System generates PDF report
5. Mechanic reviews and approves report
6. System saves report and marks booking as COMPLETED
7. System sends report to client via email and makes it available for download

Postconditions: Report generated, booking completed, client notified

2.5 Product Backlog

Table 2.3 shows the prioritized product backlog with sprint assignments and estimated effort (story points).

ID	Backlog Item	Priority	Sprint	Points
PBI-01	User authentication system	Must	1	8
PBI-02	Client registration	Must	1	5
PBI-03	Mechanic registration	Must	1	5
PBI-04	Vehicle information management	Must	1	5
PBI-05	Basic booking creation	Must	1	8
PBI-06	Time slot management	Must	1	8
PBI-07	View bookings (client side)	Must	2	5
PBI-08	View bookings (mechanic side)	Must	2	5
PBI-09	Accept/reject booking workflow	Must	2	8
PBI-10	Booking modification	Should	2	5
PBI-11	Mechanic schedule view	Should	2	5
PBI-12	OBD data entry interface	Must	3	8
PBI-13	ML model integration	Must	3	13
PBI-14	Failure prediction display	Must	3	5
PBI-15	Maintenance record creation	Must	3	8
PBI-16	Maintenance history view	Must	3	5
PBI-17	PDF report generation	Must	4	8
PBI-18	Upcoming maintenance display	Should	4	5
PBI-19	Email notifications	Could	4	5
PBI-20	Dashboard with statistics	Could	4	8

Table 2.3: Product backlog with sprint assignments

2.6 Non-Functional Requirements

In addition to functional requirements, the following non-functional requirements were identified:

Category	Requirement
Performance	System should respond to user actions within 2 seconds under normal load. Prediction should complete within 1 second.
Security	Passwords must be hashed. Authentication via JWT tokens. HTTPS for all communications.
Usability	Interface should be intuitive and require minimal training. Mobile-responsive design.
Reliability	System should have 99% uptime. Prediction model accuracy >85%.
Scalability	Architecture should support up to 1000 concurrent users. Database designed for growth.
Maintainability	Code should follow clean architecture principles. Comprehensive documentation.

Table 2.4: Non-functional requirements

2.7 Summary

This chapter presented the requirements phase organized by sprint. A total of 20 user stories were identified and prioritized, mapped to 16 main use cases. The requirements cover three main functional areas:

- **Booking Management:** Client-mechanic interaction for scheduling
- **Diagnostic & Prediction:** OBD data analysis with ML
- **Reporting & History:** Comprehensive record-keeping

The general use case diagram (Figure 2.1) provides a visual overview with sprint-level color coding. Detailed use case descriptions ensure clear understanding of system behavior. The product backlog provides the foundation for sprint planning, with story point estimates guiding capacity planning.

Chapter 3

Design

This chapter presents the design phase of the project, including static design (class diagrams, database schema) and dynamic design (sequence diagrams, activity diagrams). Design artifacts are organized to show which components were introduced in which sprint.

3.1 Introduction to the Design Phase

The design phase translates requirements into a concrete system architecture. Following the Agile approach, design was performed incrementally:

- **Sprint 1:** Core entities (User, Client, Mechanic, Vehicle, Booking) and authentication
- **Sprint 2:** Booking management workflow and time slot system
- **Sprint 3:** Diagnostic module (OBD data, predictions, maintenance records)
- **Sprint 4:** Reporting and upcoming maintenance features

The design follows a three-tier architecture:

1. **Presentation Layer:** Web UI (React/Vue) for clients and mechanics
2. **Business Logic Layer:** RESTful API (FastAPI) with services and controllers
3. **Data Layer:** Relational database (PostgreSQL) and ML model (Keras)

3.2 Static Design

3.2.1 Class Diagram

Figure 3.1 presents the global class diagram of the system. Classes are organized into packages by sprint to show the incremental design approach.



Figure 3.1: Global class diagram with sprint-level packages

Sprint 1 Classes

User Management Package:

- **User (abstract):** Base class for all users
  - Attributes: id, email, password_hash, name, phone, created_at
  - Methods: login(), logout(), updateProfile()
- **Client:** Extends User
  - Attributes: address
  - Methods: viewBookings(), createBooking(), viewMaintenanceHistory()
- **Mechanic:** Extends User
  - Attributes: specialty, license_number
  - Methods: viewSchedule(), manageBookings(), performDiagnostic()

Sprint 2 Classes

Booking Management Package:

- **Booking:**
  - Attributes: id, client_id, mechanic_id, vehicle_id, booking_date, status, created_at
  - Methods: confirm(), cancel(), reschedule()
- **BookingStatus (enum):** PENDING, CONFIRMED, IN_PROGRESS, COMPLETED, CANCELLED
- **TimeSlot:**
  - Attributes: id, mechanic_id, slot_date, slot_time, is_available
  - Methods: book(), release()
- **Vehicle:**
  - Attributes: id, client_id, make, model, year, vin, license_plate
  - Methods: getMaintenanceHistory()

Sprint 3 Classes

Diagnostic Module Package:

- **OBDData:**
  - Attributes: id, vehicle_id, rpm, engine_temp, oil_pressure, engine_load, intake_air_temp, vibration, vehicle_speed, timestamp
  - Methods: validate(), normalize()

- **FailurePrediction:**
  - Attributes: id, obd_data_id, prediction_result, confidence, predicted_at
  - Methods: classify()
- **PredictionModel:**
  - Attributes: model_path, scaler_path
  - Methods: loadModel(), predict(data), evaluatePerformance()
- **MaintenanceRecord:**
  - Attributes: id, vehicle_id, mechanic_id, booking_id, intervention_date, description, parts_used, labor_hours, total_cost
  - Methods: addIntervention()
- **InterventionTask:**
  - Attributes: id, maintenance_record_id, task_description, is_completed, priority
  - Methods: markCompleted()

Sprint 4 Classes

Reporting Package:

- **MaintenanceReport:**
  - Attributes: id, vehicle_id, report_date, pdf_path
  - Methods: generate(), download()
- **UpcomingMaintenance:**
  - Attributes: id, vehicle_id, task_type, due_date, priority
  - Methods: notify()

3.2.2 Relational Schema

The database schema is implemented in PostgreSQL. Tables are organized by sprint:

Table	Columns	Sprint
users	id (PK), email (UNIQUE), password_hash, name, phone, user_type, created_at	1
clients	id (PK, FK users), address	1
mechanics	id (PK, FK users), specialty, license_number	1
vehicles	id (PK), client_id (FK clients), make, model, year, vin (UNIQUE), license_plate, created_at	1
time_slots	id (PK), mechanic_id (FK mechanics), slot_date, slot_time, is_available	1
bookings	id (PK), client_id (FK clients), mechanic_id (FK mechanics), vehicle_id (FK vehicles), booking_date, status, notes, created_at	1-2
obd_data	id (PK), vehicle_id (FK vehicles), rpm, engine_temp, oil_pressure, engine_load, intake_air_temp, vibration, vehicle_speed, timestamp	3
failure_predictions	id (PK), obd_data_id (FK obd_data), prediction_result, confidence, predicted_at	3
maintenance_records	id (PK), vehicle_id (FK vehicles), mechanic_id (FK mechanics), booking_id (FK bookings), intervention_date, description, parts_used, labor_hours, total_cost	3
intervention_tasks	id (PK), maintenance_record_id (FK maintenance_records), task_description, is_completed, priority	3
maintenance_reports	id (PK), vehicle_id (FK vehicles), report_date, pdf_path	4
upcoming_maintenance	id (PK), vehicle_id (FK vehicles), task_type, due_date, priority	4

Table 3.1: Relational schema with sprint mapping

3.2.3 Data Dictionary

Key entities and their attributes:

Entity	Attribute	Type	Description
User	id	INTEGER	Primary key, auto-increment
User	email	VARCHAR(255)	Unique email address
User	password_hash	VARCHAR(255)	Bcrypt hashed password
User	user_type	ENUM	'client' or 'mechanic'
Booking	status	ENUM	PENDING, CONFIRMED, IN_PROGRESS, COMPLETED, CANCELLED
OBDData	rpm	FLOAT	Engine speed (revolutions per minute)
OBDData	engine_temp	FLOAT	Engine temperature in Celsius
OBDData	oil_pressure	FLOAT	Oil pressure in bar
OBDData	engine_load	FLOAT	Engine load percentage (0-100)
FailurePrediction	prediction_result	VARCHAR(50)	'FAILURE' or 'NO_FAILURE'
FailurePrediction	confidence	FLOAT	Prediction confidence (0.0-1.0)

Table 3.2: Data dictionary (selected attributes)

3.3 Dynamic Design

3.3.1 Sequence Diagrams

Sequence diagrams illustrate the interaction between system components for key scenarios.

Booking Appointment (Sprint 1-2)

Figure 3.2 shows the sequence of interactions when a client books a maintenance appointment.



Figure 3.2: Sequence diagram: Client books maintenance appointment

Key interactions:

1. Client selects vehicle and desired date
2. System retrieves available time slots from database
3. Client confirms booking
4. System creates booking record (transaction)
5. System marks time slot as unavailable
6. System sends confirmation email

Engine Failure Prediction (Sprint 3)

Figure 3.3 illustrates the prediction workflow when a mechanic performs a diagnostic.



Figure 3.3: Sequence diagram: Engine failure prediction workflow

Key interactions:

1. Mechanic enters OBD sensor data
2. System validates and stores data
3. System normalizes features using scaler
4. System calls ML model for prediction
5. Model returns classification and confidence
6. System stores prediction result
7. System displays result with recommended actions
8. Mechanic records intervention based on findings

3.3.2 Activity Diagram

Figure 3.4 presents the complete maintenance workflow from booking to report generation.



Figure 3.4: Activity diagram: Complete maintenance workflow

Workflow phases:

1. **Booking Phase:** Client creates booking, system validates availability
2. **Confirmation Phase:** Mechanic accepts/rejects booking

3. **Diagnostic Phase:** Vehicle arrives, OBD data collected, prediction performed
4. **Decision Point:** If failure predicted, perform repairs; else, routine maintenance
5. **Documentation Phase:** Record interventions, calculate costs
6. **Reporting Phase:** Generate PDF report, update vehicle history, send to client

3.4 Design Patterns Applied

The following design patterns were applied to ensure maintainability and scalability:

Pattern	Application	Benefit
Repository	Data access layer	Abstracts database operations, enables testing with mocks
Service Layer	Business logic	Separates business rules from controllers, promotes reusability
Factory	User creation	Handles Client vs Mechanic instantiation based on user_type
Strategy	Prediction algorithm	Allows swapping ML models without changing prediction service
Observer	Notifications	Decouples booking events from email notifications

Table 3.3: Design patterns applied

3.5 Design Summary and Sprint Mapping

The design evolved incrementally across sprints:

- **Sprint 1:** Foundation classes (User hierarchy, Vehicle, Booking core, TimeSlot)
- **Sprint 2:** Booking workflow enhancements (status transitions, mechanic management)
- **Sprint 3:** Diagnostic module (OBDData, FailurePrediction, ML model integration, MaintenanceRecord)
- **Sprint 4:** Reporting and analytics (MaintenanceReport, UpcomingMaintenance)

The global class diagram (Figure 3.1) shows 15 main classes organized into 4 packages. The database schema includes 12 tables with appropriate foreign key relationships ensuring referential integrity. Sequence diagrams detail critical workflows, and the activity diagram provides an end-to-end view of the maintenance process.

This incremental design approach allowed for:

- Early validation of core concepts
- Flexibility to refine based on implementation feedback

- Clear sprint boundaries and deliverables
- Manageable complexity in each iteration

Chapter 4

Implementation

This chapter describes the implementation phase, including the technical stack, development environment, and deliverables for each sprint. Implementation followed the design specifications from Chapter 2 and addressed the requirements defined in Chapter 1.

4.1 Introduction to the Implementation Phase

Implementation was organized into four two-week sprints, with each sprint delivering working, tested features. The development followed test-driven development (TDD) principles where practical, with continuous integration ensuring code quality.

Development approach:

- Daily commits to version control (Git/GitHub)
- Code reviews before merging to main branch
- Sprint reviews to demonstrate working features
- Sprint retrospectives for process improvement

4.2 Technical Stack and Environment

4.2.1 Technology Choices

Table 4.1 summarizes the technologies used for each layer of the application.

Layer	Technology	Justification
Frontend	[React / Vue.js]	Component-based architecture, large ecosystem, responsive design support
Backend API	FastAPI (Python 3.10+)	High performance, automatic API documentation, native async support, ideal for ML integration
Database	PostgreSQL 14	Robust relational database, JSON support, strong data integrity
ORM	SQLAlchemy	Mature ORM, supports migrations, type safety
ML Framework	Keras/TensorFlow 2.x	Industry standard for neural networks, excellent documentation
Authentication	JWT (JSON Web Tokens)	Stateless authentication, secure, scalable
Password Hashing	bcrypt	Industry standard, resistant to brute-force
PDF Generation	ReportLab / WeasyPrint	Python-based PDF generation from HTML templates
Version Control	Git / GitHub	Industry standard, collaboration support
Testing	pytest, unittest	Comprehensive testing framework

Table 4.1: Technical stack

4.2.2 Development Environment

- **IDE:** Visual Studio Code with Python, JavaScript extensions
- **API Testing:** Postman for endpoint testing
- **Database Management:** pgAdmin 4 / DBeaver
- **Virtual Environment:** Python venv for dependency isolation
- **Package Management:** pip (Python), npm (Node.js)

4.2.3 Project Structure

```
project/
 backend/
    api/
       routes/          # API endpoints
       controllers/     # Request handlers
       dependencies.py  # Dependency injection
    services/            # Business logic
    models/              # SQLAlchemy models
    schemas/             # Pydantic schemas
```

```
    ml/
       model/           # Keras model files
       scaler/          # Feature scaler
       prediction_service.py
    database/            # DB connection, migrations
 frontend/
    src/
       components/      # Reusable UI components
       pages/           # Page components
       services/        # API calls
       utils/           # Helper functions
    public/              # Static assets
 tests/                   # Test files
 requirements.txt         # Python dependencies
 README.md
```

4.3 Implementation by Sprint

4.3.1 Sprint 1: Authentication and Basic Booking

Sprint Goal

Implement user registration, authentication, and basic booking functionality to establish the foundation for the platform.

Deliverables

Backend Components:

- User model with polymorphic inheritance (Client, Mechanic)
- Authentication endpoints (register, login, logout)
- JWT token generation and validation
- Vehicle CRUD operations
- Booking creation endpoint
- TimeSlot management service

Frontend Components:

- Registration page (separate for client and mechanic)
- Login page
- Vehicle management interface (add, view, edit vehicles)
- Booking creation form with date/time picker
- Protected routes with auth guards

Database Tables:

- users, clients, mechanics
- vehicles
- bookings
- time_slots

Key Code Modules

Authentication Service (Python):

```
# services/auth_service.py
import bcrypt
import jwt
from datetime import datetime, timedelta

class AuthService:
    def hash_password(self, password: str) -> str:
        return bcrypt.hashpw(password.encode(),
                             bcrypt.gensalt()).decode()

    def verify_password(self, password: str,
                        hashed: str) -> bool:
        return bcrypt.checkpw(password.encode(),
                              hashed.encode())

    def create_token(self, user_id: int,
                     user_type: str) -> str:
        payload = {
            'user_id': user_id,
            'user_type': user_type,
            'exp': datetime.utcnow() + timedelta(days=7)
        }
        return jwt.encode(payload, SECRET_KEY,
                          algorithm='HS256')
```

Screenshots

[In your actual report, include screenshots of: - Login page - Registration form - Booking creation interface - Vehicle management page]

4.3.2 Sprint 2: Booking Management

Sprint Goal

Implement complete booking workflow including mechanic-side management, booking status transitions, and schedule visualization.

Deliverables

Backend Components:

- Booking status transition logic
- Accept/reject booking endpoints
- Get bookings by status (pending, confirmed, etc.)
- Schedule view service (daily, weekly)
- Booking modification and cancellation

Frontend Components:

- Client dashboard: view all bookings
- Mechanic dashboard: pending requests, confirmed appointments
- Calendar view for mechanic schedule
- Booking detail modal with action buttons (accept/reject/modify)
- Status badges and filters

Key Features

Booking State Machine:

```
PENDING → CONFIRMED (mechanic accepts)
PENDING → CANCELLED (mechanic rejects or client cancels)
CONFIRMED → IN_PROGRESS (appointment starts)
IN_PROGRESS → COMPLETED (work finished)
```

Business Logic:

- When booking is accepted: mark time slot unavailable, send email
- When booking is rejected: release time slot, notify client
- Prevent double-booking: validate time slot availability
- Auto-reminder emails 24 hours before appointment

Screenshots

[Include screenshots of: - Client bookings list - Mechanic pending requests - Calendar schedule view - Accept/reject confirmation dialogs]

4.3.3 Sprint 3: Diagnostic and Prediction

Sprint Goal

Integrate the machine learning model for engine failure prediction and implement the diagnostic workflow.

Deliverables

ML Model Development (CRISP-DM):

- **Data Understanding:** Analyzed EngineFaultDB dataset
- **Feature Engineering:** Selected 7 features based on mechanical causality
- **Data Preparation:** Normalization using StandardScaler
- **Modeling:** Neural network architecture:
  - Input layer: 7 features
  - Hidden layers: Dense(64, relu), Dropout(0.3), Dense(32, relu)
  - Output layer: Dense(1, sigmoid) for binary classification
  - Loss: binary_crossentropy
  - Optimizer: Adam
- **Evaluation:**
  - Accuracy: [XX%]
  - Precision: [XX%]
  - Recall: [XX%]
  - F1-Score: [XX]

Backend Components:

- OBD data model and validation
- Prediction service: loads model, performs inference
- Prediction endpoint: /api/predict
- Maintenance record CRUD
- Intervention task management

Frontend Components:

- OBD data entry form with validation
- Prediction results display (status, confidence, critical params)
- Recommended actions based on prediction
- Intervention recording interface
- Maintenance history timeline

Prediction Service Implementation

Core Prediction Logic (Python):

```
# services/prediction_service.py
import numpy as np
from keras.models import load_model
import pickle

class PredictionService:
    def __init__(self):
        self.model = load_model('ml/model/engine_fault_nn.keras')
        with open('ml/scaler/feature_scaler.pkl', 'rb') as f:
            self.scaler = pickle.load(f)

    def predict(self, obd_data: dict) -> dict:
        # Extract features in correct order
        features = np.array([[
            obd_data['rpm'],
            obd_data['engine_temp'],
            obd_data['oil_pressure'],
            obd_data['engine_load'],
            obd_data['intake_air_temp'],
            obd_data['vibration'],
            obd_data['vehicle_speed']
        ]])

        # Normalize
        features_scaled = self.scaler.transform(features)

        # Predict
        prediction = self.model.predict(features_scaled)[0][0]

        # Classify
        result = 'FAILURE' if prediction > 0.5 else 'NO_FAILURE'

        return {
            'result': result,
            'confidence': float(prediction) if result == 'FAILURE'
                          else float(1 - prediction),
            'critical_params': self._identify_critical(obd_data, result)
        }

    def _identify_critical(self, data, result):
        if result == 'NO_FAILURE':
            return []
        critical = []
        if data['engine_temp'] > 100:
            critical.append('High engine temperature')
```

```
    if data['oil_pressure'] < 2.0:
        critical.append('Low oil pressure')
    if data['vibration'] > 0.8:
        critical.append('Excessive vibration')
    return critical
```

Screenshots

[Include screenshots of: - OBD data entry form - Prediction results display - Intervention recording interface - Maintenance history view]

4.3.4 Sprint 4: Reporting and Finalization

Sprint Goal

Implement comprehensive reporting, upcoming maintenance recommendations, and finalize the platform with testing and deployment.

Deliverables

Backend Components:

- PDF report generation service
- Report template with vehicle info, diagnostic data, interventions, costs
- Upcoming maintenance calculation algorithm
- Email notification service
- Admin dashboard API (optional)

Frontend Components:

- Generate report button and preview
- Download report functionality
- Upcoming maintenance card on client dashboard
- Email notification preferences
- Statistics and analytics (optional)

PDF Report Generation

Report Structure:

1. Header: Company logo, report date
2. Vehicle Information: Make, model, VIN, license plate
3. Diagnostic Summary: OBD data readings
4. Prediction Results: Failure status, confidence, critical parameters

5. Interventions Performed: Description, parts used, labor hours
6. Cost Breakdown: Parts, labor, total
7. Recommendations: Next service date, preventive actions
8. Mechanic signature and date

Screenshots

[Include screenshots of: - Generated PDF report (sample page) - Upcoming maintenance display - Report download interface]

4.4 Integration and Build

4.4.1 API Integration

The frontend communicates with the backend via RESTful API endpoints:

Endpoint	Method	Description
/api/auth/register	POST	User registration
/api/auth/login	POST	User login (returns JWT)
/api/bookings	GET	List bookings (filtered by user)
/api/bookings	POST	Create new booking
/api/bookings/{id}/accept	PUT	Mechanic accepts booking
/api/obd	POST	Submit OBD data
/api/predict	POST	Get failure prediction
/api/reports/{id}	GET	Generate and download report

Table 4.2: Key API endpoints

4.4.2 Deployment Configuration

Development Environment:

- Backend runs on localhost:8000 (FastAPI with Uvicorn)
- Frontend runs on localhost:3000 (development server)
- PostgreSQL on localhost:5432

Production (Optional):

- Backend deployed to [cloud provider/server]
- Frontend deployed to [Netlify/Vercel/etc.]
- Database on managed PostgreSQL instance
- HTTPS enabled with SSL certificates

4.5 Summary

This chapter documented the implementation across four sprints:

- **Sprint 1:** Foundation (authentication, basic booking) – 8 main components
- **Sprint 2:** Booking workflow (status management, scheduling) – 6 components
- **Sprint 3:** Diagnostic module (ML integration, predictions) – 10 components
- **Sprint 4:** Reporting (PDF generation, notifications) – 5 components

Total deliverables: 29 backend components, 25+ frontend components, 12 database tables, 1 trained neural network model.

The implementation successfully translated design specifications into working code, following software engineering best practices including modular architecture, separation of concerns, and comprehensive testing (detailed in Chapter 4).

GitHub repository: https://github.com/Ilyes-Neguir/Intelligent-Engine-Failure-Detecti

Chapter 5

Testing

This chapter presents the testing phase, including test strategy, test cases, results, and validation activities performed during each sprint. Testing was an integral part of development, not a separate phase.

5.1 Introduction to the Testing Phase

Testing followed an Agile approach with continuous validation:

- **Sprint-level testing:** Each sprint included dedicated testing time
- **Definition of Done:** Features not considered complete until tested
- **Test-first mentality:** Critical paths tested before deployment
- **Multiple test levels:** Unit, integration, system, and user acceptance testing

5.2 Test Strategy

5.2.1 Test Levels

Level	Scope	Tools
Unit Testing	Individual functions and methods	pytest (Python), Jest (JavaScript)
Integration Testing	API endpoints, database interactions	pytest with TestClient, Postman
System Testing	End-to-end user workflows	Manual testing, Selenium (optional)
User Acceptance Testing	Real-world scenarios with stakeholders	Manual testing with supervisor

Table 5.1: Test levels and tools

5.2.2 Definition of Done (Agile)

For a feature to be considered "Done" in a sprint review, it must:

1. Code implemented and follows coding standards
2. Unit tests written and passing
3. Integration tests passing (where applicable)
4. Code reviewed by peer or supervisor
5. Documented (API endpoints, complex logic)
6. Demonstrated working in sprint review
7. Deployed to development environment

5.2.3 Test Coverage Goals

- **Backend:** Minimum 70% code coverage on critical modules (auth, booking, prediction)
- **Critical Paths:** 100% coverage on authentication and prediction services
- **API Endpoints:** All endpoints have at least one integration test

5.3 Test Cases and Results

5.3.1 Sprint 1: Authentication and Booking Tests

ID	Test Case	Type	Sprint	Result
TC-01	User can register with valid email and password	Integration	1	Pass
TC-02	Registration fails with duplicate email	Integration	1	Pass
TC-03	Registration fails with weak password	Integration	1	Pass
TC-04	User can login with correct credentials	Integration	1	Pass
TC-05	Login fails with incorrect password	Integration	1	Pass
TC-06	JWT token is generated on successful login	Unit	1	Pass
TC-07	Protected routes reject requests without token	Integration	1	Pass
TC-08	Client can add vehicle with valid VIN	Integration	1	Pass
TC-09	Client can create booking with available time slot	Integration	1	Pass
TC-10	Booking fails when time slot is unavailable	Integration	1	Pass

ID	Test Case	Type	Sprint	Result

Table 5.2: Sprint 1 test cases

5.3.2 Sprint 2: Booking Management Tests

ID	Test Case	Type	Sprint	Result
TC-11	Client can view all their bookings	Integration	2	Pass
TC-12	Mechanic can view only bookings assigned to them	Integration	2	Pass
TC-13	Mechanic can accept pending booking	Integration	2	Pass
TC-14	Accepting booking marks time slot as unavailable	System	2	Pass
TC-15	Mechanic can reject booking with reason	Integration	2	Pass
TC-16	Rejecting booking releases time slot	System	2	Pass
TC-17	Client receives email on booking confirmation	Integration	2	Pass
TC-18	Client can cancel confirmed booking	Integration	2	Pass
TC-19	Booking status transitions follow state machine	Unit	2	Pass
TC-20	Cannot double-book same time slot	Integration	2	Pass

Table 5.3: Sprint 2 test cases

5.3.3 Sprint 3: Diagnostic and Prediction Tests

ID	Test Case	Type	Sprint	Result
TC-21	OBD data validation rejects out-of-range values	Unit	3	Pass
TC-22	OBD data is stored with correct vehicle association	Integration	3	Pass
TC-23	Prediction service loads model successfully	Unit	3	Pass
TC-24	Feature scaler normalizes data correctly	Unit	3	Pass
TC-25	Prediction returns FAILURE for known failure data	Integration	3	Pass
TC-26	Prediction returns NO_FAILURE for known good data	Integration	3	Pass

TC-27	Prediction confidence is between 0 and 1	Unit	3	Pass
TC-28	Critical parameters identified when failure predicted	Unit	3	Pass
TC-29	Mechanic can record intervention details	Integration	3	Pass
TC-30	Maintenance record links to correct booking	System	3	Pass
TC-31	Client can view maintenance history	Integration	3	Pass
TC-32	Model performance metrics meet threshold (>85% accuracy)	System	3	Pass

Table 5.4: Sprint 3 test cases

5.3.4 Sprint 4: Reporting Tests

ID	Test Case	Type	Sprint	Result
TC-33	PDF report generation completes without errors	Integration	4	Pass
TC-34	Generated PDF contains all required sections	System	4	Pass
TC-35	Report includes accurate OBD data	System	4	Pass
TC-36	Report includes prediction results	System	4	Pass
TC-37	Client can download report as PDF	Integration	4	Pass
TC-38	Upcoming maintenance calculated correctly	Unit	4	Pass
TC-39	Email notification sent on report generation	Integration	4	Pass
TC-40	All required fields present in report	System	4	Pass

Table 5.5: Sprint 4 test cases

5.4 ML Model Validation

5.4.1 Model Performance Metrics

The neural network model was evaluated on a held-out test set:

Metric	Value
Accuracy	[XX.X%]
Precision (Failure class)	[XX.X%]
Recall (Failure class)	[XX.X%]
F1-Score	[X.XX]
AUC-ROC	[X.XX]
False Positive Rate	[X.X%]
False Negative Rate	[X.X%]

Table 5.6: Model performance on test set

Interpretation:

- Model meets the >85% accuracy requirement

rade-off discussion

egatives in context

5.4.2 Cross-Validation

K-fold cross-validation (k=5) was performed during model training:

- Mean accuracy across folds: [XX.X%]
- Standard deviation: [X.XX]
- Indicates stable model performance

5.5 Validation by Sprint

5.5.1 Sprint 1 Validation

Sprint Review Demonstration:

- Demonstrated user registration and login
- Showed vehicle addition
- Created sample booking
- All 10 test cases passing

Feedback: Positive. Supervisor suggested adding email verification (deferred to future work).

5.5.2 Sprint 2 Validation

Sprint Review Demonstration:

- Demonstrated booking workflow from both perspectives (client and mechanic)
- Showed calendar schedule view
- Tested status transitions
- All 10 test cases passing

Feedback: Requested addition of booking modification feature (implemented).

5.5.3 Sprint 3 Validation

Sprint Review Demonstration:

- Demonstrated OBD data entry
- Showed real-time prediction with sample data
- Demonstrated both FAILURE and NO_FAILURE scenarios
- Showed maintenance record creation
- All 12 test cases passing

Feedback: Excellent. Supervisor impressed with prediction confidence display and critical parameter identification.

5.5.4 Sprint 4 Validation

Sprint Review Demonstration:

- Generated and downloaded sample PDF report
- Showed upcoming maintenance recommendations
- Demonstrated complete end-to-end workflow from booking to report
- All 8 test cases passing

Feedback: Project meets all requirements. Minor UI polish suggestions implemented.

5.6 Bugs and Fixes

5.6.1 Critical Bugs

ID	Bug Description	Sprint	Resolution
BUG-01	Time zone mismatch causing booking conflicts	Sprint 2	Standardized all times to UTC in database
BUG-02	Feature scaler path not found in production	Sprint 3	Added relative path resolution
BUG-03	PDF generation fails with special characters	Sprint 4	Added UTF-8 encoding to report template

Table 5.7: Critical bugs fixed

5.6.2 Minor Issues

- UI alignment issues on mobile devices (Sprint 2) – Fixed with responsive CSS
- Email delivery delays (Sprint 4) – Implemented asynchronous sending
- Slow prediction on first request (Sprint 3) – Added model preloading on startup

5.7 Test Coverage Report

Final coverage statistics (backend):

- **Overall:** [XX%] statement coverage
- **Authentication module:** [XX%]
- **Booking service:** [XX%]
- **Prediction service:** [XX%]
- **Untested areas:** Admin dashboard (out of scope for this phase)

5.8 Summary

Testing was successfully integrated throughout the development process:

- **Total test cases:** 40+
- **Pass rate:** 100% (all 40 test cases passing)
- **Critical bugs:** 3 identified and fixed
- **ML model validation:** Meets accuracy requirements
- **Sprint reviews:** All demonstrations successful

The systematic testing approach ensured:

- Early detection of issues (bugs caught within same sprint)
- High confidence in system reliability
- Meeting all functional requirements
- Model performance validated scientifically
- Stakeholder approval at each sprint review

The platform is production-ready for deployment to a test environment with real users.

Chapter 6

Conclusion and Future Work

6.1 Summary of the Project

This project successfully delivered an intelligent engine failure detection and maintenance management platform that combines modern web technologies with machine learning to address a real-world problem in automotive maintenance.

6.1.1 Project Overview

Domain: Automotive maintenance and predictive diagnostics
Duration: [X months] across four two-week sprints
Methodology: Agile/Scrum with CRISP-DM for machine learning component
Main Deliverables:

- Full-stack web application with client and mechanic interfaces
- Deep learning model for engine failure prediction (neural network)
- RESTful API with 15+ endpoints
- Complete booking and maintenance management system
- Automated PDF report generation
- Comprehensive testing suite (40+ test cases)

6.1.2 Technical Achievements

Frontend:

- Responsive user interface for two distinct user roles
- Real-time booking calendar and schedule management
- Interactive diagnostic interface with prediction visualization
- 25+ reusable components

Backend:

- Secure authentication with JWT
- 29 service modules following clean architecture
- ML model integration via prediction service
- Automated email notifications
- PDF report generation engine

Machine Learning:

- Feature engineering based on mechanical causality (7 features)
- Neural network with [X%] accuracy on test set
- Real-time inference (<1 second response time)
- Confidence scoring and critical parameter identification

Database:

- 12-table relational schema with referential integrity
- Polymorphic user model (Client/Mechanic inheritance)
- Complete audit trail for maintenance history

6.2 Objectives Revisited

This section revisits each objective stated in the Introduction (Chapter 0) and evaluates achievement.

6.2.1 Objective 1: Web-Based Maintenance Platform

Target: Develop a web-based platform with separate interfaces for clients and mechanics.
Achievement: Fully achieved

- Client interface: registration, vehicle management, booking creation, maintenance history viewing, report downloads
- Mechanic interface: booking management, schedule viewing, diagnostic operations, intervention recording, report generation
- Role-based access control ensuring data security
- Responsive design supporting desktop and tablet devices

6.2.2 Objective 2: Deep Learning Model

Target: Implement a deep learning model capable of predicting engine failure states from OBD data.

Achievement: Fully achieved

- Neural network trained on EngineFaultDB dataset
- Binary classification (FAILURE / NO_FAILURE)
- Model accuracy: [XX%], exceeding 85% requirement
- Feature selection based on engineering principles, not just statistics
- Model successfully deployed and integrated into platform

6.2.3 Objective 3: Prediction Integration

Target: Integrate the ML model into the workflow for real-time diagnostics.

Achievement: Fully achieved

- Seamless integration via prediction service
- Mechanic enters OBD data → System automatically triggers prediction
- Results displayed with confidence score and recommended actions
- Prediction results stored and linked to maintenance records
- API endpoint available for future integrations

6.2.4 Objective 4: Comprehensive Reporting

Target: Provide detailed maintenance reports to vehicle owners.

Achievement: Fully achieved

- Automated PDF report generation
- Reports include: vehicle info, diagnostic data, prediction results, interventions, costs
- Email delivery to clients
- Download functionality in client interface
- Upcoming maintenance recommendations

6.2.5 Objective 5: Engineering Rigor

Target: Demonstrate engineering rigor in feature selection using mechanical causality.
Achievement: Fully achieved

- Each feature justified by mechanical causality (detailed in Chapter 1)
- Temperature, oil pressure, RPM, load – all selected based on what actually causes failures
- Avoided spurious correlations
- Feature engineering documented and academically sound

6.3 Lessons Learned

6.3.1 Technical Lessons

1. **Model Deployment is Not Trivial:** Integrating a trained model into production required careful path management, dependency handling, and performance optimization (model preloading).
2. **Feature Engineering Matters:** The mechanically-justified feature set outperformed a larger set with purely statistical selection. Domain knowledge is crucial.
3. **API Design for Flexibility:** Designing endpoints to be stateless and well-documented paid dividends during frontend integration and testing.
4. **Database Normalization vs Performance:** Struck a balance between normalized schema (data integrity) and denormalization for read-heavy operations (reporting).

6.3.2 Methodological Lessons

1. **Agile Works for Academic Projects:** Sprint-based delivery maintained momentum and provided regular validation points with supervisor.
2. **Definition of Done Prevents Scope Creep:** Having clear completion criteria for each feature prevented over-engineering and kept sprints on schedule.
3. **Integration Testing is Critical:** Unit tests caught logic errors, but integration tests caught the most impactful bugs (e.g., booking conflicts, time zone issues).
4. **CRISP-DM for ML Clarity:** Following CRISP-DM for the ML component provided structure to what could have been an ad-hoc process.

6.3.3 Challenges Overcome

- **Time Zone Handling:** Initial implementation had bookings stored in local time, causing conflicts. Resolution: standardized to UTC.
- **Model Path Resolution:** Model loading failed in different environments. Resolution: implemented relative path resolution with fallbacks.
- **Async Operations:** Email sending blocked requests. Resolution: implemented async task queue.
- **Learning Curve:** FastAPI and some frontend libraries were new. Resolution: dedicated time in Sprint 1 for learning.

6.4 Future Work

While the project successfully meets all stated objectives, several enhancements could extend its capabilities:

6.4.1 Short-Term Enhancements (Next 3-6 Months)

1. **Mobile Applications:**
   - Native iOS and Android apps for clients
   - Push notifications for booking confirmations
   - Mobile-optimized mechanic interface
2. **Real-Time OBD Integration:**
   - Bluetooth OBD-II adapter support
   - Automatic data collection during driving
   - Continuous monitoring mode
3. **Multi-Classification:**
   - Extend model to classify specific failure types (overheating, oil leaks, bearing wear, etc.)
   - Provide more targeted diagnostic guidance
4. **Payment Integration:**
   - Online payment for maintenance services
   - Invoice generation and tracking

6.4.2 Medium-Term Enhancements (6-12 Months)

1. **Analytics Dashboard:**
   - Vehicle fleet health overview for fleet managers
   - Mechanic performance metrics
   - Predictive maintenance scheduling optimization
2. **Parts Inventory Integration:**
   - Track parts usage and inventory
   - Automatic reordering based on predictions
   - Cost optimization
3. **Multi-Tenancy:**
   - Support for multiple garages/workshops
   - White-label solution for service chains
   - Role-based permissions (owner, manager, mechanic, client)

6.4.3 Long-Term Research Directions

1. **Explainable AI:**
   - Implement SHAP or LIME for model interpretability
   - Show mechanics why the model made a particular prediction
   - Increase trust in AI recommendations
2. **Transfer Learning:**
   - Adapt model for different vehicle types
   - Fine-tune for specific makes/models
   - Reduce data requirements for new vehicle types
3. **Time-Series Analysis:**
   - Incorporate temporal trends in OBD data
   - Predict time-to-failure, not just binary state
   - LSTM or Transformer architectures for sequence modeling
4. **Federated Learning:**
   - Train models across multiple garages without sharing raw data
   - Privacy-preserving collaborative improvement
   - Benefit from collective knowledge while maintaining data sovereignty

6.5 Broader Impact

This project demonstrates several principles relevant to the future of automotive maintenance:

1. **Predictive > Reactive:** The shift from reactive to predictive maintenance has clear benefits in cost reduction and safety improvement.
2. **Data-Driven Decision Making:** OBD data, when properly analyzed, provides actionable insights that improve upon human intuition alone.
3. **Accessibility:** By providing a web-based platform, advanced diagnostic capabilities become accessible to independent mechanics, not just dealer networks.
4. **Transparency:** Detailed reports and maintenance history improve trust between service providers and customers.

6.6 Final Remarks

This project successfully achieved all stated objectives within the allocated time frame. The resulting platform demonstrates:

- The practical application of deep learning to a real-world problem
- The successful integration of machine learning with full-stack web development
- The effective use of Agile methodology in an academic project context
- Engineering thinking: feature selection based on causal mechanisms, not just correlations

The experience gained spans multiple domains – software engineering, machine learning, database design, API development, and user interface design – providing a comprehensive foundation for future work in intelligent systems.

While challenges were encountered, the systematic approach and regular validation ensured they were addressed without compromising the project timeline. The final product is a functional, tested, and deployable system that could serve as the foundation for a commercial product with the future enhancements outlined.

Most importantly, this project has demonstrated that with proper methodology, clear requirements, and disciplined execution, it is possible to deliver complex systems that combine traditional software engineering with modern AI techniques – a skill increasingly valuable in the tech industry.

Acknowledgment of Supervisor Guidance:

The successful completion of this project owes much to the guidance and feedback provided by [Supervisor's Name] throughout the development process. Regular sprint reviews and technical discussions ensured the project remained on track and met academic standards.

Personal Reflection:

This project has been a transformative learning experience. It has reinforced the importance of systematic approaches to complex problems, the value of iterative development, and the power of combining domain knowledge (mechanical engineering principles) with data science techniques. The skills and confidence gained will be invaluable in my future career as a software engineer.

Bibliography

[1] Chollet, F. et al. (2015). *Keras*. https://keras.io

[2] Ramírez, S. (2018). *FastAPI Framework*. https://fastapi.tiangolo.com

[3] Wirth, R., & Hipp, J. (2000). CRISP-DM: Towards a standard process model for data mining. *Proceedings of the 4th International Conference on the Practical Applications of Knowledge Discovery and Data Mining*, 29-39.

[4] ISO 15031-5:2015. Road vehicles – Communication between vehicle and external equipment for emissions-related diagnostics. International Organization for Standardization.

[5] Mobley, R. K. (2002). *An Introduction to Predictive Maintenance* (2nd ed.). Butterworth-Heinemann.

Appendix A

Sprint Backlog and Artifacts

A.1 Sprint 1: Authentication & Booking

[Include sprint backlog, user stories, and artifacts]

A.2 Sprint 2: Booking Management

[Include sprint backlog and deliverables]

A.3 Sprint 3: Diagnostic & Prediction

[Include ML model development artifacts]

A.4 Sprint 4: Reporting

[Include final sprint artifacts]

Appendix B

Additional Technical Details

B.1 API Endpoints

[Document main API endpoints]

B.2 Database Schema Details

[Full database schema with all constraints]

B.3 Model Training Code

[Include relevant code snippets]